

Müüritarvikute spetsifikatsioonid. Osa 2: Sillused

**Specification for ancillary components for masonry -
Part 2: Lintels**

EESTI STANDARDI EESSÕNA

See Eesti standard EVS-EN 845-2:2013 sisaldab Euroopa standardi EN 845-2:2013 ingliskeelset teksti.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.05.2013.

Standard on kättesaadav Eesti Standardikeskusest.

NATIONAL FOREWORD

This Estonian standard EVS-EN 845-2:2013 consists of the English text of the European standard EN 845-2:2013.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.

Date of Availability of the European standard is 29.05.2013.

The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.080.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Specification for ancillary components for masonry - Part 2: Lintels

Spécifications pour composants accessoires de
maçonnerie - Partie 2: Linteaux

Festlegungen für Ergänzungsbauteile für Mauerwerk - Teil
2: Stürze

This European Standard was approved by CEN on 21 March 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword	4
1 Scope	5
2 Normative references	5
3 Terms, definitions and symbols	6
3.1 Terms and definitions	6
3.2 Symbols	8
4 Materials	11
4.1 Steel lintels	11
4.2 Concrete lintels	11
4.3 Masonry lintels	12
4.4 Combined and composite lintels	13
5 Requirements	13
5.1 General	13
5.2 Dimensions, mass and limit deviations	13
5.2.1 Dimensions	13
5.2.2 Mass per unit area	14
5.2.3 Built-in length	14
5.2.4 Deviation from declared values	14
5.3 Mechanical performance and information to obtain the mechanical performance	14
5.3.1 Single lintels, combined lintels and composite lintels	14
5.3.2 Prefabricated part of composite lintels	15
5.4 Durability	16
5.4.1 General	16
5.4.2 Steel lintels	16
5.4.3 Concrete lintels and masonry lintels	16
5.5 Water penetration and installation	16
5.6 Thermal properties	16
5.7 Freeze/thaw resistance	17
5.7.1 General	17
5.7.2 Steel lintels	17
5.7.3 Concrete lintels	17
5.7.4 Masonry lintels	17
5.8 Resistance to fire	17
5.9 Water absorption	17
5.9.1 General	17
5.9.2 Steel lintels	17
5.9.3 Other lintels	17
5.10 Water vapour permeability	18
5.11 Dangerous substances	18
6 Description and designation	18
7 Marking	21
8 Evaluation of conformity	22
8.1 General	22
8.2 Initial type tests	22
8.2.1 General	22
8.2.2 Single lintels, combined lintels and composite lintels as defined in 3.1	23
8.2.3 Prefabricated part of composite lintels	23
8.3 Factory production control	23

8.3.1	General	23
8.3.2	Testing and measuring equipment	24
8.3.3	Production equipment	24
8.3.4	Raw materials	24
8.3.5	Production process	24
8.3.6	Finished product testing	24
8.3.7	Statistical techniques	24
8.3.8	Marking and stock control of products	25
8.3.9	Traceability	25
8.3.10	Nonconforming products	25
8.4	Sampling for initial type testing and independent testing of consignments	25
Annex A	(informative) Method for assessment of loads on lintels	26
Annex B	(informative) Recommendations for installation of lintels	27
B.1	Bearings	27
B.2	Installation	27
B.3	Composite lintels	27
Annex C	(normative) Corrosion protection systems	28
C.1	Steel lintels	28
C.2	Concrete and masonry lintels (except those manufactured using autoclaved aerated concrete)	31
C.3	Lintels manufactured using autoclaved aerated concrete	31
Annex D	(informative) Guidance on FPC frequencies	32
Annex ZA	(informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	34
Bibliography		41

Foreword

This document (EN 845-2:2013) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2013, and conflicting national standards shall be withdrawn at the latest by November 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document supersedes EN 845-2:2003.

This part has been modified to take into account comments made in the five-year review on the 2003 version. A change has been made in the permission to use historic test data when arriving at declared values; a limited permission is also given for the use of calculation methods in certain cases.

EN 845, *Specification for ancillary components for masonry*, consists of the following parts:

- *Part 1: Wall ties, tension straps, hangers and brackets*
- *Part 2: Lintels*
- *Part 3: Bed joint reinforcement of steel meshwork*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies requirements for prefabricated lintels for maximum spans of 4,5 m and made from steel, autoclaved aerated concrete, manufactured stone, concrete, fired clay units, calcium silicate units, natural stone units, or a combination of these materials. Concrete and steel beams conforming to EN 1090-1, EN 12602 and EN 13225, as appropriate, are not covered by this standard.

Prefabricated lintels can be either complete lintels or the prefabricated part of a composite lintel.

This European Standard is not applicable to:

- a) lintels completely made on site;
- b) lintels of which the tensile parts are made on site;
- c) timber lintels;
- d) natural stone lintels, not reinforced.

Linear components spanning clear openings greater than 4,5 m in masonry walls and linear components intended for use independently in a structural role (e.g. beams) are not covered by this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 206-1:2000, *Concrete — Part 1: Specification, performance, production and conformity*

EN 771 (all parts), *Specification for masonry units*

EN 772-1, *Methods of test for masonry units — Part 1: Determination of compressive strength*

EN 772-11, *Methods of test for masonry units — Part 11: Determination of water absorption of aggregate concrete, autoclaved aerated concrete, manufactured stone and natural stone masonry units due to capillary action and the initial rate of water absorption of clay masonry units*

EN 846-9, *Methods of test for ancillary components for masonry — Part 9: Determination of flexural resistance and shear resistance of lintels*

EN 846-11, *Methods of test for ancillary components for masonry — Part 11: Determination of dimensions and bow of lintels*

EN 846-13:2001, *Methods of test for ancillary components for masonry — Part 13: Determination of resistance to impact, abrasion and corrosion of organic coatings*

EN 846-14, *Methods of test for ancillary components for masonry — Part 14: Determination of the initial shear strength between the prefabricated part of a composite lintel and the masonry above it*

EN 990, *Test methods for verification of corrosion protection of reinforcement in autoclaved aerated concrete and lightweight aggregate concrete with open structure*

EN 998-2:2010, *Specification for mortar for masonry — Part 2: Masonry mortar*

EN 1745, *Masonry and masonry products — Methods for determining thermal properties*

EN 10080, *Steel for the reinforcement of concrete — Weldable reinforcing steel — General*

EN 10088 (all parts), *Stainless steels*

prEN 10138 (all parts), *Prestressing steels*

EN 10346:2009, *Continuously hot-dip coated steel flat products — Technical delivery conditions*

EN 12602:2008, *Prefabricated reinforced components of autoclaved aerated concrete*

EN 13501-2, *Fire classification of construction products and building elements — Part 2: Classification using data from fire resistance tests, excluding ventilation services*

EN ISO 1461, *Hot dip galvanized coatings on fabricated iron and steel articles — Specifications and test methods (ISO 1461)*

EN ISO 1463, *Metallic and oxide coatings — Measurement of coating thickness — Microscopical method (ISO 1463)*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE 1 Examples of lintel types are shown in Figures 1 to 3. The figures are only for illustration of lintel types. Other details such as bearings, thermal insulation systems and damp proof courses are not shown.

NOTE 2 General dimensions defined in Clause 3 are illustrated in Figures 3 and 4.

3.1.1

autoclaved aerated concrete lintel

lintel manufactured using reinforced autoclaved aerated concrete

3.1.2

bearing length

length of the end of a lintel which bears on its support

3.1.3

built-in length

minimum length needed to anchor the reinforcing bars

3.1.4

clear opening

clear distance between lintel supports

3.1.5

combined lintel

lintel consisting of two or more structural elements each one acting with compression and tension zones

3.1.6

composite lintel

lintel comprising a prefabricated part and a complementary element of in-situ masonry or concrete above, acting together