Safety of woodworking machines - One side moulding machines with rotating tool - Part 2: Single spindle hand on is a province of the second fed/integrated fed routing machines CONSOLIDATED **TEXT**



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 848-2:2007+A2:2012	This Estonian standard EVS-EN 848-2:2007+A2:2012
sisaldab Euroopa standardi EN 848-	consists of the English text of the European standard
2:2007+A2:2012 ingliskeelset teksti.	EN 848-2:2007+A2:2012.
, , , , , , , , , , , , , , , , , , , ,	This standard has been endorsed with a notification
avaldamisega EVS Teatajas.	published in the official bulletin of the Estonian Centre
	for Standardisation.
Furnana atandardiminarganiaatainanid an tainud	Data of Availability of the European standard is
	Date of Availability of the European standard is
	26.09.2012.
kättesaadavaks 26.09.2012.	
Standard on kättaanaday Fasti Standardikaakussat	The standard is evallable from the Estenion Centre for
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for
	Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 79.120.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE EUROPÄISCHE NORM

September 2012

EN 848-2:2007+A2

ICS 79.120.10

Supersedes EN 848-2:2007+A1:2009

English Version

Safety of woodworking machines - One side moulding machines with rotating tool - Part 2: Single spindle hand fed/integrated fed routing machines

Sécurité des machines pour le travail du bois - Machines à fraiser sur une face, à outil rotatif - Partie 2: Défonceuses monobroche à avance manuelle/mécanisée

Sicherheit von Holzbearbeitungsmaschinen -Fräsmaschinen für einseitige Bearbeitung mit drehendem Werkzeug - Teil 2: Einspindelige Oberfräsmaschinen mit Handvorschub/mechanischem Vorschub

This European Standard was approved by CEN on 13 January 2007 and includes Amendment 1 approved by CEN on 3 October 2009 and Amendment 2 approved by CEN on 13 August 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

COIIL		age
	ord	
Forewo	ord	4
Introdu	ction	į
out		
1	Scope	6
2	Normative references	6
2	Terms and definitions	(
3.1	General	
3.2	Definitions	
3.3	Terms	
4	List of significant hazards	
5	Safety requirements and/or measures	
5.1	General	
5.2	Controls	
5.2.1	Safety and reliability of control systems	
5.2.2	Position of controls	
5.2.3	Starting	
5.2.4	Normal stopping	
5.2.5	Additional stop	
5.2.6	Emergency stop	
5.2.7	Mode selection	
5.2.8	Spindle speed control ♠	
5.2.9	Integrated feed	
5.2.10	Failure of the power supply	
5.2.11	Failure of the control circuits	. 26
5.3	Protection against mechanical hazards	. 27
5.3.1	Stability	
5.3.2 5.3.3	Hazard of break up during operation	
5.3.4	Tool holder and tool design	
5.3.4 5.3.5	Devices to minimise the possibility or the effect of ejection	
5.3.6	Workpiece supports and guides	
5.3.6 5.3.7	Prevention of access to moving parts	
5.3. <i>1</i> 5.3.8	Characteristics of guards and safety devices	3
5.3.9	Clamping device	
5.3.10	Safety appliances	
5.4	Protection against non mechanical hazards	
5.4.1	Fire	
5.4.2	Noise	
5.4.3	Emission of chips and dust	
5.4.4	Electricity	
5.4.5	Ergonomics and handling	
5.4.6	Pneumatics	
5.4.7	Hydraulics	. 41
5.4.8	Electromagnetic compatibility	
5.4.9	Static electricity	. 42
5.4.10	Errors of fitting	
5.4.11	Supply disconnecting devices	
5.4.12	Maintenance	. 42
8	Information for use	11

6.1 6.2	Warning devices	
6.3	Instruction handbook	44
Annex	A (normative) Stability test for displaceable machines	50
	B (normative) Braking tests	
B.1 B.2.1	Conditions for all tests	
B.2.1 B.2.2	Un-braked run-down timeBraked run-down time	
Annex	C (normative)	52
C.1	General	52
C.2	Test method	
C.2.1 C.2.2	Preliminary remarks Testing equipment	
C.2.3	Projectile for guards	
C.2.4	Sampling	
C.2.5 C.3	Test procedure Results	
C.4	Assessment	53
C.5	Test report Test equipment for impact test	
C.6		53
Annex	ZA (informative) A Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	56
Biblio	raphy	60
	raphy	

Foreword

This document (EN 848-2:2007+A2:2012) has been prepared by Technical Committee CEN/TC 142 "Woodworking machines - Safety", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1, approved by CEN on 2009-10-03 and Amendment 2, approved by CEN on 2012-08-13.

This document supersedes EN 848-2:2007+A1:2009 (A2).

The start and finish of text introduced or altered by amendment is indicated in the text by tags $\boxed{\mathbb{A}}$ $\boxed{\mathbb{A}}$ $\boxed{\mathbb{A}}$ $\boxed{\mathbb{A}}$.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the M Machinery Directives (41).

A) For relationship with EU Directive(s), see informative A) Annexe ZA, which is an integral part (2) of this document. (4)

Organisation contributing to the preparation of this document include the European Association of Manufacturer of Woodworking Machines "EUMABOIS".

The European Standards produced by CEN/TC 142 are particular to woodworking machines and compliment the relevant A and B standards on the subject of general safety (see introduction of Pay EN ISO 12100:2010 (A) for a description of A, B and C standards).

- [A] EN 848 Safety of woodworking machines One side moulding machines with rotating tool consists of the following parts:
- Part 1: Single spindle vertical moulding machines
- Part 2: Single spindle hand fed/integrated fed routing machines
- Part 3: Numerically controlled (NC) boring and routing machines &

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document has been prepared to be a harmonised standard to provide one means of conforming to the essential safety requirements of the Machinery Directive and associated EFTA Regulations.

This document is a type C standard as stated in [A] EN ISO 12100:2010 [A].

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of other standards, for machines that have been designed and built according to the provisions of this type C standard.

The requirements of this document are directed to manufacturers and their authorised representatives of single spindle hand fed/integrated fed routing machines. It is also useful for designers.

This document also includes examples of information which are to be provided by the manufacturer to the user.

Common requirements for tooling are given in S EN 847-1:2005+A1:2007 EN 847-2:2001 and EN 847-3:2004.

1 Scope

This document (A) specifies all significant (A) hazards, hazardous situations and events as listed in Clause 4 which are relevant to stationary and displaceable single spindle hand fed/integrated fed routing machines with fixed head but allowing only movement along the axis of the tool during machining hereinafter referred to as "machines" designed to cut solid wood, chip board, fibreboard, plywood and also these materials if they are covered with plastic laminate, edgings or veneer when they are used as intended and under the conditions foreseen by the manufacturer (A) including reasonably foreseeable misuse (A).

A For the definition of stationary and displaceable machine see 3.2.17 and 3.2.18.

Machines which are designed to work wood based materials may also be used for working hardened plastic materials with similar physical characteristics as wood. (42)

This document does not apply to:

- a) inverted pin routers and radial arm routers (machines where the work piece is fixed and the tool head is manually moved);
- b) NC boring machines and NC routing machines;
- c) hand-held routers or any adaptation permitting their use in a different mode, e.g. bench mounting;
- NOTE 1 № Hand-held motor-operated electric tools are dealt with in № EN 60745-1:2009 № together with EN 60745-2-17:2003.
- d) routing machines set up on a bench or a table similar to a bench, which are intended to carry out work in a stationary position, capable of being lifted by one person by hand. The bench can also be an integrated part of the machine if it consists of hinged legs which can be extended down.
- $\stackrel{\triangle_2}{=}$ NOTE 2 $\stackrel{\triangle_2}{=}$ Transportable motor-operated electric tools are dealt with in EN 61029-1:2000 together with $\stackrel{\triangle_2}{=}$ EN 61029-2-8:2010 $\stackrel{\triangle_2}{=}$.

This document is not applicable to single spindle hand fed/integrated fed routing machines which are manufactured before the date of its publication as EN.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

♠ EN 847-1:2005+A1:2007 ♠ Tools for woodworking — Safety requirements — Part 1: Milling tools, circular saw blades

EN 847-2:2001, Tools for woodworking — Safety requirements — Part 2: Requirements for the shank of shank mounted milling tools

EN 847-3:2004, Tools for woodworking — Safety requirements — Part 3: Clamping devices

EN 894-1:1997+A1:2008 (2), Safety of machinery — Ergonomics requirements for the design of displays and control actuators — Part 1: General principles for human interactions with displays and control actuators

- EN 894-2:1997+A1:2008 (2), Safety of machinery Ergonomics requirements for the design of displays and control actuators Part 2: Displays
- EN 894-3:2000+A1:2008 (2), Safety of machinery Ergonomics requirements for the design of displays and control actuators Part 3: Control actuators
- A₂ deleted text (A₂
- EN 1005-1:2001+A1:2008 (2), Safety of machinery Human physical performance Part 1: Terms and definitions
- EN 1005-2:2003+A1:2008 (2), Safety of machinery Human physical performance Part 2: Manual handling of machinery and component parts of machinery
- ♠ EN 1005-3:2002+A1:2008 ♠ Safety of machinery Human physical performance Part 3: Recommended force limits for machinery operation
- EN 1005-4:2005+A1:2008 (A), Safety of machinery Human physical performance Part 4: Evaluation of working postures and movements in relation to machinery
- ♠ EN 1037:1995+A1:2008 ♠ Safety of machinery Prevention of unexpected start-up
- EN 1088:1995+A2:2008 (A), Safety of machinery Interlocking devices associated with guards Principles for design and selection
- ♠ EN 1837:1999+A1:2008 ♠ , Safety of machinery Integral lighting of machines
- EN 50370-1:2005, Electromagnetic compatibility (EMC) Product family standard for machine-tools Part 1: Emission
- EN 50370-2:2003, Electromagnetic compatibility (EMC) Product family standard for machine-tools Part 2: Immunity
- EN 60204-1:2006, Safety of machinery Electrical equipment of machines Part 1: General requirements (IEC 60204-1:2005, modified)
- EN 60439-1:1999¹⁾, Low-voltage switchgear and controlgear assemblies Part 1: Type-tested and partially type-tested assemblies (IEC 60439-1:1999)
- EN 60529:1991²), Degrees of protection provided by enclosure (IP code) (IEC 60529:1989)
- EN 61800-5-2:2007, Adjustable speed electrical power drive systems Part 5-2: Safety requirements Functional (IEC 61800-5-2:2007) (2)
- EN ISO 3743-1:2010 (A) Acoustics Determination of sound power levels and sound energy levels of noise sources using sound pressure Engineering methods for small movable sources in reverberant fields Part 1: Comparison method for a hard-walled test room (ISO 3743-1:2010) (A)
- EN ISO 3743-2:2009 (A), Acoustics Determination of sound power levels of noise sources using sound pressure Engineering methods for small, movable sources in reverberant fields Part 2: Method for special reverberation test rooms (ISO 3743-2:1994)

¹⁾ EN 60439-1:1999 is impacted by EN 60439-1:1999/A1:2004.

²⁾ EN 60529:1991 is impacted by EN 60529:1991/A1:2000.

- EN ISO 3744:2010 (A2), (A2) Acoustics Determination of sound power levels and sound energy levels of noise sources using sound pressure Engineering methods for an essentially free field over a reflecting plane (ISO 3744:2010) (A2)
- ▶ EN ISO 3745:2009³⁾ ♠, Acoustics Determination of sound power levels of noise sources using sound pressure Precision methods for anechoic and semi-anechoic rooms (ISO 3745:2003)
- № EN ISO 3746:2010 🙉 , № Acoustics Determination of sound power levels and sound energy levels of noise sources using sound pressure Survey method using an enveloping measurement surface over a reflecting plane (ISO 3746:2010) 🚱
- EN ISO 4413:2010, Hydraulic fluid power General rules and safety requirements for systems and their components (ISO 4413:2010)
- EN ISO 4414:2010, Pneumatic fluid power General rules and safety requirements for systems and their components (ISO 4414:2010) (42)
- EN ISO 4871:2009 (2), Acoustics Declaration and verification of noise emission values of machinery and equipment (ISO 4871:1996)
- EN ISO 9614-1:2009 (A), Acoustics Determination of sound power levels of noise sources using sound intensity Part 1: Measurements at discrete points (ISO 9614-1:1993)
- EN ISO 11202:2010 (2), (2) Acoustics Noise emitted by machinery and equipment Determination of emission sound pressure levels at a work station and at other specified positions applying approximate environmental corrections (ISO 11202:2010) (2)

A2 deleted text (A2

♠ EN ISO 11204:2010 ♠ Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying accurate environmental corrections (ISO 11204:2010) ♠

A₂ deleted text (A₂

№ EN ISO 11688-1:2009 🕁, Acoustics — Recommended practice for the design of low-noise machinery and equipment — Part 1: Planning (ISO/TR 11688-1:1995)

A₂ deleted text (A₂

- ♠ EN ISO 12100:2010, Safety of machinery General principles for design Risk assessment and risk reduction (ISO 12100:2010) ♠
- ♠ EN ISO 13849-1:2008 ♠ Safety of machinery Safety-related parts of controls systems Part 1: General principles for design (ISO 13849-1:2006)
- ♠ EN ISO 13850:2008 ♠ Safety of machinery Emergency stop Principles for design (ISO 13850:2006)
- ISO 7948:1987, Woodworking machines Routing machines Nomenclature and acceptance conditions
- ISO 7960:1995, Airborne noise emitted by machine tools Operating conditions for woodworking machines

-

³⁾ EN ISO 3745:2009 is replaced by EN ISO 3745:2012.

HD 22.4 S4:2004⁴), Cables of rated voltages up to and including 450/750 V and having crosslinked insulation — Part 4: Cords and flexible cables

3 Terms and definitions

3.1 General

For the purposes of this document, the terms and definitions given in \bigcirc EN ISO 12100:2010 \bigcirc and the following apply.

3.2 Definitions

3.2.1

routing machine

C-frame type machine for the moulding of workpieces by means of:

- a) one tool spindle located above the table and running at speeds between 6 000 min⁻¹ and generally 24 000 min⁻¹. The work head is tiltable or not and may be movable only along the direction of the axis of the tool during machining:
- b) a table to support the workpiece or jig. The table is tiltable or not and/or movable in X, Y and Z directions and/or adjustable round the C axis;
- c) the tool spindle/work head is either manually or power driven moved vertically during machining or moved by means of hydraulic or pneumatic devices. The workpiece is normally fed to the machine in a direction opposite to the direction of the tool spindle either manually or by means of an integrated feed system

3.2.2

straight work

shaping of a workpiece with one face in contact with the table and a second with the fence and where the work starts at one end of the workpiece and continues through to the other end (see Figure 1)

_

⁴⁾ HD 22.4 S4:2004 is replaced by EN 50525-2-21:2011.