INTERNATIONAL STANDARD

ISO 22065

First edition 2019-06

Workplace air — Gases and vapours — Requirements for evaluation of measuring procedures using pumped samplers

x de .
on des p.
ient par po. Air des lieux de travail — Gaz et vapeurs — Exigences pour l'évaluation des procédures de mesure à l'aide de dispositifs de prélèvement par pompage





© ISO 2019

Jementation, no partamical, includir requested fr All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Foreword	Cor	ontents			
1 Scope	Fore	word		v	
2 Normative references	Intro	ductio	on	vi	
2 Normative references	1	Scon)e	1	
3 Terms and definitions	_				
4 Symbols and abbreviated terms					
5 Sampler types 3 6 Requirements 3 6.1 General 3 6.2 Sampler requirements 3 6.2.1 Flow resistance 3 6.2.2 Sampler leak test (for Type B samplers) 4 6.2.3 Shelf life 5 6.2.4 Sampler identification 5 6.2.5 Marking 5 6.2.6 Instructions for use 5 6.3 Measuring procedure requirements 5 6.3 Sampling procedure requirements 5 6.3.1 Sampling procedure requirements 6 6.3.2 Analytical procedure requirements 6 6.3.3 Expanded uncertainty 7 7 Expanded uncertainty 7 7 Reagents 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.	3				
6.1 General	4	Symbols and abbreviated terms			
6.1 General 6.2 Sampler requirements 6.2.1 Flow resistance 6.2.2 Sampler leak test (for Type B samplers) 6.2.3 Shelf life 6.2.3 Shelf life 6.2.5 Marking 6.2.5 Marking 6.2.6 Instructions for use 6.3 Measuring procedure requirements 6.3.1 Sampling procedure requirements 6.3.2 Analytical procedure requirements 6.3.3 Expanded uncertainty 6.3.3 Expanded uncertainty 77 6.3 Expanded uncertainty 78 79 General test conditions 71 Reagents 7.2 Apparatus 7.3 Calibration gas mixture 7.3 Calibration gas mixture 7.3.1 Generation 7.3.2 Determination of mass concentration 9.7.3.2 Determination of mass concentration 9.7.3.3 Independent method 9.8 Test methods 8.1 General 8.2 Sampler test methods 8.1 General 8.2 Sampler leak test (for Type B samplers) 10 8.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 12 8.4.4 Uncertainty of measurement 13 8.4.1 Identification of random and non-random uncertainty components 14 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Estimation of individual uncertainty components 17 8.4.5 Estimation of individual uncertainty components 17 8.4.6 Calculation of expanded uncertainty of the breakthrough volume 20 8 Annex 8 (informative) Examples for the determination of the breakthrough volume	5	Sam	pler types	3	
6.2.1 Sampler requirements 3 6.2.1 Flow resistance 3 6.2.2 Sampler leak test (for Type B samplers) 4 6.2.3 Shelf life 5 6.2.4 Sampler identification 5 6.2.5 Marking 5 6.2.6 Instructions for use 5 6.3 Measuring procedure requirements 5 6.3.1 Sampling procedure requirements 6 6.3.2 Analytical procedure requirements 6 6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 Reagents 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11	6	Requirements			
6.2.1 Flow resistance 3		6.1	General	3	
6.2.2 Sampler leak test (for Type B samplers)		6.2	Sampler requirements	3	
6.2.3 Shelf life			6.2.1 Flow resistance	3	
6.2.3 Shelf-life			6.2.2 Sampler leak test (for Type B samplers)	4	
6.2.5 Marking					
6.2.6 Instructions for use			6.2.4 Sampler identification	5	
6.3 Measuring procedure requirements 5 6.3.1 Sampling procedure requirements 5 6.3.2 Analytical procedure requirements 6 6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 General test conditions 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8.1 General 10 8.2 Sampler test methods 10 8.1 General 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.1 Flow resistance 10 8.2.2 Sample leah test (for Type B samplers) 10 8.2.1 Flow resistance 10 8.2.2 Sample identification 11 8.2.3 Mel file (for Type A impregnated			6.2.5 Marking	5	
6.3.1 Sampling procedure requirements 5 6.3.2 Analytical procedure requirements 6 6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 General test conditions 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8.1 General 10 8.2 Sampler test methods 10 8.1 General 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.2 Sample in leak test (for Type B samplers) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3 Measuring procedure test methods </td <td></td> <td></td> <td></td> <td></td>					
6.3.1 Sampling procedure requirements 5 6.3.2 Analytical procedure requirements 6 6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 General test conditions 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8.1 General 10 8.2 Sampler test methods 10 8.1 General 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.2 Sample in leak test (for Type B samplers) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3 Measuring procedure test methods </td <td></td> <td>6.3</td> <td>Measuring procedure requirements</td> <td>5</td>		6.3	Measuring procedure requirements	5	
6.3.2 Analytical procedure requirements 6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 General test conditions 8 7.1 Reagents 8 7.2 Apparatus 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 9 8 Test methods 10 8.2 Sampler test methods 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.2 Estimation of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 18 18 Calculation of expanded uncertainty 19 20 Calculation of expanded uncertainty 20 Calculation 20 Calculation 20 Calculation 20 Calculation 20 Calc					
6.3.3 Expanded uncertainty 7 6.3.4 Method description 7 7 6.3.4 Method description 7 7 7 6.3.4 Method description 7 7 7 Reagents 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 9 8 10 8.1 General 10 8.2 Sampler test methods 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.2 Estimation of individual uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.2 Estimation of expanded uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 19 19 19 19 19 19 19					
6.3.4 Method description			633 Expanded uncertainty	7	
7 General test conditions 8 7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.2 Sampler leak test (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 <t< td=""><td></td><td></td><td></td><td></td></t<>					
7.1 Reagents 8 7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components	_	C			
7.2 Apparatus 8 7.3 Calibration gas mixture 9 7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncert	/		Parameter conditions	8	
7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 <td></td> <td></td> <td></td> <td></td>					
7.3.1 Generation 9 7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Estimation of individual uncertainty components 17 8.4.5 Extimation of individual uncertainty components 17 8.4.6 Estimation of expanded uncertainty components 17 8.4.7 Estimation of individual uncertainty components 17 8.4.8 Calculation of expanded uncertainty components 17 8.4.9 Estimation of individual uncertainty components 17 8.4.1 Identification of expanded uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Estimation of individual uncertainty components 17 8.4.5 Estimation of individual uncertainty components 17 8.4.6 Estimation of expanded uncertainty components 17 8.4.7 Estimation of individual uncertainty components 17 8.4.8 Estimation of expanded uncertainty components 17 8.4.9 Estimation of expanded uncertainty components 17 8.4.1 Estimation of expanded uncertainty components 17 8.4.2 Estimation of expanded uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Estimation 17 8.4 Estimation 18 8.4 Estimation 18 8.5 Experiments for method validation 22					
7.3.2 Determination of mass concentration 9 7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 15 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Calculation of expanded uncertainty components 17 8.4.5 Examples for the determination of the breakthrough volume 20 Annex A (informative) Examples for method validation 22					
7.3.3 Independent method 9 8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 Annex A (informative) Examples for the determination of the breakt					
8 Test methods 10 8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 11 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.1 General 10 8.2 Sampler test methods 10 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.2 Estimation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22	0	Т			
8.2 Sampler test methods 8.2.1 Flow resistance 10 8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 Test report Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22	8				
8.2.1 Flow resistance					
8.2.2 Sampler leak test (for Type B samplers) 10 8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.2.3 Shelf life (for Type A impregnated supports) 10 8.2.4 Sample identification 11 8.2.5 Marking 11 8.2.6 Instructions for use 11 8.3 Measuring procedure test methods 11 8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty components 17 8.4.4 (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.2.4 Sample identification			8.2.2 Sampler leak test (for Type B samplers)	10	
8.2.5 Marking			8.2.3 Shelf life (for Type A impregnated supports)	10	
8.2.6 Instructions for use					
8.3 Measuring procedure test methods 8.3.1 Determination of the recommended sampling conditions 8.3.2 Analytical procedure test methods 8.3.3 Method recovery and method precision 8.4 Uncertainty of measurement 8.4.1 Identification of random and non-random uncertainty components 8.4.2 Estimation of individual uncertainty components 8.4.3 Calculation of expanded uncertainty 9 Test report Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.3.1 Determination of the recommended sampling conditions 11 8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.3.2 Analytical procedure test methods 14 8.3.3 Method recovery and method precision 15 8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22		8.3			
8.3.3 Method recovery and method precision					
8.4 Uncertainty of measurement 17 8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22					
8.4.1 Identification of random and non-random uncertainty components 17 8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22				15	
8.4.2 Estimation of individual uncertainty components 17 8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22		8.4	Uncertainty of measurement	17	
8.4.3 Calculation of expanded uncertainty 19 9 Test report 19 Annex A (informative) Examples for the determination of the breakthrough volume 20 Annex B (informative) Experiments for method validation 22			8.4.1 Identification of random and non-random uncertainty components	17	
9 Test report					
Annex A (informative) Examples for the determination of the breakthrough volume			8.4.3 Calculation of expanded uncertainty	19	
Annex A (informative) Examples for the determination of the breakthrough volume	9	Test	report	19	
Annex B (informative) Experiments for method validation 22	Anne				
		-			
		•			

ISO 22065:2019(E)

•	
ography	3
7.0	
0.	
0/	
A North Control of the Control of th	
\Diamond	
4.	
	\sim
	Y X
	,0
	0,
	(0)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 2, *Workplace atmospheres*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document provides a framework for assessing the performance of procedures for measuring ast t.
prkplace
plers and c.
pproach to me gases and vapours against the general requirements for the performance of procedures for measuring chemical agents in workplace atmospheres as specified in ISO 20581. It enables manufacturers and users of pumped samplers and developers and users of procedures for measuring gases and vapours to adopt a consistent approach to method validation (see Annex B).

Workplace air — Gases and vapours — Requirements for evaluation of measuring procedures using pumped samplers

1 Scope

This document specifies performance requirements and test methods under prescribed laboratory conditions for the evaluation of pumped samplers used in conjunction with an air sampling pump and of procedures using these samplers for the determination of gases and vapours in workplace atmospheres.

This document addresses requirements for method developers and/or manufacturers.

NOTE 1 For the purposes of this document, a manufacturer can be any commercial or non-commercial entity.

NOTE 2 For the sampling of semi-volatile compounds which can appear as a mixture of vapours and airborne particles in workplace atmospheres see EN 13936.

This document is applicable to pumped samplers and measuring procedures using these samplers in which sampling and analysis are carried out in separate stages.

This document is not applicable to:

- pumped samplers which are used for the direct determination of concentrations, for example, length-of-stain detector tubes;
- samplers which rely on sorption into a liquid, and subsequent analysis of the solution (bubblers).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8655-2, Piston-operated volumetric apparatus — Part 2: Piston pipettes

ISO 8655-6, Piston-operated volumetric apparatus — Part 6: Gravimetric methods for the determination of measurement error

ISO 13137:2013, Workplace atmospheres — Pumps for personal sampling of chemical and biological agents — Requirements and test methods

ISO 18158, Workplace air — Terminology

ISO 20581, Workplace air — General requirements for the performance of procedures for the measurement of chemical agents

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 18158 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/