
**Cryogenic vessels — Large
transportable vacuum-insulated
vessels —**

**Part 1:
Design, fabrication, inspection and
testing**

*Réipients cryogéniques — Réipients transportables isolés sous vide
de grande contenance —*

Partie 1: Conception, fabrication, inspection et essais



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Symbols.....	5
5 General requirements.....	7
6 Mechanical loads.....	7
6.1 General.....	7
6.2 Load during the pressure test.....	7
7 Chemical effects.....	8
8 Thermal conditions.....	8
9 Materials.....	8
9.1 Selection of materials.....	8
9.2 Inspection documentation.....	8
10 Design.....	9
10.1 Design options.....	9
10.1.1 General.....	9
10.1.2 Design by calculation.....	9
10.1.3 Design by calculation and pressure strengthening.....	9
10.1.4 Design of components by calculation supplemented with experimental methods.....	9
10.2 Common design requirements.....	9
10.2.1 General.....	9
10.2.2 Design specification.....	10
10.2.3 Design loads.....	11
10.2.4 Fatigue.....	15
10.2.5 Corrosion allowance.....	15
10.2.6 Inspection openings.....	16
10.2.7 Pressure relief.....	16
10.2.8 Valves.....	17
10.2.9 Insulation.....	17
10.2.10 Degree of filling.....	17
10.2.11 Electrical continuity.....	17
10.3 Design by calculation.....	17
10.3.1 General.....	17
10.3.2 Inner vessel.....	17
10.3.3 Outer jacket.....	20
10.3.4 Attachments.....	21
10.3.5 Piping and accessories.....	21
10.3.6 Calculation formula.....	21
10.3.7 Calculations for operating loads.....	45
11 Fabrication.....	46
11.1 General.....	46
11.2 Cutting.....	46
11.3 Cold forming.....	46
11.3.1 Austenitic stainless steel.....	46
11.3.2 Ferritic steel.....	47
11.3.3 Aluminium or aluminium alloy.....	48
11.4 Hot forming.....	48
11.4.1 General.....	48

11.4.2	Austenitic stainless steel.....	48
11.4.3	Ferritic steel.....	48
11.4.4	Aluminium or aluminium alloy.....	48
11.5	Manufacturing tolerances.....	48
11.5.1	General.....	48
11.5.2	Plate alignment.....	49
11.5.3	Thickness.....	50
11.5.4	Dished ends.....	50
11.5.5	Cylinders.....	50
11.6	Welding.....	53
11.6.1	General.....	53
11.6.2	Qualification.....	53
11.6.3	Temporary attachments.....	53
11.6.4	Welded joints.....	53
11.7	Non-welded joints.....	54
12	Inspection and testing.....	54
12.1	Quality plan.....	54
12.1.1	General.....	54
12.1.2	Inspection stages during manufacture of an inner vessel.....	54
12.1.3	Additional inspection stages during manufacture of a large transportable cryogenic vessel.....	55
12.2	Production control test plates.....	55
12.2.1	Requirements.....	55
12.2.2	Extent of testing.....	55
12.3	Non-destructive testing.....	56
12.3.1	General.....	56
12.3.2	Extent of examination for surface imperfections.....	56
12.3.3	Extent of examination for inner-vessel weld seams.....	57
12.3.4	Acceptance criteria for surface and volumetric imperfections as classified in ISO 6520-1.....	57
12.4	Rectification.....	58
12.5	Pressure testing.....	59
13	Marking and labelling.....	59
14	Final acceptance test.....	59
15	Periodic inspection.....	60
16	Documentation.....	60
Annex A	(informative) Examples of tank plates.....	61
Annex B	(informative) Elastic stress analysis.....	64
Annex C	(normative) Additional requirements for 9 % Ni steel.....	72
Annex D	(normative) Pressure strengthening of vessels from austenitic stainless steels.....	74
Annex E	(informative) Specific weld details.....	87
Annex F	(normative) Outer-jacket relief devices.....	91
Annex G	(informative) Base materials.....	92
Annex H	(informative) Components subject to external pressure (pressure on the convex surface) — Calculation.....	101
Annex I	(informative) Design of openings in cylinders, spheres and cones — Calculation.....	112
Annex J	(normative) Reference material & equivalent thickness.....	121
Annex K	(normative) Refrigerated liquefied gases.....	124
Bibliography	125

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 220, *Cryogenic vessels*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This second edition cancels and replaces the first edition (ISO 20421-1:2006), which has been technically revised. It also incorporates ISO 20421-1:2006/Cor 1:2007. The main changes compared to the previous edition are as follows:

- Subclause [12.3](#) has been revised;
- [Annex D](#) has been revised;
- Chinese materials have been added in [Annex G](#).

A list of all parts in the ISO 20421 series can be found on the ISO website.

Introduction

This document has been written so that it is suitable to be referenced in the UN Model Regulations^[1].

This document does not include the general vehicle requirements, e.g. running gear, brakes, lighting, etc., for which the relevant standards/regulations apply.

Cryogenic vessels — Large transportable vacuum-insulated vessels —

Part 1: Design, fabrication, inspection and testing

1 Scope

This document specifies requirements for the design, fabrication, inspection and testing of large transportable vacuum-insulated cryogenic vessels of more than 450 l volume, which are permanently (fixed tanks) or not permanently (dismountable tanks and portable tanks) attached to a means of transport, for one or more modes of transport.

This document applies to large transportable vacuum-insulated cryogenic vessels for fluids specified in [3.1](#) and does not apply to vessels designed for toxic fluids.

This document does not include the general vehicle requirements, e.g. running gear, brakes, lighting, etc.

NOTE 1 This document does not cover specific requirements for refillable liquid-hydrogen tanks that are primarily dedicated as fuel tanks in vehicles. For fuel tanks used in land vehicles, see ISO 13985.

NOTE 2 This document does not cover specific requirements for refillable liquid hydrogen and LNG tanks that are primarily dedicated as fuel tanks in vehicles. For fuel tanks used in vehicles, see ISO 13985.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3834-2, *Quality requirements for fusion welding of metallic materials — Part 2: Comprehensive quality requirements*

ISO 4126-2, *Safety devices for protection against excessive pressure — Part 2: Bursting disc safety devices*

ISO 5817, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections*

ISO 9606-1, *Qualification testing of welders — Fusion welding — Part 1: Steels*

ISO 9606-2, *Qualification test of welders — Fusion welding — Part 2: Aluminium and aluminium alloys*

ISO 9712, *Non-destructive testing — Qualification and certification of NDT personnel*

ISO 10042, *Welding — Arc-welded joints in aluminium and its alloys — Quality levels for imperfections*

ISO 10474:2013, *Steel and steel products — Inspection documents*

ISO 10675-1, *Non-destructive testing of welds — Acceptance levels for radiographic testing — Part 1: Steel, nickel, titanium and their alloys*

ISO 14732, *Welding personnel — Qualification testing of welding operators and weld setters for mechanized and automatic welding of metallic materials*

ISO 15613, *Specification and qualification of welding procedures for metallic materials — Qualification based on pre-production welding test*

ISO 15614-1, *Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 1: Arc and gas welding of steels and arc welding of nickel and nickel alloys*

ISO 15614-2, *Specification and qualification of welding procedures for metallic materials — Welding procedure test — Part 2: Arc welding of aluminium and its alloys*

ISO 17635, *Non-destructive testing of welds — General rules for metallic materials*

ISO 17637, *Non-destructive testing of welds — Visual testing of fusion-welded joints*

ISO 20421-2, *Cryogenic vessels — Large transportable vacuum-insulated vessels — Part 2: Operational requirements*

ISO 21010, *Cryogenic vessels — Gas/material compatibility*

ISO 21011, *Cryogenic vessels — Valves for cryogenic service*

ISO 21028-1, *Cryogenic vessels — Toughness requirements for materials at cryogenic temperature — Part 1: Temperatures below -80 degrees C*

ISO 21028-2, *Cryogenic vessels — Toughness requirements for materials at cryogenic temperature — Part 2: Temperatures between -80 degrees C and -20 degrees C*

ISO 21013-3, *Cryogenic vessels — Pressure-relief accessories for cryogenic service — Part 3: Sizing and capacity determination*

ISO 23208, *Cryogenic vessels — Cleanliness for cryogenic service*

ASME VIII-2, *Rules for construction of pressure vessels, Division 2, Alternative Rules*

EN 13445-3, *Unfired pressure vessels — Part 3: Design*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

cryogenic fluid

refrigerated liquefied gas

gas which is partially liquid because of its low temperature (see [Table K.1](#))

Note 1 to entry: This includes totally evaporated liquids and supercritical fluids.

Note 2 to entry: In the context of this document, the refrigerated but non-toxic gases and gas mixtures given in [Table K.1](#) are referred to as cryogenic fluids.

3.2

large transportable cryogenic vessel tank

thermally insulated vessel of more than 450 l intended for the transport of one or more *cryogenic fluids* ([3.1](#)), consisting of an *inner vessel* ([3.4](#)), an *outer jacket* ([3.5](#)), all of the valves and *service equipment* ([3.9](#)) together with the structural parts

Note 1 to entry: The large transportable cryogenic vessel comprises a complete assembly that is ready for service.