
**Soil Quality — Guidance on methods
for measuring greenhouse gases (CO₂,
N₂O, CH₄) and ammonia (NH₃) fluxes
between soils and the atmosphere**

*Qualité du sol — Recommandations sur les méthodes de mesure des
gaz à effet de serre (CO₂, N₂O, CH₄) et des flux d'ammoniac (NH₃)
entre les sols et l'atmosphère*



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Methods for measuring GHGs and ammonia fluxes between soil and the atmosphere	2
5 Concentration measurements and air sampling	5
5.1 General.....	5
5.2 Concentration measurement methods.....	5
5.3 Air sampling.....	7
6 Selection of the appropriate methods	9
7 Minimum requirement for reporting	10
Annex A (informative) Description of the flux measurement methods	11
Annex B (informative) Description of the concentration measurement methods	24
Annex C (informative) Description of the air sampling methods	29
Bibliography	33

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/190, *Soil quality*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Greenhouse gas (GHG) emissions from soils have become a major environmental concern. Global and national emission inventories have identified soils, in particular agricultural soils, as being a major contributor to these emissions, in particular nitrous oxide (N_2O), methane (CH_4) and carbon dioxide (CO_2) related to loss of soil organic matter. Agricultural soils are also major emitters of ammonia (NH_3), which is a precursor of N_2O . Changes in soil management should take account of these emissions as part of efforts to mitigate climate change.

GHGs and ammonia fluxes from soil are complex to measure. They are variable and heterogeneous as they are governed by weather/meteorological conditions (e.g. temperature and moisture regimes), soil characteristics (e.g. soil parental material, pH, clay content, cation exchange capacity) and for managed soils by the agricultural or forestry practices (e.g. crop and wood residues management, soil tillage or no-tillage, inputs of soil conditioner and fertilizers, irrigation). These factors generally interact and their effects on GHG emissions are still poorly quantified. It results in large uncertainties for the inventories of national and global agricultural emissions. For example, Freibauer (2008)^[1] has estimated an uncertainty at 80 % for European (EU27) agricultural N_2O emissions. With the reinforcement of international and regional climate policies, comparable and reliable information is needed to report on GHG emissions but also to adopt and verify mitigation options.

No standard covers the measurement of GHGs and ammonia emissions from soils. However, several measurement methods have been developed. This document provides guidance on the main methods available to quantify the exchanges of greenhouse gases (CO_2 , N_2O , CH_4) and ammonia (NH_3) between soils and the atmosphere. It is intended to help users to select the measurement method or methods most suited to their purposes by setting out information on the application domain and the main advantages and limitations of each methods.

Soil Quality — Guidance on methods for measuring greenhouse gases (CO₂, N₂O, CH₄) and ammonia (NH₃) fluxes between soils and the atmosphere

1 Scope

This document gives an overview and provides guidance on the main methods available to quantify the exchanges of greenhouse gases (CO₂, N₂O, CH₄) and ammonia (NH₃) between soils and the atmosphere.

It is intended to help users to select the measurement method or methods most suited to their purposes by setting out information on the application domain and the main advantages and limitations of each methods.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

intrusive method

measuring method that can influence the emitting processes

3.2

mass balance approach

method based on a mass balance consisting of measuring the flux of compounds entering and leaving a volume of air above the soil surface being studied

3.3

micrometeorological method

method using analyses of the atmospheric concentration of the gas and meteorological measurements such as wind speed, wet and dry-bulb air temperatures, net radiation, and heat fluxes.

Note 1 to entry: These techniques are used for determining field-scale fluxes, and include eddy covariance, energy balance, aerodynamic and mass balance technique. They do not disturb the environmental conditions.

3.4

oasis effect

effect arising from the local environment of the field being studied and affecting emissions from a particular field depending on whether it is in an environment with a high level of emissions or a low level of emissions

Note 1 to entry: the oasis effect will only affect compounds whose fluxes result from a thermodynamical equilibrium between the surface and the atmosphere (NH₃).