Paints and varnishes - Wettability - Part 2:
Determination of the surface free energy of solid surfaces by measuring the contact angle (ISO 19403-2:2017)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 19403-2:2020 sisaldab Euroopa standardi EN ISO 19403-2:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 19403-2:2020 consists of the English text of the European standard EN ISO 19403-2:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 12.02.2020.	Date of Availability of the European standard is 12.02.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 01.040.87

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2020

EN ISO 19403-2

ICS 01.040.87

English Version

Paints and varnishes - Wettability - Part 2: Determination of the surface free energy of solid surfaces by measuring the contact angle (ISO 19403-2:2017)

Peintures et vernis - Mouillabilité - Partie 2: Détermination de l'énergie libre de surface des surfaces solides par la mesure de l'angle de contact (ISO 19403-2:2017) Beschichtungsstoffe - Benetzbarkeit - Teil 2: Bestimmung der freien Oberflächenenergie fester Oberflächen durch Messung des Kontaktwinkels (ISO 19403-2:2017)

This European Standard was approved by CEN on 4 November 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of ISO 19403-2:2017 has been prepared by Technical Committee ISO/TC 35 "Paints and varnishes" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 19403-2:2020 by Technical Committee CEN/TC 139 "Paints and varnishes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2020, and conflicting national standards shall be withdrawn at the latest by August 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19403-2:2017 has been approved by CEN as EN ISO 19403-2:2020 without any modification.

7.1.1 Setting up the contact angle measuring system 7.1.2 Test conditions 7.1.3 Conditioning of the test panels 7.2 Measurement 7.2.1 General 7.2.2 Static method 7.2.3 Dynamic method (progressive contact angle) 7.2.4 Determination of the contact angle 8 Evaluation 8.1 General 8.2 Owens-Wendt-Rabel-Kaelble method (OWRK method) 8.3 Wu method 9 Precision 9.1 General 9.2 Repeatability limit, r 9.3 Reproducibility limit, r 9.3 Reproducibility limit, R 9.4 Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK method) 10 Test report	Con	tents	S	Page
2 Normative references 3 Terms and definitions 4 Principle 5 Apparatus and materials 6 Sampling	orev	vord		iv
Terms and definitions Principle Apparatus and materials Sampling Procedure 7.1 General for measuring on the horizontal drop. 7.1.1 Setting up the contact angle measuring system 7.1.2 Test conditions. 7.1.3 Conditioning of the test panels 7.2 Measurement. 7.2.1 General 7.2.2 Static method 7.2.3 Dynamic method (progressive contact angle) 7.2.4 Determination of the contact angle 8 Evaluation 8.1 General 8.2 Owens-Wendt-Rabel-Kaelble method (OWRK method) 8.3 Wu method 9 Precision 9.1 General 9.2 Repeatability limit, r 9.3 Reproducibility limit, r 9.3 Reproducibility limit, r 9.4 Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK method) 10 Test report		Scope	2	1
4 Principle 5 Apparatus and materials 6 Sampling 7 Procedure 7.1 General for measuring on the horizontal drop 7.1.1 Setting up the contact angle measuring system 7.1.2 Test conditions 7.1.3 Conditioning of the test panels 7.2 Measurement 7.2.1 General 7.2.2 Static method 7.2.3 Dynamic method (progressive contact angle) 7.2.4 Determination of the contact angle 8 Evaluation 8.1 General 8.2 Owens-Wendt-Rabel-Kaelble method (OWRK method) 8.3 Wu method 9 Precision 9.1 General 9.2 Repeatability limit, r 9.3 Reproducibility limit, r 9.3 Reproducibility limit, r 9.4 Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK method) 10 Test report		Norm	native references	1
Apparatus and materials Sampling. Procedure	3	Terms	s and definitions	1
7 Procedure 7.1 General for measuring on the horizontal drop	Ļ	Princi	iple	1
7.1 General for measuring on the horizontal drop	5	Appai	ratus and materials	2
7.1 General for measuring on the horizontal drop 7.1.1 Setting up the contact angle measuring system 7.1.2 Test conditions 7.1.3 Conditioning of the test panels 7.2 Measurement 7.2.1 General 7.2.2 Static method 7.2.3 Dynamic method (progressive contact angle) 7.2.4 Determination of the contact angle 8.1 General 8.2 Owens-Wendt-Rabel-Kaelble method (OWRK method) 8.3 Wu method 9 Precision 9.1 General 9.2 Repeatability limit, r 9.3 Reproducibility limit, r 9.4 Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK method) 10 Test report		Samp	ling	3
9 Precision 9.1 General 9.2 Repeatability limit, r 9.3 Reproducibility limit, R 9.4 Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK metho		7.1 7.2 Evalu	General for measuring on the horizontal drop. 7.1.1 Setting up the contact angle measuring system 7.1.2 Test conditions. 7.1.3 Conditioning of the test panels. Measurement 7.2.1 General 7.2.2 Static method. 7.2.3 Dynamic method (progressive contact angle) 7.2.4 Determination of the contact angle	4 4 4 4 4 5
9.1 General		8.2 8.3	Owens-Wendt-Rabel-Kaelble method (OWRK method) Wu method	6 7
)	9.1 9.2 9.3 9.4	General Repeatability limit, r Reproducibility limit, R Calculation in accordance with Owens-Wendt-Rabel-Kaelble method (OWRK method)	8 8 8
Annex A (informative) Notes on measuring practice Bibliography			-	
Bibliography	nne	x A (info	ormative) Notes on measuring practice	10
	Biblio	ography	y	14

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 35, *Paints and varnishes*, Subcommittee SC 9, *General test methods for paints and varnishes*.

A list of all parts in the ISO 19403 series can be found on the ISO website.

Paints and varnishes — Wettability —

Part 2:

Determination of the surface free energy of solid surfaces by measuring the contact angle

1 Scope

This document specifies a test method to measure the contact angle for the determination of the surface free energy of a solid surface. The method can be applied for the characterization of substrates and coatings.

NOTE 1 For the determination of the surface free energy of polymers and coatings, either the method in accordance with Owens, Wendt, Rabel and Kaelble or the method in accordance with Wu is used preferably.

NOTE 2 The morphological and chemical homogeneity have an influence on the measuring results.

NOTE 3 The procedures indicated in this document are based on the state-of-the-art employing the drop projection method in penumbral shadow. Other methods are not excluded.

NOTE 4 Measuring the contact angle on powders is not part of this document. For further information, see the bibliography.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4618, Paints and varnishes — Terms and definitions

ISO 19403-1, Paints and varnishes — Wettability — Part 1: Terminology and general principles

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4618 and ISO 19403-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

4 Principle

A minimum of three drops of at least two test liquids are dosed onto the flat surface of a test specimen. For every drop, the contact angle is measured. From the averaged contact angles of every liquid, their surface tensions, as well as their polar and dispersive fractions, the surface free energy of the solid is calculated by means of an appropriate model, divided into the polar and dispersive fractions.