

---

---

**Petroleum and natural gas  
industries — Concrete offshore  
structures**

*Industries du pétrole et du gaz naturel — Structures en mer en béton*



This document is a preview generated by ERS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>viii</b>
<b>Introduction</b>	<b>ix</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>2</b>
<b>4 Symbols and abbreviated terms</b>	<b>8</b>
4.1 Symbols	8
4.2 Abbreviated terms	10
<b>5 General requirements</b>	<b>10</b>
5.1 General	10
5.2 Overall planning requirements	11
5.2.1 General	11
5.2.2 Quality system	11
5.2.3 Qualifications of personnel	11
5.2.4 Documentation	11
5.3 Functional requirements	12
5.3.1 General	12
5.3.2 Position on site	12
5.3.3 Environmental considerations	12
5.3.4 Platform operational requirements	13
5.4 Structural requirements	13
5.4.1 General	13
5.4.2 Structural concept requirements	13
5.4.3 Materials requirements	14
5.4.4 Execution requirements	14
5.4.5 Temporary phases requirements	14
5.5 Design requirements	14
5.5.1 General	14
5.5.2 Design actions	14
5.5.3 Design resistance	14
5.5.4 Characteristic values for material strength	15
5.5.5 Partial factors for structural materials	15
5.5.6 Design by testing	15
<b>6 Action and action effects</b>	<b>16</b>
6.1 General	16
6.1.1 Classification of actions	16
6.1.2 Determination of action effects	16
6.2 Environmental actions	17
6.2.1 General	17
6.2.2 Wave actions	17
6.2.3 Current actions	20
6.2.4 Seismic actions	21
6.2.5 Ice actions	21
6.3 Other actions	22
6.3.1 Permanent actions	22
6.3.2 Variable actions	22
6.3.3 Actions from imposed deformations	22
6.3.4 Accidental actions	23
6.4 Partial factors for actions	26
6.5 Combinations of actions	27
6.6 Exposure levels	28
<b>7 Structural analyses</b>	<b>29</b>

7.1	General	29
7.2	General principles	29
7.2.1	Planning	29
7.2.2	Extent of analyses	30
7.2.3	Analysis requirements	30
7.2.4	Calculation methods	31
7.2.5	Verification of analysis results	31
7.2.6	Documentation	32
7.3	Physical representation	32
7.3.1	Geometrical definition	32
7.3.2	Material properties	33
7.3.3	Soil-structure interaction	34
7.3.4	Other support conditions	34
7.3.5	Actions	35
7.3.6	Mass simulation	36
7.3.7	Damping	37
7.4	Types of analysis	37
7.4.1	Static linear elastic analysis	37
7.4.2	Dynamic analysis	37
7.4.3	Non-linear analysis	39
7.4.4	Probabilistic analysis	40
7.4.5	Reliability analysis	40
7.4.6	Discontinuity region analysis	40
7.5	Analysis requirements	40
7.5.1	General	40
7.5.2	Analysis of construction stages	40
7.5.3	Transportation analysis	41
7.5.4	Installation and deck mating analysis	41
7.5.5	In-service strength and serviceability analysis	41
7.5.6	Fatigue analysis	42
7.5.7	Seismic analysis	42
7.5.8	Analysis of accidental or abnormal design situations	44
<b>8</b>	<b>Concrete works</b>	<b>45</b>
8.1	Design	45
8.1.1	Reference standard for design	45
8.1.2	Design principles for shell members	45
8.1.3	Design principles for transverse shear	45
8.1.4	Design principles for fatigue	45
8.1.5	Design principles for durability	46
8.1.6	Design principles for liquid tightness	46
8.1.7	Design principles for prestressed concrete	46
8.1.8	Design principles for second order effects	47
8.1.9	Principles for handling water pressure in pores and cracks	47
8.1.10	Design principles for discontinuity regions	47
8.1.11	Design principles for imposed deformations	47
8.1.12	Increase in strength of concrete with time	47
8.1.13	Design for fire resistance	47
8.1.14	Design for earthquakes	47
8.1.15	Design of embedments	48
8.1.16	Treatment of early-age and drying shrinkage effects	48
8.1.17	Partial factors for material	48
8.2	Materials requirements	48
8.2.1	General	48
8.2.2	Concrete constituents	49
8.2.3	Concrete	52
8.2.4	Reinforcement	54
8.2.5	Prestressing steel	55
8.2.6	Embedded materials	55

8.3	Execution.....	55
8.3.1	Falsework and formwork.....	55
8.3.2	Reinforcement.....	58
8.3.3	Pre- and post-tensioning.....	59
8.3.4	Concreting.....	62
8.3.5	Execution with precast concrete elements.....	66
8.3.6	Embedded components.....	68
8.4	Geometrical tolerances.....	68
8.4.1	General.....	68
8.4.2	Reference system.....	69
8.4.3	Tolerances of structural members.....	69
8.4.4	Cross-sectional tolerances.....	70
8.4.5	Embedments and penetrations.....	70
8.5	Quality control — Inspection, testing and corrective actions.....	71
8.5.1	General.....	71
8.5.2	Inspection of materials and products.....	71
8.5.3	Inspection of execution.....	71
<b>9</b>	<b>Foundation design.....</b>	<b>74</b>
9.1	General.....	74
9.2	Principal elements.....	75
9.3	Marine site investigation.....	75
9.3.1	Purpose of investigation.....	75
9.3.2	Soil investigation.....	75
9.3.3	Laboratory investigation.....	75
9.4	Characteristic soil parameters.....	75
9.5	Partial factors for actions and materials.....	76
9.5.1	General.....	76
9.5.2	Partial factors for actions.....	76
9.5.3	Partial factors for materials.....	76
9.6	Geotechnical design principles.....	76
9.6.1	General.....	76
9.6.2	Dynamic analysis for action effects.....	77
9.6.3	SLS.....	77
9.6.4	FLS.....	77
9.6.5	ULS.....	77
9.6.6	ALS.....	78
9.7	Bearing capacity.....	78
9.8	Soil reactions on structures.....	78
9.9	Installation and removal.....	79
9.9.1	Sea floor preparation.....	79
9.9.2	Installation.....	79
9.9.3	Removal.....	79
9.10	Scour.....	79
<b>10</b>	<b>Mechanical systems.....</b>	<b>80</b>
10.1	General.....	80
10.2	Permanent mechanical systems.....	80
10.2.1	General.....	80
10.2.2	Crude oil storage system.....	81
10.2.3	Other storage systems.....	83
10.2.4	Refrigerated gas storage systems.....	83
10.2.5	Permanent ballast water system.....	83
10.2.6	Sea water systems.....	84
10.2.7	Drains, sumps and bilge.....	84
10.2.8	Vents.....	84
10.2.9	Safety systems.....	84
10.2.10	Decks.....	85
10.2.11	Elevators.....	85

10.2.12	Lifting devices .....	85
10.2.13	Risers and J-tubes .....	85
10.2.14	Conductors and shale chutes .....	86
10.2.15	Access .....	86
10.2.16	HVAC .....	86
10.2.17	Structure and foundation condition monitoring .....	86
10.2.18	External markings .....	87
10.2.19	Other .....	87
10.3	Temporary mechanical systems .....	87
10.3.1	General .....	87
10.3.2	Air cushion system .....	87
10.3.3	Temporary ballasting/de-ballasting water system .....	88
10.3.4	Grouting and skirt evacuation systems .....	89
10.3.5	Instrumentation for construction, tow and installation of the structure .....	90
10.3.6	Other systems .....	90
10.4	Attachments and penetrations .....	90
10.4.1	Attachments .....	90
10.4.2	Penetrations .....	91
10.4.3	Welding .....	91
10.4.4	Corrosion protection .....	91
10.5	Special considerations .....	91
10.5.1	Design, installation and testing of piping .....	91
10.5.2	Design of pipe supports .....	92
10.5.3	Design of steel structures .....	92
10.5.4	Design of equipment .....	92
10.5.5	Dropped object protection .....	93
11	<b>Marine operations and construction afloat .....</b>	<b>93</b>
11.1	General .....	93
11.2	Engineering and planning .....	93
12	<b>Corrosion control .....</b>	<b>94</b>
12.1	General .....	94
12.1.1	Corrosion control in concrete structures .....	94
12.1.2	Corrosion zones and environmental parameters affecting corrosivity .....	94
12.1.3	Forms of corrosion and associated corrosion rates .....	95
12.2	Design for corrosion control .....	95
12.2.1	General .....	95
12.2.2	Criteria for design of corrosion control .....	95
12.2.3	Coatings and linings .....	96
12.2.4	Cathodic protection .....	96
12.2.5	Corrosion-resistant materials .....	99
12.2.6	Corrosion allowance .....	100
12.3	Fabrication and installation of systems for corrosion control .....	100
12.3.1	General .....	100
12.3.2	Coatings and linings .....	100
12.3.3	Cathodic protection .....	100
12.3.4	Corrosion-resistant materials .....	101
13	<b>Topsides interface design .....</b>	<b>101</b>
13.1	General .....	101
13.2	Basis for design .....	101
13.3	Deck/shaft structural connection .....	102
13.4	Topsides installation .....	102
13.5	Transportation, tow-to-field .....	103
14	<b>Inspection and condition monitoring .....</b>	<b>103</b>
14.1	General .....	103
14.2	Objective .....	103
14.3	Personnel qualifications .....	103

14.4	Planning.....	103
14.4.1	General.....	103
14.4.2	Basis for planning of inspection and condition monitoring.....	104
14.4.3	Programme for inspection and condition monitoring.....	104
14.4.4	Inspection and condition monitoring intervals.....	104
14.5	Documentation.....	105
14.6	Important items related to inspection and condition monitoring.....	106
14.6.1	General.....	106
14.6.2	Atmospheric zone.....	106
14.6.3	Splash zone.....	107
14.6.4	Submerged zone.....	107
14.6.5	Internal.....	107
14.6.6	Concrete durability.....	108
14.6.7	Corrosion protection.....	108
14.7	Inspection and condition monitoring types.....	108
14.7.1	General.....	108
14.7.2	Structural monitoring and structural safety systems.....	109
14.8	Marking.....	109
14.9	Guidance for inspection of special areas.....	109
14.9.1	General concrete surface.....	109
14.9.2	Steel transition ring/concrete interface.....	110
14.9.3	Construction joints.....	110
14.9.4	Penetrations.....	111
14.9.5	Vertical intersections between different structural parts.....	111
14.9.6	Embedded plates.....	111
14.9.7	Repaired areas.....	111
14.9.8	Splash zone.....	111
14.9.9	Debris.....	111
14.9.10	Scour.....	111
14.9.11	Differential hydrostatic pressure (drawdown).....	112
14.9.12	Temperature of oil sent to storage.....	112
14.9.13	Sulphate reducing bacteria.....	112
14.9.14	Post-tensioning.....	112
<b>15</b>	<b>Assessment of existing structures.....</b>	<b>112</b>
15.1	General.....	112
15.2	Structural assessment initiators.....	113
15.3	Planning for decommissioning.....	113
15.3.1	Planning.....	113
15.3.2	Analysis for removal.....	113
	<b>Bibliography.....</b>	<b>115</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 7, *Offshore structures*.

This second edition replaces the first edition (ISO 19903:2006). The main changes compared to the previous edition are:

- update of the document to reflect the updated editions of the International Standards on offshore structures prepared by TC 67;
- clarifications on the use of reference standards for design;
- extension of scope to design of floating concrete offshore structures, including removing “fixed” from the title of this document;
- clarifications on the selection of soil parameters for soil-structure interaction in [7.3.3](#);
- Additional information on the dynamic aspects pertaining to floating concrete structures in [7.4.2.1](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).



## Introduction

The International Standards on offshore structures prepared by TC 67 (i.e. ISO 19900, the ISO 19901 series, ISO 19902, ISO 19903, ISO 19904-1, the ISO 19905 series and ISO 19906) constitute a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in such modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The International Standards on offshore structures prepared by TC 67 are intended to provide wide latitude in the choice of structural configurations, materials and techniques without hindering innovation. Sound engineering judgement is therefore necessary in the use of these documents.

This document was developed based on experience gained from the design, execution and use of a number of fixed concrete platforms, in particular from more than 40 years of experience with such structures in the North Sea. The background documents used for developing this document are from the following types:

- national regulations and other requirements from the authorities;
- regional standards;
- national standards;
- operator's company specifications;
- scientific papers and reports;
- reports from inspection of structures in use.

This document applies the concept of a reference standard for design. The text that previously referred to NS 3473.E, the former Norwegian standard for concrete design that was widely used for the design of fixed offshore concrete platforms, has been amended in this document, since, as part of the Eurocode programme, NS 3473.E has been withdrawn and is no longer maintained.

This document now draws on the experience gained with fixed and floating concrete offshore structures. This experience shows that concrete offshore structures perform well and are durable in the marine environment. These structures are all unique, one-of-a-kind structures, purpose-made for a particular location and a particular set of operating requirements. This document reflects, in particular, the experience and the conditions in the North Sea and the east coast of Canada, and the design rules and practices used there, but is intended for worldwide application.

In order to provide a standard that will be useful to the industry, a comprehensive treatment of some topics is provided where there is currently no other relevant reference. For such well-known topics as the design formulae for concrete structural members, this document is intended to be used in conjunction with a suitable reference standard for basic concrete design (see [8.1.1](#)). The designer can use suitable national or regional design standards that provide the required level of safety.



# Petroleum and natural gas industries — Concrete offshore structures

## 1 Scope

This document specifies requirements and provides recommendations applicable to fixed, floating and grounded concrete offshore structures for the petroleum and natural gas industries and for structures supporting nationally-important power generation, transmission or distribution facility. This document specifically addresses

- the design, construction, transportation and installation of new structures, including requirements for in-service inspection and possible removal of structures,
- the assessment of structures in service, and
- the assessment of structures for reuse at other locations.

This document is intended to cover the engineering processes needed for the major engineering disciplines to establish a facility for offshore operation.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4463-1, *Measurement methods for building — Setting-out and measurement — Part 1: Planning and organization, measuring procedures, acceptance criteria*

ISO 16204, *Durability — Service life design of concrete structures*

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating considerations*

ISO 19901-2, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria*

ISO 19901-3, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 3: Topsides structure*

ISO 19901-4, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 4: Geotechnical and foundation design considerations*

ISO 19901-5, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 5: Weight control during engineering and construction*

ISO 19901-6, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 6: Marine operations*

ISO 19901-8, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 8: Marine soil investigations*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*

ISO 19904-1, *Petroleum and natural gas industries — Floating offshore structures — Part 1: Monohulls, semi-submersibles and spars*

ISO 19906, *Petroleum and natural gas industries — Arctic offshore structures*

ISO 22966, *Execution of concrete structures*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19900 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

#### 3.1 abnormal design situation

design situation in which conditions exceed conventionally specified design conditions and which is used to mitigate against very remote events

Note 1 to entry: Abnormal design situations are used to provide robustness against events with a probability of typically  $10^{-4}$  per annum or lower by avoiding, for example, gross overloading.

#### 3.2 abnormal level earthquake ALE

intense earthquake of abnormal severity under the action of which the *structure* (3.51) should not suffer complete loss of integrity

Note 1 to entry: The ALE event is comparable to the abnormal event in the design of structures which are described in ISO 19901-2 and ISO 19902. When exposed to the ALE, a manned structure is supposed to maintain structural and/or floatation integrity for a sufficient period of time to enable evacuation to take place.

#### 3.3 accidental design situation

design situation involving exceptional conditions of the *structure* (3.51) or its exposure

EXAMPLE Impact, fire, explosion, local failure or loss of intended differential pressure (e.g. buoyancy).

#### 3.4 action

external load applied to the *structure* (3.51) (direct action) or an imposed deformation or acceleration (indirect action)

EXAMPLE An imposed deformation can be caused by fabrication tolerances, differential settlement, temperature change or moisture variation. An imposed acceleration can be caused by an earthquake

[SOURCE: ISO 19900:2019, 3.3]

#### 3.5 action effect

result of *actions* (3.4) on structural components or on the structure

EXAMPLE Internal force, moment, stress or strain; deflection rotation

[SOURCE: ISO 19900:2019, 3.4]