

# INTERNATIONAL STANDARD



**Eyewear display –  
Part 20-10: Fundamental measurement methods – Optical properties**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

# INTERNATIONAL STANDARD



**Eyewear display –  
Part 20-10: Fundamental measurement methods – Optical properties**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 17.180.99; 31.120

ISBN 978-2-8322-7269-5

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms, definitions, abbreviated terms and letter symbols.....	6
3.1 Terms and definitions.....	6
3.2 Abbreviated terms.....	7
3.3 Letter symbols (symbols for quantities and units).....	7
4 Standard measurement conditions.....	8
4.1 Standard environmental conditions .....	8
4.2 Power supply .....	8
4.3 Warm-up time .....	8
4.4 Dark room condition.....	9
5 Measurement systems.....	9
5.1 Standard coordinate system.....	9
5.2 Measurement equipment.....	10
5.2.1 Light measuring device (LMD) .....	10
5.2.2 Stage conditions.....	11
5.2.3 Setup conditions.....	12
5.3 Test patterns .....	14
5.3.1 General .....	14
5.3.2 Checkerboard pattern .....	14
5.3.3 Solid colour patterns.....	14
5.4 Measuring points .....	14
6 Measurement methods for optical characteristics.....	15
6.1 General.....	15
6.2 Preparation .....	15
6.3 Luminance and luminance uniformity (non-uniformity).....	16
6.3.1 General .....	16
6.3.2 Measurement procedure .....	16
6.3.3 Calculation .....	16
6.3.4 Report .....	17
6.4 Chromaticity and colour gamut.....	17
6.4.1 General .....	17
6.4.2 Measurement procedure .....	17
6.4.3 Calculation .....	17
6.4.4 Report .....	18
6.5 Chromaticity uniformity .....	18
6.5.1 General .....	18
6.5.2 Measurement procedure .....	18
6.5.3 Calculation .....	18
6.5.4 Report .....	18
6.6 Contrast ratio.....	19
6.6.1 General .....	19
6.6.2 Measurement procedure .....	19
6.6.3 Calculation .....	19
6.6.4 Report .....	19

6.7	Field of view (FOV) .....	20
6.7.1	General .....	20
6.7.2	Measurement procedure .....	20
6.7.3	Calculation .....	21
6.7.4	Report .....	22
6.8	Eye-box based on luminance .....	23
6.8.1	General .....	23
6.8.2	Measurement procedure .....	23
6.8.3	Report .....	24
6.9	Pixel angular density.....	24
6.9.1	General .....	24
6.9.2	Measurement procedure .....	24
6.9.3	Report .....	25
Annex A	(informative) Estimating the eye point.....	26
A.1	General.....	26
A.2	Eye point based on full field luminance method.....	26
A.2.1	General .....	26
A.2.2	Measurement procedure .....	26
A.3	Eye point based on Michelson contrast method.....	27
A.3.1	General .....	27
A.3.2	Measurement procedure .....	27
Annex B	(informative) Explanation of measurement results.....	29
B.1	Geographic coordinate chart.....	29
B.2	Visual field.....	29
Bibliography	.....	31
Figure 1	– Spherical coordinate system .....	9
Figure 2	– Three-dimensional Cartesian coordinate system .....	10
Figure 3	– Example of LMD structure .....	11
Figure 4	– Examples of measurement setup .....	13
Figure 5	– Example of 5 x 5 checkerboard pattern .....	14
Figure 6	– Measuring points for the centre and multi-point measurement.....	15
Figure 7	– Example of FOV boundary .....	21
Figure 8	– Example of pixel angular density measurement.....	24
Figure A.1	– Example of luminance image .....	27
Figure A.2	– Example of image of resolution test pattern .....	28
Figure B.1	– Example of geographic coordinate chart .....	29
Figure B.2	– Example of visual field .....	30
Table 1	– Letter symbols (symbols for quantities and units) .....	8

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## EYEWEAR DISPLAY –

## Part 20-10: Fundamental measurement methods – Optical properties

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63145-20-10 has been prepared by IEC technical committee TC 110: Electronic displays.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
110/1105/FDIS	110/1131/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 63145 series, published under the general title *Eyewear display*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## EYEWEAR DISPLAY –

### Part 20-10: Fundamental measurement methods – Optical properties

#### 1 Scope

This part of IEC 63145 specifies the standard measurement conditions and measurement methods for determining the optical properties of eyewear displays. This document applies to non-see-through type (virtual reality “VR” goggles) and see-through type (augmented reality “AR” glasses) eyewear displays using virtual image optics.

Contact lens-type displays and retina direct projection displays are out of the scope of this document.

#### 2 Normative references

There are no normative references in this document.

#### 3 Terms, definitions, abbreviated terms and letter symbols

##### 3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

##### 3.1.1

##### **entrance pupil of the LMD**

optical image of the physical aperture stop, as ‘seen’ through the front of the LMD lens system

Note 1 to entry: If there is no lens in front of the aperture, the entrance pupil’s location and size are identical to that of the aperture stop.

##### 3.1.2

##### **eye-box**

##### **qualified viewing space**

three-dimensional space within which users place their eye so as to be able to properly see the entire virtual image without moving the head or making any other adjustment (other than the natural rotation of the eye)

Note 1 to entry: “Able to properly see” means that the display image fulfils all the requirements indicated in the product specification.

##### 3.1.3

##### **eye point**

design location at which the entrance pupil of the eye is placed to achieve the optimal performance when using an eyewear display and which serves as the origin location of the measurement