

TECHNICAL REPORT



**Electrostatics –
Part 5-4: Protection of electronic devices from electrostatic phenomena –
Compliance verification**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

preview generated by EVS

TECHNICAL REPORT



**Electrostatics –
Part 5-4: Protection of electronic devices from electrostatic phenomena –
Compliance verification**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220.99; 29.020

ISBN 978-2-8322-7272-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references	11
3 Terms and definitions	11
4 Personnel safety.....	11
5 Test equipment.....	12
5.1 Selection of test equipment.....	12
5.2 AC outlet analyzer (or mains socket tester).....	12
5.3 AC circuit tester (impedance meter).....	12
5.4 Charged plate monitor (CPM).....	12
5.4.1 CPM requirements	12
5.4.2 Portable verification kit	12
5.5 Concentric ring electrode assembly	13
5.6 DC ohmmeter.....	13
5.7 Electrostatic field meter	13
5.8 Electrostatic voltmeter	13
5.9 Foot electrode.....	13
5.10 Hand-held electrode.....	13
5.11 Resistance measurement electrode(s)	14
5.12 Insulative support surface	14
5.13 Integrated checker	14
5.14 Two-point probe.....	14
5.15 Surface resistance bar electrode.....	14
6 Grounding/bonding systems	15
6.1 Responsibility for checking systems.....	15
6.2 Objective	15
6.3 Test equipment.....	15
6.4 Test procedure for wrist strap bonding points.....	16
6.5 Troubleshooting wrist strap bonding point failures.....	16
7 Work surfaces	17
7.1 Basis of test procedure	17
7.2 Objective	17
7.3 Test equipment.....	17
7.4 Test procedure.....	18
7.5 Troubleshooting.....	18
7.5.1 Visual/mechanical check.....	18
7.5.2 Electrical test.....	18
8 Wrist strap system	19
8.1 Basis of test procedure	19
8.2 Objective	19
8.3 Test equipment.....	20
8.4 Test procedure.....	20
8.4.1 Testing with integrated checker	20
8.4.2 Testing with DC ohmmeter.....	20
8.5 Troubleshooting	21

9	Person-footwear system	22
9.1	Basis of test procedure	22
9.2	Objective	22
9.3	Test equipment	22
9.4	Test procedure	22
9.4.1	Testing with integrated checker	22
9.4.2	Testing with DC ohmmeter	22
9.5	Troubleshooting	23
10	Flooring	24
10.1	Basis of test procedure	24
10.2	Objective	24
10.3	Test equipment	24
10.4	Test procedure	25
10.5	Troubleshooting	25
11	Person-footwear-flooring system	25
11.1	Measurement of electrical resistance	25
11.1.1	Basis of test procedure	25
11.1.2	Objective	26
11.1.3	Test equipment	26
11.1.4	Test procedure	26
11.1.5	Troubleshooting	26
11.2	Measurement of body voltage	27
11.2.1	Basis of test procedure	27
11.2.2	Objective	27
11.2.3	Test equipment	28
11.2.4	Test procedure	28
11.2.5	Troubleshooting	28
12	Seating	29
12.1	Basis of test procedure	29
12.2	Objective	29
12.3	Test equipment	29
12.4	Test procedure	29
12.5	Troubleshooting	30
13	Air ionizers	31
13.1	Basis of test procedure	31
13.2	Objective	31
13.3	Test equipment	31
13.4	Test procedure	31
13.4.1	Initial test setup	31
13.4.2	Discharge time test	31
13.4.3	Offset voltage test (balance)	32
13.5	Troubleshooting	32
14	Mobile equipment	32
14.1	Basis of test procedure	32
14.2	Objective	33
14.3	Test equipment	33
14.4	Test procedure	33
14.5	Troubleshooting	34

15	Groundable static control garment system	35
15.1	Basis of test procedure	35
15.2	Objective	35
15.3	Test equipment.....	35
15.4	Test procedure.....	36
15.4.1	Testing with integrated checker	36
15.4.2	Testing with DC ohmmeter.....	36
15.5	Troubleshooting	37
16	Static control garments and groundable static control garments point-to-point method	37
16.1	Basis of test procedure	37
16.2	Objective	38
16.3	Test equipment	38
16.4	Test procedure.....	38
16.5	Troubleshooting.....	39
17	Static control garments and groundable static control garments hanging clamp method	40
17.1	Basis of test procedure.....	40
17.2	Objective	40
17.3	Test equipment	40
17.4	Test procedure.....	40
17.5	Troubleshooting	42
18	Packaging	42
18.1	Basis of test procedure	42
18.2	Objective	42
18.3	Test equipment.....	42
18.4	Test procedure.....	43
18.4.1	Surface resistance using an integrated measuring instrument.....	43
18.4.2	Surface resistance using a concentric ring electrode assembly or two SRBs	43
18.4.3	Surface resistance using a DC ohmmeter and two-point probe	44
18.4.4	Point-to-point using resistance measurement electrode(s).....	45
18.4.5	Volume resistance using an integrated checker or DC ohmmeter.....	46
18.5	Troubleshooting (surface and volume resistance)	47
19	Process required insulators	47
19.1	Basis of test procedure	47
19.2	Objective	47
19.3	Test equipment	47
19.4	Test procedure for measuring electrostatic field strength at the site of the ESD sensitive device (ESDS) from electrostatic field source	48
19.5	Measurement of surface voltage of a process required insulator	48
19.6	Troubleshooting	48
20	Process required isolated conductors	49
20.1	Basis of test procedure	49
20.2	Objective	49
20.3	Test equipment	49
20.4	Test procedures	49
20.5	Troubleshooting	50
Annex A (informative)	Test frequency	51

Annex B (informative) Other test methods for static control garments	52
B.1 General considerations for other test methods	52
B.2 Precautions to be observed when conducting tests	52
B.3 Tribocharging tests for garments	52
B.3.1 Objective	52
B.3.2 Test equipment for body voltage measurements	52
B.3.3 Test procedures for body voltage measurements	53
B.3.4 Test equipment for measuring charge on garments	56
B.3.5 Test procedure for measuring charge on garments	57
B.3.6 Test equipment for measuring electrostatic field or surface voltage on garments	57
B.3.7 Test procedure for measuring electrostatic field or surface voltage on garments	58
B.3.8 Troubleshooting tribocharging tests	58
B.4 Charge decay time tests for garments	59
B.4.1 Objective	59
B.4.2 Test equipment for measuring charge decay time after tribocharging	59
B.4.3 Test procedure for measuring charge decay time after tribocharging	59
B.4.4 Test equipment for measuring charge decay time after corona charging	60
B.4.5 Test procedure for measuring charge decay time after corona charging	60
B.4.6 Test equipment for measuring charge decay time after connection to a DC high-voltage supply	61
B.4.7 Test procedure for measuring charge decay time after connection to a DC high-voltage supply	61
B.5 Field suppression tests for garments	62
B.6 Capacitance loading tests for garments	62
Annex C (normative) Electrical soldering/desoldering hand tools	63
C.1 Basis of test procedure	63
C.2 Objective	63
C.3 Test equipment	63
C.4 Test procedure	63
C.4.1 Soldering/desoldering hand tool tip voltage test procedure (hot iron) using integrated tester or AC millivoltmeter	63
C.4.2 Soldering/desoldering hand tools resistance to ground (hot iron)	64
C.4.3 Soldering/desoldering hand tools resistance to ground (cold iron)	64
C.4.4 Soldering/desoldering hand tools resistance to ground (hot iron) using low resistance meter	65
C.5 Troubleshooting	65
Annex D (normative) Hand tools	66
D.1 Basis of test procedure	66
D.2 Objective	66
D.3 Test equipment	66
D.3.1 Resistance measurements	66
D.3.2 Charge decay time measurements	66
D.3.3 Test procedure for hand tool resistance measurements	66
D.3.4 Test procedure for hand tool resistance to ground measurements	67
D.3.5 Test procedure for charge decay time measurements	68
D.3.6 Troubleshooting	69
Annex E (normative) Constant (continuous) monitors	70
E.1 Basis of test procedure	70

E.2	Objective	70
E.3	Test equipment	70
E.4	Test procedure	70
E.5	Troubleshooting	70
Annex F	(normative) Gloves and finger cots – In use resistance	71
F.1	Basis of test procedure	71
F.2	Objective	71
F.3	Test equipment	71
F.4	Test procedure	71
F.4.1	Integrated wrist strap checker with touch plate and wrist strap	71
F.4.2	Hand-held electrode and DC ohmmeter via wrist strap	72
F.4.3	Integrated footwear checker with foot plate and touch plate, and ESD control footwear	73
F.4.4	Constant area and force electrode (CAFE) with DC ohmmeter and wrist strap	73
F.5	Troubleshooting	75
Annex G	(informative) Grounding/bonding systems	76
G.1	Objective	76
G.2	Test equipment	76
G.3	Test procedure	76
G.4	Troubleshooting	76
Bibliography	77
Figure 1	– ESD control workstation	16
Figure 2	– ESD control work surface test	17
Figure 3	– Point-to-point measurement setup	19
Figure 4	– Wrist strap test using integrated checker	20
Figure 5	– Wrist strap test using DC ohmmeter	21
Figure 6	– ESD control footwear test	23
Figure 7	– ESD control flooring test	24
Figure 8	– Person-footwear-flooring system test	27
Figure 9	– ESD control chair test	30
Figure 10	– ESD control mobile equipment test	34
Figure 11	– Testing groundable static control garment system using integrated checker	36
Figure 12	– Test setup – Groundable garment in combination with a person, hand-held probe and DC ohmmeter	37
Figure 13	– Garment (point-to-point) test	39
Figure 14	– Electrodes for hanging garment test	41
Figure 15	– Alternate point-to-point resistance measurement	41
Figure 16	– Setup for test method using concentric ring electrode assembly and surface resistance bar electrodes	44
Figure 17	– Setup for test method using a DC ohmmeter and two-point probe	45
Figure 18	– Setup for test method using two resistance measurement electrodes	46
Figure 19	– Setup for test method using a resistance measurement electrode	47
Figure B.1	– Example of a test setup for measuring body voltage whilst removing a garment	54

Figure B.2 – Example of a test setup for measuring body voltage whilst rubbing the garment under test.....	55
Figure B.3 – Example of a test setup for measuring body voltage on a person rising from a seat	56
Figure B.4 – Example of a test setup for measuring charge on garments	57
Figure B.5 – Examples of test setups for measuring charge decay time on garments as worn and on a bench-top after tribocharging	60
Figure B.6 – Example of test setup for measuring charge decay time after connecting a garment to a DC high-voltage supply	62
Figure C.1 – Soldering iron resistance and tip voltage measurements.....	64
Figure D.1 – Hand tool resistance measurement	67
Figure D.2 – Hand tool resistance to ground measurement	68
Figure D.3 – Hand tool charge decay time measurement	69
Figure F.1 – Wrist strap test wearing a glove using integrated checker	72
Figure F.2 – Glove test with hand-held electrode and DC ohmmeter via wrist strap.....	73
Figure F.3 – Test wearing a glove using constant area and force electrode.....	74

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS –**Part 5-4: Protection of electronic devices from electrostatic phenomena –
Compliance verification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61340-5-4, which is a Technical Report, has been prepared by IEC technical committee 101: Electrostatics.

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
101/581/DTR	101/586/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Compliance verification is the process of monitoring and measuring all elements of an ESD control program. Regular compliance checks and tests are an essential part of this process, ensure that area precautions and equipment remain effective, and that an ESD control program is correctly implemented in compliance with an ESD control program plan.

Qualification testing is typically carried out under controlled conditions, often in a laboratory environment, and using industry recognized standards. Verification testing is carried out under operational conditions using test methods that are appropriate to an organization's requirements. Although qualification test methods can be used, compliance verification testing often uses simple equipment and procedures. Accuracy is still important, but of equal importance is the ability to carry out non-destructive testing without interrupting the normal business of the organization.

This document describes equipment and test methods that can be used for verification testing of ESD control items and systems, and provides users with some guidance on how to carry out the tests and take appropriate action to ensure continuous compliance.

The compliance verification test frequency is not described in this document. See Annex A for test frequency considerations.

ELECTROSTATICS –

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

1 Scope

This part of IEC 61340 describes compliance verification testing for technical items that are included in ESD control programs, such as those specified in IEC 61340-5-1.

Test methods, in the main body of this document, are based on those specified in IEC 61340-5-1 and other parts of IEC 61340, and are simplified where necessary for the purposes of compliance verification, to be performed by competent personnel.

Additional compliance verification tests and procedures within the scope of this document are described in Annexes B to G.

Users can, by reference to this document in their compliance verification plan, adopt the necessary test methods described herein without change or addition. Alternatively, tests methods described in this document can be adapted to match the requirements of their own ESD control program, provided deviations in equipment or procedure are documented in their compliance verification plan.

Product qualification is excluded from the scope of this document.

2 Normative references

There are no normative references in this document

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the documents cited in the bibliography apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Personnel safety

The procedures and equipment described in this document can expose personnel to hazardous electrical conditions. Users of this document are responsible for selecting equipment that complies with applicable laws, regulatory codes and both external and internal policy. This document cannot replace or supersede any requirements for personnel safety.

Electrical hazard reduction practices should be exercised and proper grounding instructions for equipment should be followed.