# **INTERNATIONAL STANDARD**

**ISO** 9628

Third edition 2019-09

## **Rolling bearings** — **Insert bearings** and eccentric locking collars — **Geometrical product specifications** (GPS) and tolerance values

sation set Roulements — Roulements insert et bagues de blocage excentriques — Spécification géométrique des produits (GPS) et valeurs de tolérances





© ISO 2019

olementation, no partamical, includir requested fr All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ntents	Page
Fore	eword	iv
	roduction	
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols	1
5	Characteristics and other specifications 5.1 General 5.2 Bore diameter 5.3 Outside diameter of bearing 5.4 Width of inner ring and locking device 5.5 Width of outer ring	
		9
6		9
7		23
8	Radial internal clearancesliography	24
	llography	

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 4, *Rolling bearings*, Subcommittee SC 6, *Insert bearings*.

This third edition cancels and replaces the second edition (ISO 9628:2006), which has been technically revised. It also incorporates the Amendment ISO 9628:2006/Amd 1:2011.

The main changes compared to the previous edition are as follows:

- diameter series 3 has been included:
- the fractional expression "1-1/6" for 28,575 mm has been corrected to "1-1/8";
- introduction of tolerance on D to get interchangeability among bearings from different manufactures;
- the geometrical product specification (GPS) system has been applied.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

This document is a machine element geometry standard as defined in the geometrical product specification (GPS) system presented in the matrix model of ISO 14638<sup>[Z]</sup>.

The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1<sup>[5]</sup> apply to the specifications made in accordance with this document, unless otherwise indicated.

en fu co be co. easurement The connection between functional requirements, measuring technique and measuring uncertainty is always intended to be considered. The traditionally used measuring technique is described in ISO 1132-2[3]. For measurement uncertainty, it is intended that ISO 14253-2[6] be considered.

This document is a preview general ded by tills

# Rolling bearings — Insert bearings and eccentric locking collars — Geometrical product specifications (GPS) and tolerance values

#### 1 Scope

This document specifies the dimensional and geometrical characteristics, boundary dimensions and tolerances of insert bearings and eccentric locking collars and the radial internal clearances of insert bearings.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101, Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out

ISO 1132-1, Rolling bearings — Tolerances — Part 1: Terms and definitions

ISO 5593, Rolling bearings — Vocabulary

ISO 8015, Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules

ISO 14405-1, Geometrical product specifications (GPS) — Dimensional tolerancing — Part 1: Linear sizes

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1101, ISO 1132-1, ISO 5593 and ISO 14405-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### insert bearing

radial rolling bearing with a spherical outside surface and an extended inner ring with a locking device

Note 1 to entry: The locking device, used for fixing the inner ring to the shaft, may be an eccentric locking collar or set screws either in a concentric locking collar around the inner ring or directly in the inner ring.

#### 4 Symbols

ISO 8015 shall be applied and the dimensional and geometrical characteristics shall be included in the technical product documentation (for example, on the drawing). The dimensional specifications associated to these characteristics are described in Table 1.