

**Tööstusrobotid. Ohutusnõuded. Osa 2: Robotsüsteemid
ja integreerimine (ISO 10218-2:2011)**

Robots for industrial environments - Safety requirements -
Part 2: Robot system and integration (ISO 10218-2:2011)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 10218-2:2011 sisaldab Euroopa standardi EN ISO 10218-2:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 29.07.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 01.07.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO 10218-2:2011 consists of the English text of the European standard EN ISO 10218-2:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 29.07.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 01.07.2011.

The standard is available from Estonian standardisation organisation.

ICS 25.040.30

Standardite reprodutseerimis- ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

ICS 25.040.30

English Version

Robots and robotic devices - Safety requirements for industrial robots - Part 2: Robot systems and integration (ISO 10218-2:2011)

Robots et dispositifs robotiques - Exigences de sécurité pour les robots industriels - Partie 2: Systèmes robots et intégration (ISO 10218-2:2011)

Roboter und Robotikgeräte - Sicherheitsanforderungen - Teil 2: Industrierobotersystem und Integration (ISO 10218-2:2011)

This European Standard was approved by CEN on 21 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 10218-2:2011) has been prepared by Technical Committee ISO/TC 184 "Automation systems and integration" in collaboration with Technical Committee CEN/TC 310 "Advanced automation technologies and their applications" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2012, and conflicting national standards shall be withdrawn at the latest by January 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 10218-2:2011 has been approved by CEN as a EN ISO 10218-2:2011 without any modification.

Annex ZA
(informative)

**Relationship between this European Standard and
the Essential Requirements of EU Directive 2006/42/EC**

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 2006/42/EC Machinery safety.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the relevant Essential Requirements of that Directive and associated EFTA regulations.

WARNING — Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Hazard identification and risk assessment.....	4
4.1 General	4
4.2 Layout design	5
4.3 Risk assessment	6
4.4 Hazard identification	8
4.5 Hazard elimination and risk reduction	9
5 Safety requirements and protective measures	9
5.1 General	9
5.2 Safety-related control system performance (hardware/software).....	9
5.3 Design and installation	10
5.4 Limiting robot motion	14
5.5 Layout.....	16
5.6 Robot system operational mode application.....	17
5.7 Pendants.....	21
5.8 Maintenance and repair	22
5.9 Integrated manufacturing system (IMS) interface.....	23
5.10 Safeguarding.....	24
5.11 Collaborative robot operation	32
5.12 Commissioning of robot systems	35
6 Verification and validation of safety requirements and protective measures	36
6.1 General	36
6.2 Verification and validation methods.....	37
6.3 Required verification and validation	37
6.4 Verification and validation of protective equipment.....	37
7 Information for use	38
7.1 General	38
7.2 Instruction handbook.....	39
7.3 Marking.....	43
Annex A (informative) List of significant hazards	44
Annex B (informative) Relationship of standards related to protective devices.....	47
Annex C (informative) Safeguarding material entry and exit points.....	49
Annex D (informative) Operation of more than one enabling device	52
Annex E (informative) Conceptual applications of collaborative robots	53
Annex F (informative) Process observation.....	55
Annex G (normative) Means of verification of the safety requirements and measures	58
Bibliography.....	71

Introduction

This part of ISO 10218 has been created in recognition of the particular hazards that are presented by industrial robot systems when integrated and installed in industrial robot cells and lines.

Hazards are frequently unique to a particular robot system. The number and types of hazards are directly related to the nature of the automation process and the complexity of the installation.

The risks associated with these hazards vary with the type of robot used and its purpose and the way in which it is installed, programmed, operated, and maintained.

For the purpose of understanding requirements in this part of ISO 10218, a word syntax is used to distinguish absolute requirements from recommended practices or suggested actions. The word “shall” is used to identify requirements necessary for compliance with this part of ISO 10218. Such requirements have to be accomplished unless an alternative instruction is provided or a suitable alternative is determined by a risk assessment. The word “should” is used to identify suggestions, recommended actions or possible solutions for requirements, but alternatives are possible and the suggested actions are not absolute.

In recognition of the variable nature of hazards with the application of industrial robots, this part of ISO 10218 provides guidance for the assurance of safety in the integration and installation of robots. Since safety in the use of industrial robots is influenced by the design of the particular robot system, a supplementary, though equally important, purpose is to provide guidelines for the design, construction and information for use of robot systems and cells. Requirements for the robot portion of the system can be found in ISO 10218-1.

Providing for a safe robot system or cell depends on the cooperation of a variety of “stakeholders” – those entities that share in a responsibility for the ultimate purpose of providing a safe working environment. Stakeholders may be identified as manufacturers, suppliers, integrators and users (the entity responsible for using robots), but all share the common goal of a safe (robot) machine. The requirements in this part of ISO 10218 may be assigned to one of the stakeholders, but overlapping responsibilities can involve multiple stakeholders in the same requirements. While using this part of ISO 10218, the reader is cautioned that all of the requirements identified may apply to them, even if not specifically addressed by “assigned” stakeholder tasks.

This part of ISO 10218 is complementary and in addition to ISO 10218-1, which covers the robot only. This part of ISO 10218 adds additional information in line with ISO 12100 and ISO 11161, International Standards for requirements to identify and respond in a type-C standard to unique hazards presented by the integration, installation and requirements for use of industrial robots. New technical requirements include, but are not limited to, instructions for applying the new requirements in ISO 10218-1 for safety-related control system performance, robot stopping function, enabling device, programme verification, cableless pendant criteria, collaborating robot criteria and updated design for safety.

This part of ISO 10218 and ISO 10218-1 form part of a series of standards dealing with robots and robotic devices. Other standards cover such topics as integrated robotic systems, coordinate systems and axis motions, general characteristics, performance criteria and related testing methods, terminology, and mechanical interfaces. It is noted that these standards are interrelated and also related to other International Standards.

For ease of reading this part of ISO 10218, the words “robot” and “robot system” refer to “industrial robot” and “industrial robot system” as defined in ISO 10218-1.

Figure 1 describes the relationship of the scope of machinery standards used in a robot system. The robot alone is covered by ISO 10218-1, the system and cell is covered by this part of ISO 10218. A robot cell may include other machines subject to their own C level standards, and the robot system can be part of an integrated manufacturing system covered by ISO 11161 which in turn can also make reference to other relevant B and C level standards.




Figure 1 — Graphical view of relationships between standards relating to robot system/cell

Robots and robotic devices — Safety requirements for industrial robots —

Part 2: Robot systems and integration

1 Scope

This part of ISO 10218 specifies safety requirements for the integration of industrial robots and industrial robot systems as defined in ISO 10218-1, and industrial robot cell(s). The integration includes the following:

- a) the design, manufacturing, installation, operation, maintenance and decommissioning of the industrial robot system or cell;
- b) necessary information for the design, manufacturing, installation, operation, maintenance and decommissioning of the industrial robot system or cell;
- c) component devices of the industrial robot system or cell.

This part of ISO 10218 describes the basic hazards and hazardous situations identified with these systems, and provides requirements to eliminate or adequately reduce the risks associated with these hazards. Although noise has been identified to be a significant hazard with industrial robot systems, it is not considered in this part of ISO 10218. This part of ISO 10218 also specifies requirements for the industrial robot system as part of an integrated manufacturing system. This part of ISO 10218 does not deal specifically with hazards associated with processes (e.g. laser radiation, ejected chips, welding smoke). Other standards can be applicable to these process hazards.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4413, *Hydraulic fluid power — General rules and safety requirements for systems and their components*

ISO 4414, *Pneumatic fluid power — General rules and safety requirements for systems and their components*

ISO 8995-1, *Lighting of work places — Part 1: Indoor*

ISO 9946, *Manipulating industrial robots — Presentation of characteristics*

ISO 10218-1, *Robots and robotic devices — Safety requirements for industrial robots — Part 1: Industrial robots*

ISO 11161, *Safety of machinery — Integrated manufacturing systems — Basic requirements*

ISO 12100, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 13849-1:2006, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design*

ISO 13850, *Safety of machinery — Emergency stop — Principles for design*

ISO 13854, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body*

ISO 13855, *Safety of machinery — Positioning of safeguards with respect to the approach speeds of parts of the human body*

ISO 13856 (all parts), *Safety of machinery — Pressure-sensitive protective devices*

ISO 13857, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs*

ISO 14118, *Safety of machinery — Prevention of unexpected start-up*

ISO 14119, *Safety of machinery — Interlocking devices associated with guards — Principles for design and selection*

ISO 14120, *Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards*

ISO 14122 (all parts), *Safety of machinery — Permanent means of access to machinery*

IEC 60204-1, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*

IEC 61496-1, *Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests*

IEC 61800-5-2, *Adjustable speed electrical power drive systems — Part 5-2: Safety requirements — Functional*

IEC/TS 62046, *Safety of machinery — Application of protective equipment to detect the presence of persons*

IEC 62061:2005, *Safety of machinery — Functional safety of safety-related electrical, electronic and programmable electronic control systems*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10218-1 and ISO 12100 and the following apply.

3.1

application

intended use of the robot system, i.e. the process, the task and the intended purpose of the robot system

EXAMPLE Spot welding, painting, assembly, palletizing.

3.2

collaborative robot

robot designed for direct interaction with a human within a defined **collaborative workspace** (3.3)