
**Information technology — JPEG 2000
image coding system —**

**Part 1:
Core coding system**

*Technologies de l'information — Système de codage d'images JPEG
2000 —*

Partie 1: Système de codage de noyau



This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by ITU-T as ITU-T T.800 (06/2019) and drafted in accordance with its editorial rules. It was assigned to Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee SC 29, Coding of audio, picture, multimedia and hypermedia information*.

This fourth edition cancels and replaces the third edition (ISO 15444-1:2016), which has been technically revised.

A list of all parts in the ISO/IEC 15444 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

INTERNATIONAL STANDARD ISO/IEC 15444-1
RECOMMENDATION ITU-T T.800

Information technology – JPEG 2000 image coding system: Core coding system

Summary

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding bi-level, continuous-tone grey-scale, palletized colour, or continuous-tone colour digital still images.

This Recommendation | International Standard:

- specifies decoding processes for converting compressed image data to reconstructed image data;
- specifies a codestream syntax containing information for interpreting the compressed image data;
- specifies a file format;
- provides guidance on encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

This edition includes the following changes relative to the previous edition:

- addition of Profile marker segment;
- addition of Extended capabilities marker segment;
- addition of Table A.55 to indicate valid Profile number values;
- clarification of Table A.13 and Table A.19, making it explicit that some MSBs are reserved for future use;
- updating of Table A.10 to indicate that the Profile marker segment is used to indicate the Profile to which the codestream conforms.

NOTE – As this specification was first published as common text only after ISO/IEC JTC1 had approved the first edition in 2000, edition numbers in the ITU and ISO/IEC versions are offset by one. This is the third edition of ITU-T T.800 and the fourth edition of ISO/IEC 15444-1.

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T T.800	2002-08-29	16	11.1002/1000/5281
1.1	ITU-T T.800 (2002) Amd. 1	2005-09-13	16	11.1002/1000/8576
1.2	ITU-T T.800 (2002) Cor. 1	2007-01-13	16	11.1002/1000/9048
1.3	ITU-T T.800 (2002) Cor. 2	2007-08-29	16	11.1002/1000/9231
1.4	ITU-T T.800 (2002) Amd. 2	2009-03-16	16	11.1002/1000/9719
1.5	ITU-T T.800 (2002) Amd. 3	2010-06-22	16	11.1002/1000/11002
1.6	ITU-T T.800 (2002) Amd. 4	2011-05-14	16	11.1002/1000/11313
1.7	ITU-T T.800 (2002) Amd. 5	2012-01-13	16	11.1002/1000/11469
1.8	ITU-T T.800 (2002) Amd. 6	2013-03-16	16	11.1002/1000/11882
1.9	ITU-T T.800 (2002) Cor. 3	2014-10-14	16	11.1002/1000/12301
1.10	ITU-T T.800 (2002) Cor.4	2014-10-14	16	11.1002/1000/12302
1.11	ITU-T T.800 (2002) Amd. 7	2014-10-14	16	11.1002/1000/12300
2.0	ITU-T T.800	2015-11-29	16	11.1002/1000/12682
3.0	ITU-T T.800 (V3)	2019-06-13	16	11.1002/1000/13911

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2019

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

	<i>Page</i>
1 Scope	1
2 References	1
2.1 Identical Recommendations International Standards	1
2.2 Additional references	1
3 Definitions	2
4 Abbreviations and symbols	6
4.1 Abbreviations	6
4.2 Symbols	7
5 General description	8
5.1 Purpose	8
5.2 Codestream	8
5.3 Coding principles	9
6 Encoder requirements	10
7 Decoder requirements	10
7.1 Codestream syntax requirements	11
7.2 Optional file format requirements	11
8 Implementation requirements	11
Annex A – Codestream syntax	12
A.1 Markers, marker segments and headers	12
A.2 Information in the marker segments	14
A.3 Construction of the codestream	15
A.4 Delimiting markers and marker segments	19
A.5 Fixed information marker segment	20
A.6 Functional marker segments	26
A.7 Pointer marker segments	36
A.8 In-bit-stream marker and marker segments	40
A.9 Informational marker segments	41
A.10 Codestream restrictions conforming to this Recommendation International Standard	43
Annex B – Image and compressed image data ordering	59
B.1 Introduction to image data structure concepts	59
B.2 Component mapping to the reference grid	59
B.3 Image area division into tiles and tile-components	61
B.4 Example of the mapping of components to the reference grid (informative)	62
B.5 Transformed tile-component division into resolution levels and sub-bands	65
B.6 Division of resolution levels into precincts	66
B.7 Division of the sub-bands into code-blocks	67
B.8 Layers	68
B.9 Packets	69
B.10 Packet header information coding	70
B.11 Tile and tile-parts	75
B.12 Progression order	76
Annex C – Arithmetic entropy coding	80
C.1 Binary encoding (informative)	80
C.2 Description of the arithmetic encoder (informative)	81
C.3 Arithmetic decoding procedure	92
Annex D – Coefficient bit modelling	99
D.1 Code-block scan pattern within code-blocks	99
D.2 Coefficient bits and significance	99
D.3 Decoding passes over the bit-planes	100
D.4 Initializing and terminating	104
D.5 Error resilience segmentation symbol	105

	<i>Page</i>
D.6 Selective arithmetic coding bypass	105
D.7 Vertically causal context formation	106
D.8 Flow diagram of the code-block coding	107
Annex E – Quantization	109
E.1 Inverse quantization procedure	109
E.2 Scalar coefficient quantization (informative)	110
Annex F – Discrete wavelet transformation of tile-components	112
F.1 Tile-component parameters	112
F.2 Discrete wavelet transformations	112
F.3 Inverse discrete wavelet transformation	112
F.4 Forward transformation (informative)	123
Annex G – DC level shifting and multiple component transformations	133
G.1 DC level shifting of tile-components	133
G.2 Reversible multiple component transformation (RCT)	134
G.3 Irreversible multiple component transformation (ICT)	134
G.4 Chrominance component sub-sampling and the reference grid	135
Annex H – Coding of images with regions of interest	136
H.1 Decoding of ROI	136
H.2 Description of the Maxshift method	136
H.3 Remarks on region of interest coding (informative)	137
Annex I – JP2 file format syntax	140
I.1 File format scope	140
I.2 Introduction to the JP2 file format	140
I.3 Greyscale/Colour/Palettized/multi-component specification architecture	142
I.4 Box definition	144
I.5 Defined boxes	146
I.6 Adding intellectual property rights information in JP2	161
I.7 Adding vendor-specific information to the JP2 file format	161
I.8 Dealing with unknown boxes	164
Annex J – Examples and guidelines	165
J.1 Software conventions adaptive entropy decoder	165
J.2 Selection of quantization step sizes for irreversible transformations	166
J.3 Filter impulse responses corresponding to lifting-based irreversible filtering procedures	167
J.4 Example of discrete wavelet transformation	168
J.5 Row-based wavelet transform	171
J.6 Scan-based coding	180
J.7 Error resilience	180
J.8 Implementing the Restricted ICC method outside of a full ICC colour management engine	181
J.9 An example of the interpretation of multiple components	185
J.10 An example of decoding showing intermediate steps	185
J.11 Visual frequency weighting	189
J.12 Encoder sub-sampling of components	191
J.13 Rate control	192
J.14 Guidelines on handling YCC codestream	196
J.15 Guidelines for digital cinema applications	197
Annex K – Bibliography	213
K.1 General	213
K.2 Quantization and entropy coding	213
K.3 Wavelet transformation	213
K.4 Region of interest coding	214
K.5 Visual frequency weighting	214
K.6 Error resilience	214
K.7 Scan-based coding	215

	<i>Page</i>
K.8 Colour.....	215
K.9 Guidelines for digital cinema applications	215
Annex L – Patent statement	217
Annex M – Elementary stream for broadcast applications	218
M.1 Introduction.....	218
M.2 Definitions.....	218
M.3 Access unit construction.....	218
M.4 Elementary stream marker box (superbox)	219

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

Information technology – JPEG 2000 image coding system: Core coding system

1 Scope

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding bi-level, continuous-tone grey-scale, palletized colour, or continuous-tone colour digital still images.

This Recommendation | International Standard:

- specifies decoding processes for converting compressed image data to reconstructed image data;
- specifies a codestream syntax containing information for interpreting the compressed image data;
- specifies a file format;
- provides guidance on encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

NOTE – As this specification was first published as common text only after ISO/IEC JTC1 had approved the first edition in 2000, edition numbers in the ITU and ISO/IEC versions are offset by one. This is the third edition of ITU-T T.800 and the fourth edition of ISO/IEC 15444-1.

2 References

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T T.81 (1992) | ISO/IEC 10918-1:1994, *Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines*.
- Recommendation ITU-T T.84 (1996) | ISO/IEC 10918-3:1997, *Information technology – Digital compression and coding of continuous-tone still images: Extensions*.
- Recommendation ITU-T T.84 (1996)/Amd.1 (1999) | ISO/IEC 10918-3:1997/Amd.1:1999, *Information technology – Digital compression and coding of continuous-tone still images: Extensions – Amendment 1: Provisions to allow registration of new compression types and versions in the SPIFF header*.
- Recommendation ITU-T T.86 (1998) | ISO/IEC 10918-4:1999, *Information technology – Digital compression and coding of continuous-tone still images: Registration of JPEG Profiles, SPIFF Profiles, SPIFF Tags, SPIFF colour Spaces, APPn Markers, SPIFF Compression types and Registration Authorities (REGAUT)*.
- Recommendation ITU-T T.87 (1998) | ISO/IEC 14495-1:2000, *Lossless and near-lossless compression of continuous-tone still images – Baseline*.
- Recommendation ITU-T T.88 (2000) | ISO/IEC 14492:2001, *Information technology – Lossy/lossless coding of bi-level images*.
- Recommendation ITU-T T.810 (2006) | ISO/IEC 15444-11:2007, *Information technology – JPEG 2000 image coding system: Wireless*.
- ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*.
- ISO 8859-15:1999, *Information technology – 8-bit single-byte coded graphic character sets – Part 15: Latin alphabet No. 9*.

2.2 Additional references

- Recommendation ITU-R BT.601-6 (2007), *Studio encoding parameters of digital television for standard 4:3 and wide screen 16:9 aspect ratios*.

- Recommendation ITU-R BT.709-5 (2002), *Parameter values for the HDTV standards for production and international programme exchange*.
- IEC 61966-2-1:1999, *Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB*.
- IEC 61966-2-1:1999/Amd.1:2003, *Multimedia systems and equipment – Colour measurement and management – Part 2-1: Colour management – Default RGB colour space – sRGB*.
- IETF RFC 2279 (1998), UTF-8, *a transformation format of ISO 10646*.
- ISO 11664-1:2007 (CIE S 014-1/E:2006), *Colorimetry – Part 1: CIE standard colorimetric observers*.
- ISO 14721, *Space data and information transfer systems – Open archival information system – Reference model*.
- ISO 15076-1, *Image technology colour management – Architecture, profile format and data structure – Part 1: Based on ICC.1:2010*.
- ISO 26428-1:2008, *Digital cinema (D-cinema) distribution master – Part 1: Image characteristics*.
- ISO/IEC 11578:1996, *Information technology – Open Systems Interconnection – Remote Procedure Call*.

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply:

- 3.1** $\lfloor x \rfloor$, **floor function**: This indicates the largest integer not exceeding x .
- 3.2** $\lceil x \rceil$, **ceiling function**: This indicates the smallest integer not exceeded by x .
- 3.3** **5-3 reversible filter**: A particular filter pair used in the wavelet transformation. This reversible filter pair has 5 taps in the low-pass and 3 taps in the high-pass.
- 3.4** **9-7 irreversible filter**: A particular filter pair used in the wavelet transformation. This irreversible filter pair has 9 taps in the low-pass and 7 taps in the high-pass.
- 3.5** **access unit**: A coded representation of one video frame.
- 3.6** **AND**: Bit wise AND logical operator.
- 3.7** **arithmetic coder**: An entropy coder that converts variable length strings to variable length codes (encoding) and vice versa (decoding).
- 3.8** **auxiliary channel**: A channel that is used by the application outside the scope of colourspace conversion. For example, an opacity channel or a depth channel would be an auxiliary channel.
- 3.9** **bit**: A contraction of the term "binary digit"; a unit of information represented by a zero or a one.
- 3.10** **bit-plane**: A two dimensional array of bits. In this Recommendation | International Standard a bit-plane refers to all the bits of the same magnitude in all coefficients or samples. This could refer to a bit-plane in a component, tile-component, code-block, region of interest, or other.
- 3.11** **bit stream**: The actual sequence of bits resulting from the coding of a sequence of symbols. It does not include the markers or marker segments in the main and tile-part headers or the EOC marker. It does include any packet headers and in-stream markers and marker segments not found within the main or tile-part headers.
- 3.12** **big-endian**: The bits of a value representation occur in order from the most significant to the least significant.
- 3.13** **box**: A portion of the file format defined by a length and unique box type. Boxes of some types may contain other boxes.
- 3.14** **box contents**: Refers to the data wrapped within the box structure. The contents of a particular box are stored within the DBox field within the box data structure.
- 3.15** **box type**: Specifies the kind of information that shall be stored with the box. The type of a particular box is stored within the TBox field within the box data structure.
- 3.16** **byte**: Eight bits.
- 3.17** **channel**: One logical component of the image. A channel may be a direct representation of one component from the codestream, or may be generated by the application of a palette to a component from the codestream.