TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN ISO/TS 19468

October 2019

ICS

English Version

Intelligent transport systems - Data interfaces between centres for transport information and control systems - Platform independent model specifications for data exchange protocols for transport information and control systems (ISO/TS 19468:2019)

Systèmes de transport intelligents - Interface de données entre centres pour les systèmes de commande et d'information des transports - Spécification du modèle indépendant de plateforme pour les protocoles d'échange de données pour les systèmes de commande et d'information des transports (ISO/TS 19468:2019)

Intelligente Verkehssysteme - Datenschnittstelle zwischen Transportinformationszentren und Steuerungssystemen - Plattformunabhängige Modellspezifikation für Datenaustauschprotokolle für Transportinformationen und Steuerungssysteme (ISO/TS 19468:2019)

This Technical Specification (CEN/TS) was approved by CEN on 5 October 2019 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (CEN ISO/TS 19468:2019) has been prepared by Technical Committee ISO/TC 204 "Intelligent transport systems" in collaboration with Technical Committee CEN/TC 278 "Intelligent transport systems" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

veen ap, The text of ISO/TS 19468:2019 has been approved by CEN as CEN ISO/TS 19468:2019 without any modification.

Co	Contents							
Fore	word		vi					
Intr	oductio	on	vii					
1	Scon	oe	1					
		5.0						
2		Normative references						
3	Tern	Terms and definitions Symbols and abbreviated terms						
4	Syml							
5	Exch	ange modelling framework	4					
J	5.1	Overview						
	5.2	Business scenarios and Functional Exchange Profile (FEP)						
	5.3	Requirements, feature and exchange patterns						
	5.4	Business scenario: Information delivery						
		5.4.1 Overview	6					
		5.4.2 Requirements						
		5.4.3 Data delivery exchange pattern	8					
		5.4.4 Specific exchange pattern specification PIM included in this document	9					
	5.5	Business scenario: Collaborative ITS Service (CIS)						
		5.5.1 Overview						
		5.5.2 Data exchange enabling service request and feedback paradigm						
		5.5.3 Requirements						
	5.6	Exchange data model						
	5.7	Data exchange features						
		5.7.1 Context diagram						
		5.7.2 Features	11					
6	Snap	oshot Pull	15					
	6.1	Overview						
	6.2	Exchange pattern messages definition	15					
		6.2.1 Overall presentation						
		6.2.2 Basic exchange pattern	16					
		6.2.3 Relevant exchange information in exchange data model	17					
		6.2.4 Exchange messages						
	6.3	Features implementation description	17					
		6.3.1 Overview						
		6.3.2 Subscription contract	17					
		6.3.3 Session	17					
		6.3.4 Information management	18					
		6.3.5 Data delivery	19					
		6.3.6 Self-description						
		6.3.7 Communication						
		6.3.8 Optimisation issues	20					
7	Snap	oshot Push	20					
	7.1	•						
	7.2	Exchange pattern messages definition	21					
		7.2.1 Overview						
		7.2.2 Basic exchange pattern						
		7.2.3 Relevant exchange information in exchange data model	22					
		7.2.4 Exchange Messages						
	7.3	Features implementation description	22 23					
		7.3.1 Subscription contract						
		7.3.2 Session						
		7.3.3 Information management	192021212222232323					
		7.3.4 Data delivery						
		7.3.5 Self-Description	24					

ISO/TS 19468:2019(E)

		7.3.6	Communication	
		7.3.7	Optimisation issues	25
8	Simp	le Push		25
	8.1		W	
	8.2	Exchange	ge pattern messages definition	
		8.2.1	Basic exchange pattern	
		8.2.2	Relevant exchange information from exchange data model	
		8.2.3	List of exchanged messages	
	8.3		onitoring and error management	
	8.4		s implementation description	
		8.4.1	0verview	
		8.4.2	Subscription contract	
		8.4.3	Session	
		8.4.4	Information management	
		8.4.5	Data delivery	
		8.4.6	Self-Description	
		8.4.7	Communication	
		8.4.8	Optimisation issues	33
9	State	ful Push		33
	9.1	Overvie	W	33
	9.2	Exchang	ge pattern messages definition	34
		9.2.1	Overview	34
		9.2.2	Basic exchange pattern	
		9.2.3	Relevant exchange information from exchange data model	35
		9.2.4	List of exchanged messages	36
	9.3	Session	status management	37
	9.4	Feature	s implementation description	
		9.4.1	Overview	
		9.4.2	Subscription contract	
		9.4.3	Session	
		9.4.4	Information management	
		9.4.5	Data delivery	
		9.4.6	Self-description	
		9.4.7	Communication	
10	Publi	sh Subsc	ribe	43
		Exchang	ge architecture	43
		10.1.1	Pattern description	43
		10.1.2	The supplier	43 43 44
		10.1.3	Client	
	10.2	Feature	description	45
		10.2.1	Overview	
		10.2.2	Subscription contract	
		10.2.3	Subscription	
		10.2.4	Information management	
		10.2.5	Data delivery	5
		10.2.6	Communication and protocol	60
	10.3	Publish-	-Subscribe Functional Exchange Profiles	
		10.3.1	Overview	
		10.3.2	Objectives	61
11	Othe	r PIM def	initions	61
Anne	x A (inf	formative)	Methodology presentation	62
Anne	x B (no	rmative)	Definition of requirements	64
Anne	x C (no	rmative) l	Basic exchange data model and data dictionary	69
Anne	x D (inf	formative]) Introduction to communications and protocols	97

	yementd	
	e ITS services (CIS) background e ITS services exchange patterns	
2.10g1 upinj		
7		
ibliography		
	0,	
	Z:	
	4	
	O ,	
		0

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 278, *Intelligent transport systems (ITS)*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document defines a common set of data exchange specifications to support the vision of a seamless interoperable exchange of traffic and travel information across boundaries, including national, urban, interurban, road administrations, infrastructure providers and service providers. Standardisation in this context is a vital constituent to ensure interoperability, reduction of risk, reduction of the cost base, promotion of open marketplaces and many social, economic and community benefits to be gained from more informed travellers, network managers and transport operators.

Especially in Europe, delivering transport policy in line with the White Paper issued by the European Commission requires co-ordination of traffic management and development of seamless pan European services. With the aim to support sustainable mobility in Europe, the European Commission has been supporting the development of information exchange mainly between the actors of the road traffic management domain for a number of years.

This document supports a methodology that is extensible.

To be able to successfully connect systems and start exchanging data, in an interoperable and easy way, there is a need to describe and agree on how the exchange should be done. This is set out in a data exchange specification. Data exchange in different scenarios can have different needs and requirements. Therefore, several data exchange specifications can be needed.

Data exchange specifications need to address two main issues. First, they model the stakeholders and actors involved in data exchange, each potentially in different roles, as well as abstract exchange patterns for their interactions. Second, they select a suitable implementation platform and clearly specify how the abstract scenarios and patterns are effectively implemented on this platform.

The following diagram in <u>Figure 1</u> shows such an abstract communication scenario from the perspective of a road operator who requires data exchange interfaces between the different components of its own operational systems, either between centre side components or between centre and field devices, but also to exchange information with other road operators or service providers.




Figure 1 — Abstract communication scenario

While the black links between centre side components and field devices may use a variety of communication protocols, mostly depending on the physical link conditions, the vast majority

ISO/TS 19468:2019(E)

of other coloured links between centre-side components, internal to one organisation or external to others, is based on an IP network and mostly use the TCP transport layer protocol (UDP is also possible in a few cases).

Nevertheless, as the different colours indicate, they can very well have significantly different requirements. Internal links (blue) can reside in one domain of trust, hence do not require protocols compatible with security gateways. This can already be different for links to other road operators (red) and will certainly not hold for links to other types of organisations, like service providers, via the Internet (green).

While different security requirements offer the most striking and obvious example, there are more criteria that can lead to different preferences on different types of links, e.g. scalability, robustness, integration complexity.

In broad terms, the colours blue – red – green form a hierarchy from more internal, closely-coupled, well-integrated systems towards external, loosely-coupled, and non-integrated systems. The world of *information and communication technology* (ICT) offers a broad range of solutions for these different scenarios, offering different advantages and disadvantages. It is obvious that the *one-size-fits-all* principle will not provide the most efficient way of working here. Even on the highest level of abstraction and inside the ICT domain itself, we already find a well-known battle of paradigms between *remote-procedure-call* (RPC) type service specifications and *RESTful* architectures. The same clusters of options are found in the domain of ITS standards, where for example the European standard for the real-time information interface relating to public transport operations (SIRI – EN 15531 series) introduces both concepts as complementary options: *Publish-Subscribe* and *Request-Response*.

As well, the ITS station architecture is not in contradiction with this document but is complementary of what is defined in this document. According to the principles and the taxonomy defined in ISO 21217, this document defines a conceptual notion of:

- How 2 *central ITS (sub) stations* could communicate to:
 - deliver (application data units) information,
 - negotiate functional service behaviour for collaborating traffic management functions (even if this use case could not directly be matched to ISO 21217 as it is not about information delivery).
- How a *Central ITS (sub) station* could communicate to deliver information (*application data units*) to another *ITS station* with the characteristics of a central ITS station.

This document specifies the process of defining the exchange characteristics by use case-driven feature selection of relevant parameters for the relevant OSI layers as defined in ISO 21217. Two exchange schemas are considered: *Information delivery* and *Functional service negotiation* between central ITS stations.

The drafting of this document was guided by the following principles:

- Interoperability, such that different implementations can successfully engage in a data exchange process;
- Support legacy implementations which are based on existing (exchange) specification, in order to maximize investments already made by stakeholders;
- Address other user profiles, not only road operators, and thus make this document available to a broader audience;
- Reuse of existing (communications) standards, in order to reduce implementation complexity and take benefit of proven and already existent solutions for common ICT problems;
- Clear separation between the payload content and the exchange model.

The informative Annex A details the adopted methodology for defining this exchange Platform Independent Model.

Intelligent transport systems — Data interfaces between centres for transport information and control systems — Platform independent model specifications for data exchange protocols for transport information and control systems

1 Scope

This document defines and specifies component facets supporting the exchange and shared use of data and information in the field of traffic and travel.

The component facets include the framework and context for exchanges, the data content, structure and relationships necessary and the communications specification, in such a way that they are independent from any defined technical platform.

This document establishes specifications for data exchange between any two instances of the following actors:

- Traffic Information Centres (TIC);
- Traffic Control Centres/Traffic Management Centres (TCC/TMC);
- Service Providers (SP).

This document can be applied for use by other actors, e.g. car park operators.

This document includes the following types of information:

- the use cases and associated requirements, and features relative to different exchange situations;
- the different functional exchange profiles;
- the abstract elements for protocols;
- the data model for exchange (informational structures, relationships, roles, attributes and associated data types required).

In order to set up a new technical exchange framework, it is necessary to associate one functional exchange profile with a technical platform providing an interoperability domain where plug-and-play interoperability at technical level can be expected. The definition of such interoperability domains is not part of this document but can be found in other standards or technical specifications, e.g. ISO 14827-3. This document is restricted to data exchange. Definition of payload content models is beyond the scope of this document.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.