

CONSOLIDATED VERSION



**Household and similar electrical appliances – Safety –
Part 2-110: Particular requirements for commercial microwave appliances with
insertion or contacting applicators**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

Preview generated by EVS

CONSOLIDATED VERSION



**Household and similar electrical appliances – Safety –
Part 2-110: Particular requirements for commercial microwave appliances with
insertion or contacting applicators**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.040.20

ISBN 978-2-8322-7582-5

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



**Household and similar electrical appliances – Safety –
Part 2-110: Particular requirements for commercial microwave appliances with
insertion or contacting applicators**

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	9
3 Terms and definitions	9
4 General requirement	13
5 General conditions for the tests	13
6 Classification	13
7 Marking and instructions	13
8 Protection against access to live parts	18
9 Starting of motor-operated appliances	18
10 Power input and current	19
11 Heating	19
12 Void	19
13 Leakage current and electric strength at operating temperature	19
14 Transient overvoltages	19
15 Moisture resistance	19
16 Leakage current and electric strength	20
17 Overload protection of transformers and associated circuits	20
18 Endurance	20
19 Abnormal operation	21
20 Stability and mechanical hazards	22
21 Mechanical strength	22
22 Construction	24
23 Internal wiring	27
24 Components	27
25 Supply connection and external flexible cords	28
26 Terminals for external conductors	29
27 Provision for earthing	29
28 Screws and connections	29
29 Clearances, creepage distances and solid insulation	29
30 Resistance to heat and fire	29
31 Resistance to rusting	29
32 Radiation, toxicity and similar hazards	29
101 Protection against accessibility to microwave-containing regions	31
Annex AA (informative) Rationales for the microwave barrier and associated leakage tests	40
Bibliography	45
Figure 101 – Test rod for interlock concealment	33
Figure 102 – Arrangement for measurement of microwave leakage	34

Figure 103 – Construction site, overview of different applicator types and their use	35
Figure 104 – Large area contacting applicator without traction drive	36
Figure 105 – Large area contacting applicator with traction drive	37
Figure 106 – Insertion applicator.....	38
Figure 107 – Small area contacting applicator.....	39
Table 101 – Specifications for microwave barriers	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-110: Particular requirements for commercial microwave appliances with insertion or contacting applicators

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60335-2-110 bears the edition number 1.1. It consists of the first edition (2013-09) [documents 61B/477/FDIS and 61B/483/RVD] and its amendment 1 (2019-10) [documents 61B/613/CDV and 61B/637/RVC as well as 61B/614/CDV and 61B/638/RVC]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

This part of International Standard IEC 60335 has been prepared by subcommittee SC61B: Safety of microwave appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial microwave appliances with insertion or contacting applicators.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in **bold**.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-110: Particular requirements for commercial microwave appliances with insertion or contacting applicators

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of microwave appliances intended for commercial use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral and 480 V for other appliances.

In general, this standard does not take into account

- persons (including children) whose
 - physical, sensory or mental capabilities; or
 - lack of experience and knowledgeprevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

Appliances covered by this standard incorporate an open-ended **applicator** (as example an overview is given in Figure 103) for treatment of the **load**. They are divided into three types:

- with **insertion applicator**, typically for moisture removal by insertion into holes in floors, walls or ceilings (an example is given in Figure 106);
- with **large area contacting applicator**, typically for drying of floors, walls or ceilings (examples are given in Figure 104 and Figure 105);
- with **small area contacting applicator**, typically for paint removal and spot-heating (an example is given in Figure 107).

NOTE 101 Appliances with **insertion applicator** and with **large area contacting applicator** are **portable appliances**. Appliances with **small area contacting applicator** are **handheld appliances**.

NOTE 102 Appliances that use non-electrical energy are within the scope of this standard. The microwave-related portion is considered **motor-operated**.

NOTE 103 Attention is drawn to the fact that

- these appliances can radiate microwave energy outside a **restricted area** where they are used. The additional requirements specified by national authorities responsible for the protection for non-ionising radiation that the limit of power flux density is 10 W/m², averaged over any time period of 6 min, outside this **restricted area** is taken into consideration in this standard;
- these appliances are intended to exclusively treat the **load in normal operation**, i.e. this standard does not apply to appliances or systems employing free space microwave propagation;
- for appliances intended to be used in tropical countries, special requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, and national authorities responsible for the protection of labour and for non-ionising radiation protection.

NOTE 104 This standard does not apply to

- household microwave ovens, including combination microwave ovens (IEC 60335-2-25);
- commercial microwave ovens with a cavity door, commercial combination microwave ovens with a cavity door and commercial microwave ovens without a cavity door and with transportation means (IEC 60335-2-90);
- industrial microwave heating equipment (IEC 60519-6);
- appliances for medical purposes (IEC 60601-1);

- appliances and equipment for laboratory use (series of IEC 61010);
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

NOTE 105 Some of the specifications and tests in this standard are not applicable for other than 2 450 MHz appliances.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-90, *Household and similar electrical appliances – Safety – Part 2-90: Particular requirements for commercial microwave ovens*

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.7 Addition:

Note 101 to entry: The **rated frequency** is the input frequency.

3.1.9 Replacement:

normal operation

heating operation of the **appliance** under the following conditions:

The **appliance** is operated according to the manufacturer's instructions for **intended use**. However, using a typical load for **intended use** may be impractical, since it may be part of a building, unless the manufacturer makes useful and realistic such **loads** available for the tests. If that is not the case, the appliance is operated under the following conditions:

The initial temperature of the test load which is used for microwave energy absorption shall be $(20 \pm 5) ^\circ\text{C}$.

The highest generator power settings are to be used.

Appliances with an **insertion applicator** for moisture removal are operated by insertion into holes in floor, wall or ceiling structures under the following conditions:

- a) The test load consists of a metal tank filled with water, having an open top water surface exceeding that of the horizontal dimensions of the appliance by at least 70 mm on all sides and having a water column height of at least 150 mm plus the length of the longest insertion distance of the **insertion applicator**. At the top sides of the tank there are horizontal supports of a **microwave-transparent** material, with a suitable opening for the applicator antenna. The water level is adjusted so that the distance from the housing of the appliance to the test load is the same as in its **intended use**.

Note 101 to entry: If it is obvious that good microwave impedance matching of the **insertion applicator** can be obtained only if the hole into which it is inserted is not water-filled, a sleeve or similar of a highly **microwave transparent** material such as PTFE is used around the **insertion applicator**. If wave propagation in the axial direction occurs in the test set-up and the manufacturer can show that it is not possible in actual use, or monitoring devices then shut down the **insertion applicator**, a thin-wall plastic tube with inner diameter corresponding to the maximum hole diameter according to the manufacturer's specification can be used.