INTERNATIONAL STANDARD

ISO 6336-6

> Second edition 2019-11

Calculation of load capacity of spur and helical gears —

Part 6:

Calculation of service life under variable load

Calcul de la capacité de charge des engrenages cylindriques à c héli.

Al de la dui dentures droite et hélicoïdale —

Partie 6: Calcul de la durée de vie en service sous charge variable



Reference number ISO 6336-6:2019(E)



© ISO 2019

Nementation, no potanical, includir requested fr All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

itents	Page
word	iv
duction	v
Scope	1
Normative references	1
Terms, definitions, symbols and abbreviated terms 3.1 Terms and definitions	1
General 4.1 Determination of load and stress spectra 4.2 General calculation of service life 4.3 Palmgren-Miner rule	5 5
Calculation of service strength on the basis of single-stage strength according to ISO 6336 series 5.1 Basic principles 5.2 Calculation of stress spectra 5.3 Determination of pitting and bending strength values 5.4 Determination of safety factors	9 13 14
ex A (normative) Determination of application factor, K_A , from given load spectrum using equivalent torque, T_{eq}	16
ex C (informative) Example calculation for safety factor from given load spectrum	
	Normative references Terms, definitions, symbols and abbreviated terms 3.1 Terms and definitions 3.2 Symbols and abbreviated terms. General 4.1 Determination of load and stress spectra 4.2 General calculation of service life. 4.3 Palmgren-Miner rule. Calculation of service strength on the basis of single-stage strength according to ISO 6336 series. 5.1 Basic principles. 5.2 Calculation of stress spectra. 5.3 Determination of pitting and bending strength values. 5.4 Determination of safety factors. x A (normative) Determination of application factor, K _A , from given load spectrum using equivalent torque, T _{eq} x B (informative) Equivalent cumulative damage.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 60, *Gears*, Subcommittee SC 2, *Gear capacity calculation*.

This second edition cancels and replaces the first edition (ISO 6336-6:2006), which has been technically revised. It also incorporates the Technical Corrigendum ISO 6336-6:2006/Cor.1:2007.

The main changes compared to the previous edition are as follows:

- in Annex A, examples have been revised;
- integration of <u>Annex B</u> "Equivalent cumulative damage".

A list of all parts in the ISO 6336 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

5

Introduction

ISO 6336 (all parts) consists of International Standards, Technical Specifications (TS) and Technical Reports (TR) under the general title *Calculation of load capacity of spur and helical gears* (see <u>Table 1</u>).

- International Standards contain calculation methods that are based on widely accepted practices and have been validated.
- Technical Specifications (TS) contain calculation methods that are still subject to further development.
- Technical Reports (TR) contain data that is informative, such as example calculations.

The procedures specified in parts 1 to 19 of the ISO 6336 series cover fatigue analyses for gear rating. The procedures described in parts 20 to 29 of the ISO 6336 series are predominantly related to the tribological behavior of the lubricated flank surface contact. Parts 30 to 39 of the ISO 6336 series include example calculations. The ISO 6336 series allows the addition of new parts under appropriate numbers to reflect knowledge gained in the future.

Requesting standardized calculations according to the ISO 6336 series without referring to specific parts requires the use of only those parts that are currently designated as International Standards (see Table 1 for listing). When requesting further calculations, the relevant part or parts of the ISO 6336 series need to be specified. Use of a Technical Specification as acceptance criteria for a specific design need to be agreed in advance between the manufacturer and the purchaser.

Table 1 — Parts of the ISO 6336 series (STATUS AS OF DATE OF PUBLICATION)

Calculation of load capacity of spur and helical gears	International Standard	Technical Specifica- tion	Technical Report
Part 1: Basic principles, introduction and general influence factors	X		
Part 2: Calculation of surface durability (pitting)	X		
Part 3: Calculation of tooth bending strength	X		
Part 4: Calculation of tooth flank fracture load capacity		X	
Part 5: Strength and quality of materials	X		
Part 6: Calculation of service life under variable load	X		
Part 20: Calculation of scuffing load capacity (also applicable to bevel and hypoid gears) — Flash temperature method		X	
(replaces: ISO/TR 13989-1)	(O)	1	
Part 21: Calculation of scuffing load capacity (also applicable to bevel and hypoid gears) — Integral temperature method	6	X	
(replaces: ISO/TR 13989-2)	0/		
Part 22: Calculation of micropitting load capacity		X	
(replaces: ISO/TR 15144-1)		A	
Part 30: Calculation examples for the application of ISO 6336-1, 2, 3, 5			X
Part 31: Calculation examples of micropitting load capacity			V
(replaces: ISO/TR 15144-2)			X

This document is a preview general ded by tills

Calculation of load capacity of spur and helical gears —

Part 6:

Calculation of service life under variable load

1 Scope

This document specifies the information and standardized conditions necessary for the calculation of the service life (or safety factors for a required life) of gears subject to variable loading for only pitting and tooth root bending strength.

If this scope does not apply, refer ISO 6336-1:2019, Clause 4.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1122-1:1998, Vocabulary of gear terms — Part 1: Definitions related to geometry

ISO 6336-1, Calculation of load capacity of spur and helical gears —Part 1: Basic principles, introduction and general influence factors

ISO 6336-2, Calculation of load capacity of spur and helical gears — Part 2: Calculation of surface durability (pitting)

ISO 6336-3, Calculation of load capacity of spur and helical gears — Part 3: Calculation of tooth bending strength

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6336-1 and ISO 1122-1:1998 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at http://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.2 Symbols and abbreviated terms

For the purposes of this document, the symbols and abbreviated terms given in ISO 6336-1, ISO 1122-1:1998 and Table 2 apply.