

---

---

## Geographic information — Positioning services

*Information géographique — Services de positionnement*



This document is a preview generated by ERS



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vii</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Symbols, abbreviated terms, backwards compatibility, UML notation, and packages</b>	<b>6</b>
4.1 Symbols and abbreviated terms	6
4.2 Backwards compatibility	7
4.3 UML notation	7
4.4 UML packages	7
<b>5 Conformance</b>	<b>8</b>
5.1 Overview	8
5.2 Conformance requirements	8
5.3 Structure of requirements clauses	8
<b>6 Positioning services model</b>	<b>9</b>
6.1 Overview	9
6.2 Static data structures of a positioning service	9
6.3 Basic and extended information from a positioning service	11
<b>7 Basic information definition and description</b>	<b>12</b>
7.1 Overview	12
7.2 System information	13
7.2.1 Overview	13
7.2.2 PS_System	14
7.2.3 System capability	14
7.2.4 Positioning technology	15
7.2.5 Referencing method	15
7.2.6 Instrument identification	16
7.3 Session	16
7.3.1 Overview	16
7.3.2 PS_Session	17
7.4 Observation information	18
7.4.1 Overview	18
7.4.2 PS_ObservationMode	19
7.4.3 PS_LinkToReferenceSystem	22
7.4.4 PS_MeasurementType	22
7.4.5 Observation	22
7.4.6 Coordinate transfer (offset) values	24
7.4.7 Offset vector	26
7.4.8 PS_OffsetSourceType	26
7.5 Quality information	27
7.5.1 Overview	27
7.5.2 PS_QualityMode	29
7.6 Positioning services operations	30
7.6.1 Definition of positioning services operations	30
7.6.2 Requirements for positioning service operations	30
7.6.3 Applying the positioning services operations	32
<b>8 Reliability of positioning results</b>	<b>33</b>
8.1 Overview	33
8.2 Reliability model	33
<b>9 Technology-specific information</b>	<b>35</b>
9.1 Overview	35

9.2	Operating conditions .....	35
9.2.1	PS_OperatingConditions .....	36
9.2.2	PS_ComputationalConditions .....	36
9.2.3	PS_PositionFixMode .....	37
9.2.4	PS_PositioningMode .....	37
9.2.5	PS_ProcessingMode .....	37
9.2.6	Performance indicators .....	38
9.2.7	Measurement conditions .....	38
9.3	Raw measurement data .....	38
<b>Annex A (normative) Conformance .....</b>		<b>39</b>
<b>Annex B (informative) Implementing accuracy reports for positioning services .....</b>		<b>42</b>
<b>Annex C (informative) Overview of positioning services .....</b>		<b>46</b>
<b>Annex D (informative) GNSS operating conditions .....</b>		<b>48</b>
<b>Annex E (informative) Reliability evaluation methods .....</b>		<b>53</b>
<b>Annex F (informative) Examples for extending positioning service results .....</b>		<b>59</b>
<b>Annex G (informative) Use case examples .....</b>		<b>60</b>
<b>Bibliography .....</b>		<b>63</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This second edition cancels and replaces the first edition (ISO 19116:2004), which has been technically revised.

The main changes compared to the previous edition are as follows.

- Device specific definitions have been removed from the model and normative body of the document. These have been clarified and reformatted in [Annex D](#).
- Constructs from withdrawn standards ISO 19113, ISO 19114, and ISO 19115 have been updated where necessary to ISO 19115-1 and ISO 19157. References to these new standards are carried out using approved methods.
- Terminology entries from the first edition were updated and harmonized with other current standards in ISO/TC 211. As per ISO/IEC Directives, Part 2, 2018, unused terms have been removed from this edition.
- Constructs from ISO 19111 have been updated. References to the revised ISO 19111:2019 document are carried out using approved methods.
- A new, convenient yet unobtrusive, set of constructs for determining the reliability of a positioning result have been added to the model, in [Clause 8](#).
- Based on the concepts related to the model, conformance with the other standards, and separation of the technology specific content from the abstract model, all UML models have been updated.
- Original requirements “drafted as normative *shall* statements” were rechecked for consistency with the model. Where necessary the requirements were revised or retained as regular text.
- Significant editorial revisions have been carried out, clarifying the structure of the document, correction of errors, and following current ISO/IEC Directives, Part 2 for drafting specifications.

In accordance with the ISO/IEC Directives, Part 2, 2018, *Rules for the structure and drafting of International Standards*, in International Standards the decimal sign is a comma on the line. However, the General Conference on Weights and Measures (Conférence Générale des Poids et Mesures) at its meeting in 2003 passed unanimously the following resolution:

“The decimal marker shall be either a point on the line or a comma on the line.”


In practice, the choice between these alternatives depends on customary use in the language concerned. In the technical areas of geodesy and geographic information it is customary for the decimal point always to be used, for all languages. That practice is used throughout this document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

Positioning services are among the processing services identified in ISO 19119:2016. Processing services include services that are computationally oriented and operate upon the elements from the model domain, rather than being directly integrated in the model domain itself. This document defines and describes the positioning service.

Positioning services employ a wide variety of technologies that provide position and related information to a similarly wide variety of applications, as depicted in [Figure 1](#). Although these technologies differ in many respects, there are important items of information that are common among them and serve the needs of these application areas, such as the position data, time of observation and its accuracy. Also, there are items of information that apply only to specific technologies and are sometimes required in order to make correct use of the positioning results, such as signal strength, geometry factors, and raw measurements. Therefore, this document includes both general data elements that are applicable to a wide variety of positioning services and technology specific elements that are relevant to particular technologies.



**Figure 1 — Positioning services overview**

Electronic positioning technology can measure the coordinates of a location on or near the Earth with great speed and accuracy, thereby allowing geographic information systems to be populated with any number of objects. However, the technologies for position determination have neither a common structure for expression of position information, nor common structures for expression of accuracy and reliability. The positioning services interface specified in this document provides data structures and operations that allow spatially oriented systems to employ positioning technologies with greater efficiency and interoperability.





# Geographic information — Positioning services

## 1 Scope

This document specifies the data structure and content of an interface that permits communication between position-providing device(s) and position-using device(s) enabling the position-using device(s) to obtain and unambiguously interpret position information and determine, based on a measure of the degree of reliability, whether the resulting position information meets the requirements of the intended use.

A standardized interface for positioning allows the integration of reliable position information obtained from non-specific positioning technologies and is useful in various location-focused information applications, such as surveying, navigation, intelligent transportation systems (ITS), and location-based services (LBS).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19103, *Geographic information — Conceptual schema language*

ISO 19107, *Geographic information — Spatial schema*

ISO 19111, *Geographic information — Referencing by coordinates*

ISO 19115-1, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19157, *Geographic information — Data quality*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### **absolute accuracy**

external accuracy

closeness of reported coordinate values to values accepted as or being true

Note 1 to entry: Where the true coordinate value may not be perfectly known, accuracy is normally tested by comparison to available values that can best be accepted as true.

[SOURCE: ISO/TS 19159-2:2016, 4.1 modified — NOTES 1 and 2 have been deleted and replaced by a new Note 1 to entry.]