

**RAUDTEEALASED RAKENDUSED.
ELEKTROMAGNETILINE ÜHILDUVUS. OSA 4:
SIGNALISATSIOONI- JA SIEDESEADMETE EMISSIOON JA
HÄIRINGUTALUVUS**

**Railway applications - Electromagnetic compatibility -
Part 4: Emission and immunity of the signalling and
telecommunications apparatus**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

See Eesti standard EVS-EN 50121-4:2016 +A1:2019 sisaldab Euroopa standardi EN 50121-4:2016 ingliskeelset teksti ja selle muudatuse A1:2019 ingliskeelset teksti.	This Estonian standard EVS-EN 50121-4:2016 +A1:2019 consists of the English text of the European standard EN 50121-4:2016 and its amendments A1:2019.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.12.2016, muudatus A1 05.04.2019.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. Date of Availability of the European standard is 23.12.2016, for A1 05.04.2019.
Sellesse standardisse on muudatus A1 sisse viidud ja tehtud muudatused tähistatud püst-kriipsuga lehe välisveerisel. Standard on kättesaadav Eesti Standardikeskusest.	The amendment A1 has been incorporated into this standard and changes have been marked by a vertical line on the outer row of the page. The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.280; 33.100.01; 45.020

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Railway applications - Electromagnetic compatibility - Part 4:
Emission and immunity of the signalling and telecommunications
apparatus**

Applications ferroviaires - Compatibilité électromagnétique -
Partie 4: Emission et immunité des appareils de
signalisation et de télécommunication

Bahnanwendungen - Elektromagnetische Verträglichkeit -
Teil 4: Störaussendungen und Störfestigkeit von Signal-
und Telekommunikationseinrichtungen

This European Standard was approved by CENELEC on 2016-10-24. The amendment A1 was approved by CENELEC on 2018-10-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard and its amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	3
Amendment A1 European foreword	4
Introduction.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	8
4 Description of location	8
5 Emission limits for apparatus.....	8
6 Immunity	10
6.1 Performance criteria	10
6.2 Immunity requirements	10
Annex ZZ (informative) Relationship between this European Standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered	17
Bibliography.....	18

European foreword

This document (EN 50121-4:2016) has been prepared by CLC/TC 9X: "Electrical and electronic applications for railways".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-07-24
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2019-10-24

This document supersedes EN 50121-4:2015.

EN 50121-4:2016 includes the following significant technical changes with respect to EN 50121-4:2006:

- clarification of scope (Clause 1);
- set dated normative references (Clause 2);
- new definition (Clause 3);
- emission requirement extended in the frequency range 1 GHz to 6 GHz following EN 61000-6-4;
- immunity requirement extended in the frequency range 5,1 GHz to 6 GHz;

EN 50121-4:2016 includes the following significant technical changes with respect to EN 50121-4:2015

- revision of Annex ZZ.

This European Standard is to be read in conjunction with EN 50121-1.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

This standard forms Part 4 of the European Standard series EN 50121, published under the general title "Railway applications - Electromagnetic compatibility". The series consists of:

- Part 1: *General*;
- Part 2: *Emission of the whole railway system to the outside world*;
- Part 3-1: *Rolling stock – Train and complete vehicle*;
- Part 3-2: *Rolling stock – Apparatus*;
- Part 4: *Emission and immunity of the signalling and telecommunications apparatus*;
- Part 5: *Emission and immunity of fixed power supply installations and apparatus*.

Amendment A1 European foreword

This document (EN 50121-4:2016/A1:2019) has been prepared by CLC/ TC 9X, "Electrical and electronic applications for railways".

The following dates are fixed:

- | | | |
|---|-------|------------|
| • latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2019-10-05 |
| • latest date by which the national standards conflicting with this document have to be withdrawn | (dow) | 2019-10-24 |

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of EN 50121-4:2016.

Introduction

This European Standard has been prepared in the form of a Product Standard.

It defines the immunity and emission test requirements for apparatus defined in the scope in relation to the electromagnetic disturbances likely to be experienced in the railway. In particular, the test requirements represent the essential electromagnetic immunity requirements and have been selected to ensure an adequate level of immunity for apparatus installed on the railway locations.

Test requirements are specified for each port considered.

Safety considerations are not covered by this standard.

In specific situations, where the level of disturbances may exceed the levels considered in this standard, e.g. at a special location or where a hand-held transmitter is used in very close proximity to an apparatus, special mitigation measures may have to be employed.

1 Scope

This European Standard applies to signalling and telecommunication apparatus that is installed inside the railway environment. Signalling and telecommunication apparatus mounted in vehicles is covered by EN 50121-3-2:2016, signalling and telecommunication apparatus installed inside the substation and connected to substation equipment is covered by EN 50121-5:2016.

This European Standard specifies limits for emission and immunity and provides performance criteria for signalling and telecommunications (S&T) apparatus (including power supply systems belonging to S&T) which may interfere with other apparatus inside the railway environment, or increase the total emissions for the railway environment and so risk causing Electro-Magnetic Interference (EMI) to apparatus outside the railway system.

The requirements specified in this standard apply for:

- vital equipment such as interlocking or command and control;
- apparatus inside the 3 m zone;
- ports of apparatus inside the 10 m zone with connection inside the 3 m zone;
- ports of apparatus inside the 10 m zone with cable length > 30 m.

Other apparatus not covered by at least one of these given cases should be in compliance with EN 61000-6-2.

If a port is intended to transmit or receive for the purpose of radio communication (intentional radiators, e.g. transponder systems), then the radiated emission requirement in this standard are not intended to be applicable to the intentional transmission from a radio-transmitter as defined by the ITU.

Immunity limits do not apply in the exclusion bands as defined in the corresponding EMC related standard for radio equipment.

The standard does not specify basic personal safety requirements for apparatus such as protection against electric shock, unsafe operation, insulation co-ordination and related dielectric tests. The requirements were developed for and are applicable to this set of apparatus when operating under normal conditions. Fault conditions of the apparatus have not been taken into account.

The frequency range considered is from DC to 400 GHz. No measurements need to be performed at frequencies where no requirement is specified.

For products in the scope of EN 61000-3-2, EN 61000-3-3, EN 61000-3-11 or EN 61000-3-12 the requirements of those standards also apply.

These specific provisions are to be used in conjunction with the general provisions in EN 50121-1:2016.

The immunity and emission levels do not of themselves guarantee that the integration of apparatus will necessarily be satisfactory. The standard cannot cover all the possible configurations of the apparatus, but the test levels are sufficient to achieve satisfactory EMC in the majority of cases.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50121-1:2017, *Railway applications — Electromagnetic compatibility — Part 1: General*

EN 55016-2-1:2014, *Specification for radio disturbance and immunity measuring apparatus and methods — Part 2-1: Methods of measurement of disturbances and immunity — Conducted disturbance measurements (CISPR 16-2-1:2014)*

EN 61000-4-2:2009, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measurement techniques — Electrostatic discharge immunity test (IEC 61000-4-2:2008)*

EN 61000-4-3:2006, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3:2006)*

EN 61000-4-4:2012, *Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques — Electrical fast transient/burst immunity test (IEC 61000-4-4:2012)*

EN 61000-4-5:2014, *Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test (IEC 61000-4-5:2014)*

EN 61000-4-6:2014, *Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Immunity to conducted disturbances, induced by radio-frequency fields (IEC 61000-4-6:2013)*

EN 61000-4-8:2010, *Electromagnetic compatibility (EMC) — Part 4-8: Testing and measurement techniques — Power frequency magnetic field immunity test (IEC 61000-4-8:2009)*

EN 61000-6-2:2005, *Electromagnetic compatibility (EMC) — Part 6-2: Generic standards — Immunity for industrial environments (IEC 61000-6-2:2005)*

EN 61000-6-4:2007¹, *Electromagnetic compatibility (EMC) — Part 6-4: Generic standards — Emission standard for industrial environments (IEC 61000-6-4:2006)*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

port

particular interface of the specified apparatus with the external environment

EXAMPLE AC power port, DC power port, I/O (input/output) port, earth port.

[SOURCE: IEC 60050-821: CDV2015, 821-11-36]

3.1.2

enclosure port

physical boundary of the apparatus through which electromagnetic fields may radiate or impinge




Figure 1 — Main categories of ports

¹ As impacted by EN 61000-6-4:2007/A1:2011