Eurokoodeks 3: Teraskonstruktsioonide projekteerimine. Osa 4-3: Torujuhtmed.

Eurocode 3 - Design of steel structures - Part 4-3: Pipelines.



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 1993-4- 3:2007 sisaldab Euroopa standardi EN	This Estonian standard EVS-EN 1993-4- 3:2007 consists of the English text of the
1993-4-3: 2007 ingliskeelset teksti.	European standard EN 1993-4-3: 2007.
Käesolev dokument on jõustatud 30.03.2007 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 30.03.2007 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kättesaadav Eesti	The standard is available from Estonian
standardiorganisatsioonist.	standardisation organisation.

Käsitlusala: EN 1993 osa 4-3esitab põhimõtted ja rakendusreeglid ümbritseva atmosfääri temperatuuril olevate vedelike või gaaside või vedeliku ja gaasi segude transportimiseks ette nähtud torujuhtmete projekteerimiseks juhul, kui antud valdkonda ei käsitle mingi muu spetsiifiline Euroopa standard.	Scope: This Part 4-3 of EN 1993 provides principles and application rules for the structural design of cylindrical steel pipelines for the transport of liquids or gases or mixtures of liquids and gases at ambient temperatures, which are not treated by other European standards covering particular applications.
ICS 23.040.01, 91.010.30, 91.080.10	
Võtmesõnad:	- CO-

EUROPEAN STANDARD NORME EUROPÉENNE

EN 1993-4-3

EUROPÄISCHE NORM

February 2007

ICS 23.040.01: 91.010.30: 91.080.10

Supersedes ENV 1993-4-3:1999

English Version

Eurocode 3 - Design of steel structures - Part 4-3: Pipelines

Eurocode 3 - Calcul des constructions en acier - Partie 4-3: Tuyauterie

Eurocode 3 - Bemessung und Konstruktion von Stahlbauten - Teil 4-3: Rohrleitungen

This European Standard was approved by CEN on 12 June 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Zien o



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Content

	Foreword Background of the Eurocode programme	3 3	
Status a	nd field of application of Eurocodes National Standards implementing Eurocodes Links between Eurocodes and harmonised technical specifications (ENs and ETAs) Additional information specific to EN 1993-4-3 National Annex for EN 1993-4-3	4 5 5 5	
1 Geno	eral1.1Scope1.2Normative references1.3Assumptions1.4Distinction between principles and application rules1.5Definitions1.6S.I. units1.7Symbols used in Part 4-3 of Eurocode 31.8Terminology	7 8 9 9 9 9 10 10 11	
2 Basis	s of design 2.1 General 2.2 Fundamental requirements for pipelines 2.3 Reliability differentiation 2.4 Methods of analysis 2.5 Ultimate limit states 2.6 Serviceability limit states	13 13 13 13 14 14 15	
3 Prop	serties of materials 3.1 General 3.2 Mechanical properties of pipeline steels 3.3 Mechanical properties of welds 3.4 Toughness requirements of plate materials and welds 3.5 Fasteners 3.6 Soil properties	16 16 16 17 17	
4 Actio	 4.1 Actions to be considered 4.2 Partial factors for actions 4.3 Load combinations for ultimate limit states 4.4 Load combinations for serviceability limit state design 	18 18 18 18 19	
5 Anal	ysis5.1Structural models5.2Ultimate limit state verification5.3Serviceability limit state verifications	20 20 23 25	
6 Stru	ctural design aspects of fabrication and erection	25	
Annex	 A: [informative] - Analysis of resistances, deformations, stresses and strains of buried pipelines A.1 Procedure and scope of analysis A.2 Analysis for straight pipes A.3 Analysis for bends 	26 26 33	
Annex B: [Informative] - Bibliography to National Standards and design guides 34			
Annex (C: [informative] - Bibliography C.1 General bibliography on pipelines C.2 Bibliography on geotechnical engineering	35 35 39	

Foreword

This European Standard EN 1993-4-3, "Eurocode 3: Design of steel structures – Part 4.3: Pipelines", has been prepared by Technical Committee CEN/TC250 « Structural Eurocodes », the Secretariat of which is held by BSI. CEN/TC250 is responsible for all Structural Eurocodes.

This European Standard shall be given the status of a National Standard, either by publication of an identical text or by endorsement, at the latest by August 2007, and conflicting National Standards shall be withdrawn at latest by March 2010.

This document supersedes ENV 1993-4-3:1999.

According to the CEN-CENELEC Internal Regulations, the National Standard Organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Background of the Eurocode programme

In 1975, the Commission of the European Community decided on an action programme in the field of construction, based on article 95 of the Treaty. The objective of the programme was the elimination of technical obstacles to trade and the harmonisation of technical specifications.

Within this action programme, the Commission took the initiative to establish a set of harmonised technical rules for the design of construction works which, in a first stage, would serve as an alternative to the National rules in force in the Member States and, ultimately, would replace them.

For fifteen years, the Commission, with the help of a Steering Committee with Representatives of Member States, conducted the development of the Eurocodes programme, which led to the first generation of European codes in the 1980's.

In 1989, the Commission and the Member States of the EU and EFTA decided, on the basis of an agreement¹⁾ between the Commission and CEN, to transfer the preparation and the publication of the Eurocodes to the CEN through a series of Mandates, in order to provide them with a future status of European Standard (EN). This links de facto the Eurocodes with the provisions of all the Council's Directives and/or Commission's Decisions dealing with European standards (e.g. the Council Directive 89/106/EEC on construction products - CPD - and Council Directives 93/37/EEC, 92/50/EEC and 89/440/EEC on public works and services and equivalent EFTA Directives initiated in pursuit of setting up the internal market).

The Structural Eurocode programme comprises the following standards generally consisting of a number of Parts:

EN1990 Eurocode 0: Basis of structural design

EN1991 Eurocode 1: Actions on structures

- EN1992 Eurocode 2: Design of concrete structures
- EN1993 Eurocode 3: Design of steel structures

EN1994 Eurocode 4: Design of composite steel and concrete structures

¹⁾ Agreement between the Commission of the European Communities and the European Committee for Standardisation (CEN) concerning the work on EUROCODES for the design of building and civil engineering works (BC/CEN/03/89).

EN1995 Eurocode 5: Design of timber structures EN1996 Eurocode 6: Design of masonry structures EN1997 Eurocode 7: Geotechnical design EN1998 Eurocode 8: Design of structures for earthquake resistance EN1999 Eurocode 9: Design of aluminium structures

Eurocode standards recognise the responsibility of regulatory authorities in each Member State and have safeguarded their right to determine values related to regulatory safety matters at national level where these continue to vary from State to State.

Status and field of application of Eurocodes

The Member States of the EU and EFTA recognise that EUROCODES serve as reference documents for the following purposes:

- as a means to prove compliance of building and civil engineering works with the essential requirements of Council Directive 89/106/EEC, particularly Essential Requirement N°1 -Mechanical resistance and stability - and Essential Requirement N°2 - Safety in case of fire;
- as a basis for specifying contracts for construction works and related engineering services;
- as a framework for drawing up harmonised technical specifications for construction products (ENs and ETAs)

The Eurocodes, as far as they concern the construction works themselves, have a direct relationship with the Interpretative Documents²) referred to in Article 12 of the CPD, although they are of a different nature from harmonised product standards³⁾. Therefore, technical aspects arising from the Eurocodes work need to be adequately considered by CEN Technical Committees and/or EOTA Working Groups working on product standards with a view to achieving full compatibility of these technical specifications with the Eurocodes.

The Eurocode standards provide common structural design rules for everyday use for the design of whole structures and component products of both a traditional and an innovative nature. Unusual forms of construction or design conditions are not specifically covered and additional expert consideration will be required by the designer in such cases.

National Standards implementing Eurocodes

The National Standards implementing Eurocodes will comprise the full text of the Eurocode (including any annexes), as published by CEN, which may be preceded by a National title page and National foreword, and may be followed by a National Annex.

The National Annex may only contain information on those parameters which are left open in the Eurocode for national choice, known as Nationally Determined Parameters, to be used for the design of buildings and civil engineering works to be constructed in the country concerned, i.e. .

²⁾ According to Art. 3.3 of the CPD, the essential requirements (ERs) shall be given concrete form in interpretative documents for the creation of the necessary links between the essential requirements and the mandates for harmonised ENs and ETAGs/ETAs. 3)

According to Art. 12 of the CPD the interpretative documents shall :

give concrete form to the essential requirements by harmonising the terminology and the technical bases and (a) indicating classes or levels for each requirement where necessary ;

⁽b) indicate methods of correlating these classes or levels of requirement with the technical specifications, e.g. methods of calculation and of proof, technical rules for project design, etc. ;

⁽C) serve as a reference for the establishment of harmonised standards and guidelines for European technical approvals.

The Eurocodes, de facto, play a similar role in the field of the ER 1 and a part of ER 2.

- values and/or classes where alternatives are given in the Eurocode,
- values to be used where a symbol only is given in the Eurocode,
- country specific data (geographical, climatic, etc), e.g. snow map,
- the procedure to be used where alternative procedures are given in the Eurocode,
- decisions on the application of informative annexes,
- references to non-contradictory complementary information to assist the user to apply the Eurocode.

Links between Eurocodes and harmonised technical specifications (ENs and ETAs)

There is a need for consistency between the harmonised technical specifications for construction products and the technical rules for works⁴). Furthermore, all the information accompanying the CE Marking of the construction products which refer to Eurocodes shall clearly mention which Nationally Determined Parameters have been taken into account.

Additional information specific to EN 1993-4-3

EN 1993-4-3 gives design rules for the structural design of buried pipelines, in particular for the evaluation of the strength, stiffness and deformation capacity.

The rules for local buckling in this part EN 1993-4-3 are in line with those in other pipeline standards. The design critical curvatures according to EN 1993-4-3 are larger than those that could be deduced from EN 1993-1-6. The main reasons are that the loading in buried pipelines is mainly deformation controlled and the consequences of local buckling are less severe than in structures where the loading is mainly load controlled.

It is recognized that many standards exist for the design of pipelines covering many different aspects. Examples are routing, pressure safety systems, corrosion protection, construction and welding, operation and maintenance. For aspects other than the structural design of the pipeline itself, reference is made to the relevant European standards listed in 1.3. This is also the case for elements like valves, fittings, insulating couplings, tees and caps.

Because up till now in EN 1991, no rules exist for actions (loads) on pipelines, reference is made to relevant EN standards on pipelines e.g. EN 1594 on gas transmission pipelines and EN 14161 on pipeline transportation systems for the petroleum and natural gas industries.

National Annex for EN 1993-4-3

This standard gives alternative procedures, values and recommendations for classes with notes indicating where national choices may have to be made. Therefore the National Standard implementing EN 1993-4-3 should have a National Annex containing all Nationally Determined Parameters to be used for the design of buildings and civil engineering works to be constructed in the relevant country.

National choice is allowed in EN 1993-4-3 through paragraphs:

2.3 (2) 3.2 (2)P, (3), (4) 3.3 (2), (3), (4) 3.4 (3) 4.2 (1)P 12

⁴⁾ see Art.3.3 and Art.12 of the CPD, as well as clauses 4.2, 4.3.1, 4.3.2 and 5.2 of ID 1.

1 General

1.1 Scope

(1) This Part 4-3 of EN 1993 provides principles and application rules for the structural design of cylindrical steel pipelines for the transport of liquids or gases or mixtures of liquids and gases at ambient temperatures, which are not treated by other European standards covering particular applications.

(2) Standards dealing with specific pipeline applications should be used for these purposes, notably

- EN 805 : 2000 for water supply systems (drinking water);
- EN 1295: 1997 for buried pipelines under various conditions of loading (waste water);
- EN 1594: 2000 for gas supply systems for operating pressures over 16 bar;
- EN 12007: 2000 for gas supply systems up to and including 16 bar;
- EN 12732: 2000 for welding;
- EN 13941: 2003 for pre-insulated bonded pipe systems for district heating;
- EN 13480: 2002 for industrial pipelines;
- EN 14161: 2004 for pipeline transportation systems for the petroleum and natural gas industries.

(3) Rules related to special requirements of seismic design are provided in EN 1998-4 (Eurocode 8: Part 4 "Design of structures for earthquake resistance: Silos, tanks and pipelines"), which complements the rules of Eurocode 3 specifically for this purpose.

(4) This Standard is restricted to buried pipelines, corresponding to the scope of Eurocode 8 Part 4 for pipelines. It is specifically intended for use on:

- Buried pipelines in settlement areas and in non-settlement areas;
- Buried pipelines crossing dykes, traffic roads and railways and canals.

(5) The design of pipelines involves many different aspects. Examples are routing, pressure safety systems, corrosion protection, construction and welding, operation and maintenance. For aspects other than the structural design of the pipeline itself, reference is made to the relevant European standards listed in 1.2. This is also the case for elements like valves, fittings, insulating couplings, tees and caps.

(6) Pipelines usually comprise several associated facilities such as pumping stations, operation centres, maintenance stations, etc., each of them housing different sorts of mechanical and electrical equipment. Since these facilities have a considerable influence on the continued operation of the system, it is necessary to give them adequate consideration in the design process aimed at satisfying the overall reliability requirements. However, explicit treatment of these facilities, is not included within the scope of this Standard.

(7) Although large diameter pipelines are within the scope of this Standard, the corresponding design criteria should not be used for apparently similar facilities like railway tunnels and large underground gas reservoirs.

(8) The provisions in this Standard are not necessarily complete for particular applications. Where this is the case, additional provisions specific to those applications should be adopted.

(9) This Standard specifies the requirements regarding material properties of plates and welds in terms of strength and ductility. For detailed guidelines and requirements about materials and welding, reference should be made to the relevant standards listed in 1.2.

(10) The scope of this Standard is limited to steel grades with a specified minimum yield strength not exceeding 700 N/mm².

1.2 Normative references

This European Standard incorporates, by dated and undated reference, provisions from other standards. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to, or revisions of, any of these publications apply to the European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN	805	Water supply – Requirements for systems and components outside buildings;
EN	1011	Recommendations for arc welding of steels;
EN	1090-2	Execution of steel structures and aluminium structures – Technical
ENI	1205	requirements for steel structures;
EIN	1293	Structural design of buried pipelines under various conditions of loading
	D (1	(waste water);
	Part I:	General requirements;
EN	1594	Gas supply systems: Pipelines - Maximum Operating Pressure over 16 bar, Functional requirements;
EN	1990	Basis of structural design;
EN	1991	Actions on structures;
EN	1993	Eurocode 3: Design of steel structures;
	Part 1.1:	General rules and rules for buildings;
	Part 1.3:	Supplementary rules for cold formed members and sheeting;
	Part 1.6:	Strength and stability of shell structures;
	Part 1.7:	Strength and stability of planar plated structures transversely loaded;
	Part 1.8:	Design of joints;
	Part 1.9:	Fatigue;
	Part 1.10:	Material toughness and through-thickness properties;
	Part 1.12:	Additional rules for the extension of EN 1993 up to steel grades S 700;
	Part 4.1:	Silos;
	Part 4.2:	Tanks;
EN	1997	Eurocode 7: Geotechnical design:
EN	1998	Eurocode 8: Design provisions for earthquake resistance of structures;
	Part 4:	Silos, tanks and pipelines;
EN	10208	Steel pipes for pipelines for combustible fluids (1993);
	Part 1:	Pipes of requirement class A;
	Part 2:	Pipes of requirement class B:
EN	12007	Gas supply systems - Pipelines for maximum operating pressure up to and including 16 bar.
	Part 1:	General functional recommendations;
	Part 2:	Specific functional recommendations for polyethylene;
	Part 3:	Specific functional recommendations for steel.
EN	12732	Gas supply systems - Welding steel pipe work -functional requirements:
EN	13445	Unfired pressure vessels series
EN	13480	Metallic industrial piping series
EN	13941	Design, calculation and installation of pre-insulated bonded pipes for district
		heating;
EN	14161	Petroleum and natural gas industries – Pipeline transportation systems;
ISO	1000	SI Units;

ISO 3183	Petroleum and natural gas industries; Steel pipe for pipelines; Technical delivery conditions (1996);
Part 1:	Pipes of requirement class A;
Part 2:	Pipes of requirements class B;
Part 3:	Pipes of requirement class C;
EN 14870	
Parts 1,2,3	Induction bends, fittings and flanges for pipeline transportation systems
ISO 13623	Petroleum and natural gas industries; Pipeline transportation systems;
ISO 13847	Welding steel pipeline (2000);
Part 1:	Field welding;
Part 2:	Shop welding;

NOTE 1: EN 1295 is intended for sanitation, and water supply: it is chiefly concerned with principles and equations are presented only in an annex.

NOTE 2: EN 1594 is applicable to new pipelines with a maximum operating pressure (MOP) greater than 16 bar for the carriage of processed, non-toxic and non-corrosive natural gas according to ISO/DIS 13686 in on land gas supply systems. It is prepared by WG 3 Gas Transmission of CEN/TC 234 Gas Supply.

NOTE 3: For more references on gas supply, gas transmission, gas storage, etc., see EN 1594.

NOTE 4: EN 12007 was also prepared by CEN/TC 234.

NOTE 5: EN 13941 is intended for district heating and was prepared by a joint WG of CEN/TC 107 and CEN/TC 267.

NOTE 6: Standard ISO 13623 is prepared by SC2 "Pipeline transportation for the Petroleum and Natural Gas industries", of ISO/TC 67 "Materials, Equipment and Offshore Structures for Petroleum and Natural Gas Industries".

1.3 Assumptions

(1) The general assumptions of EN 1990 apply.

1.4 Distinction between principles and application rules

(1) Reference is made to 1.4 of EN 1993-1-1.

1.5 Definitions

(1) The terms that are defined in EN 1991-1 for common use in the Structural Eurocodes apply to this Part 4-3 of EN 1993.

(2) Unless otherwise stated, the definitions given in ISO 9830 also apply to this Part 4-3.

(3) Supplementary to Part 1 of EN 1993, for the purposes of this Part 4-3, the following definitions apply:

1.5.1 pressure: The gauge pressure of the gas or fluid inside the system, measured in static conditions.

1.5.2 design pressure (DP): The pressure on which the design calculations are based.

1.5.3 operating pressure (OP): The pressure, which occurs within a system under normal operating conditions.