Optical fibre cables - Part 2-50: Indoor cables - Family specification for simplex and duplex cables for use in terminated cable assemblies



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IE sisaldab Euroopa stand 60794-2-50:2020 ingliskeelse	dardi EN IEC	This Estonian standard EVS-EN IEC 60794-2-50:2020 consists of the English text of the European standard EN IEC 60794-2-50:2020.
Standard on jõustunud avaldamisega EVS Teatajas.	sellekohase teate	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganis Euroopa standardi rahvu kättesaadavaks 06.03.2020.		Date of Availability of the European standard is 06.03.2020.
Standard on kätt Standardikeskusest.	esaadav Eesti	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 33.180.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN IEC 60794-2-50

March 2020

ICS 33.180.10

Supersedes EN 50551-2:2013, EN 60794-2-50:2008 and all of its amendments and corrigenda (if any)

English Version

Optical fibre cables - Part 2-50: Indoor cables - Family specification for simplex and duplex cables for use in terminated cable assemblies

(IEC 60794-2-50:2020)

Câbles à fibres optiques - Partie 2-50. Câbles intérieurs - Spécification de famille pour les câbles simplex et duplex utilisés dans les ensembles de câbles équipés (IEC 60794-2-50:2020)

Lichtwellenleiterkabel - Teil 2-50: LWL-Innenkabel - Familienspezifikation für Simplex- und Duplexkabel für den Einsatz in konfektionierten Kabeln (IEC 60794-2-50:2020)

This European Standard was approved by CENELEC on 2020-02-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86A/1972/FDIS, future edition 2 of IEC 60794-2-50, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60794-2-50:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-02-14

This document supersedes EN 50551-2:2013 and EN 60794-2-50:2008 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60794-2-50:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60793-1-1 NOTE Harmonized as EN 60793-1-1
IEC 61753-1 NOTE Harmonized as EN IEC 61753-1

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60793-1-20	-	Optical fibres - Part 1-20: Measurement methods and test procedures - Fibre geometry	EN 60793-1-20	-
IEC 60793-1-21	-	Optical fibres - Part 1-21: Measurement methods and test procedures - Coating geometry	EN 60793-1-21	-
IEC 60793-1-32	-	Optical fibres - Part 1-32: Measurement methods and test procedures - Coating strippability	EN IEC 60793-1-32	-
IEC 60793-1-40	-	Optical fibres - Part 1-40: Attenuation measurement methods	EN IEC 60793-1-40	-
IEC 60793-2-10	-	Optical fibres - Part 2-10: Product specifications - Sectional specification for category A1 multimode fibres	EN IEC 60793-2-10	-
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN IEC 60793-2-50	-
IEC 60794-1-1	-	Optical fibre cables - Part 1-1: Generic specification - General	EN 60794-1-1	-
IEC 60794-1-2	-	Optical fibre cables - Part 1-2: Generic specification - Basic optical cable test procedures - General guidance	EN 60794-1-2	-
IEC 60794-1-21	-	Optical fibre cables - Part 1-21: Generic specification - Basic optical cable test procedures - Mechanical tests methods	EN 60794-1-21	<i>(</i>),

IEC 60794-1-22	=	Optical fibre cables - Part 1-22: Generic specification - Basic optical cable test procedures - Environmental test methods	EN IEC 60794-1-22 -
IEC 60794-1-23	-	Optical fibre cables - Part 1-23: Generic specification - Basic optical cable test procedures - Cable element test methods	EN IEC 60794-1-23 -
IEC 60794-2	-	Optical fibre cables - Part 2: Indoor cables - Sectional specification	EN 60794-2 -
IEC 60811-202	2	Electric and optical fibre cables - Test methods for non-metallic materials - Part 202: General tests - Measurement of thickness of non-metallic sheath	EN 60811-202 -
IEC 60811-203	-	Electric and optical fibre cables - Test methods for non-metallic materials - Part 203: General tests - Measurement of overall dimensions	EN 60811-203 -
		0,	
		4.	
		2	
			Ö.
			O
			0/
			2
			- 40
4			
7			

CONTENTS

3 Terms and definitions	FOREW	ORD	4
3 Terms and definitions 7 4 Construction 7 4.1 General 7 4.2 Optical fibres and primary coating 7 4.3 Buffer 7 4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 </td <td>1 Scc</td> <td>ppe</td> <td>6</td>	1 Scc	ppe	6
4 Construction 7 4.1 General 7 4.2 Optical ifibres and primary coating 7 4.3 Buffer 7 4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.7 Bend 11 5.3.8 Kink 12 5.3.9 Sheat pull-off force 12 5.3.1 Buffered fibre movement under compression 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 13 5.4.1 Temperature cycling 13 5.5.1 Transmission requirements 14 5.6 Fire performance 14 4.7 Environmental requirements <td>2 Nor</td> <td>mative references</td> <td>6</td>	2 Nor	mative references	6
4.1 General 7 4.2 Optical fibres and primary coating 7 4.3 Buffer 7 4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4.1 Temperature cycling 13 5.4.2	3 Ter	ms and definitions	7
4.1 General 7 4.2 Optical fibres and primary coating 7 4.3 Buffer 7 4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4.1 Temperature cycling 13 5.4.2	4 Cor	nstruction	7
4.2 Optical fibres and primary coating 7 4.3 Buffer 7 4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14			
4.3 Buffer 8 4.5 Strength and anti-buckling members 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.7 Sheath marking 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 4.8 Examples of cable constructions 8 5.7 10 5.2 Cursh 9 5.3 Incompany 9 5.3.1 Tensile performance			
4.4 Tube 8 4.5 Strength and anti-buckling members 8 4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 <td></td> <td></td> <td></td>			
4.6 Sheath 8 4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14	_		
4.7 Sheath marking 8 4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex B (informative) Examples of types of cable constructions 15 <td< td=""><td>4.5</td><td>Strength and anti-buckling members</td><td>8</td></td<>	4.5	Strength and anti-buckling members	8
4.8 Examples of cable constructions 8 5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex B (informative) Examples of types of cable constructions 15 <	4.6		
5 Tests 9 5.1 General 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Examples of types of cable constructions 15 Annex B (informative) Examples of types of cable constructions 15 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15	4.7	Sheath marking	8
5.1 General. 9 5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.4 Environmental requirements 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 15 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15	4.8	Examples of cable constructions	8
5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 4nnex A (informative) Examples of types of cable constructions 15 Annex B (informative) Examples of types of cable constructions 15 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure	5 Tes	sts	9
5.2 Dimensions 9 5.3 Mechanical requirements 9 5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 4nnex A (informative) Examples of types of cable constructions 15 Annex B (informative) Examples of types of cable constructions 15 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure	5.1	General	9
5.3.1 Tensile performance 9 5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 16	5.2		
5.3.2 Crush 10 5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 <td>5.3</td> <td>Mechanical requirements</td> <td>9</td>	5.3	Mechanical requirements	9
5.3.3 Impact 10 5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 1	5.3	.1 Tensile performance	9
5.3.4 Repeated bending 11 5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16 Figure A.4 – Duplex fibre cable <td>5.3</td> <td>.2 Crush</td> <td>10</td>	5.3	.2 Crush	10
5.3.5 Bend 11 5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16	5.3	.3 Impact	10
5.3.6 Torsion 11 5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16	5.3	.4 Repeated bending	11
5.3.7 Bend at low temperature 12 5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16	5.3	.5 Bend	11
5.3.8 Kink 12 5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16	5.3		
5.3.9 Sheath pull-off force 12 5.3.10 Abrasion resistance of cable marking 13 5.3.11 Buffered fibre movement under compression 13 5.4 Environmental requirements 13 5.4.1 Temperature cycling 13 5.4.2 Shrinkage (informative) 14 5.5 Transmission requirements 14 5.6 Fire performance 14 Annex A (informative) Examples of types of cable constructions 15 Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords 18 Bibliography 21 Figure A.1 – Simplex loose non-buffered fibre cable 15 Figure A.2 – Simplex fibre cable 15 Figure A.3 – Duplex loose non-buffered fibre cable 16 Figure A.4 – Duplex fibre cable 16	5.3		
5.3.10 Abrasion resistance of cable marking	5.3		
5.3.11Buffered fibre movement under compression135.4Environmental requirements135.4.1Temperature cycling135.4.2Shrinkage (informative)145.5Transmission requirements145.6Fire performance14Annex A (informative)Examples of types of cable constructions15Annex B (informative)Guidance on the selection of tests applicable to optical fibre cables for use in patchcords18Bibliography21Figure A.1 – Simplex loose non-buffered fibre cable15Figure A.2 – Simplex fibre cable15Figure A.3 – Duplex loose non-buffered fibre cable16Figure A.4 – Duplex fibre cable16	5.3	·	
5.4 Environmental requirements			
5.4.1 Temperature cycling			
5.4.2 Shrinkage (informative)		Environmental requirements	13
5.5 Transmission requirements		.1 Temperature cycling	13
5.6 Fire performance			
Annex A (informative) Examples of types of cable constructions			
Annex B (informative) Guidance on the selection of tests applicable to optical fibre cables for use in patchcords			
cables for use in patchcords			15
Bibliography			18
Figure A.1 – Simplex loose non-buffered fibre cable			
Figure A.2 – Simplex fibre cable	Dibliogra	apriy	2 1
Figure A.2 – Simplex fibre cable			/
Figure A.3 – Duplex loose non-buffered fibre cable	Figure A	A.1 – Simplex loose non-buffered fibre cable	15
Figure A.4 – Duplex fibre cable16	-	·	
	Figure A	A.3 – Duplex loose non-buffered fibre cable	16
Figure A.5 – Duplex fibre zip cord16	Figure A	A.4 – Duplex fibre cable	16
	Figure A	A.5 – Duplex fibre zip cord	16
Figure A.6 – Duplex flat cable17	_		
Figure A.7 – Duplex round cable (breakout cable)17	•	•	

Table 1 – Dimensions of buffered fibres
Table 2 – Temperature cycling ranges according to the application environment14
Table B.1 – Cable test method summary

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES -

Part 2-50: Indoor cables – Family specification for simplex and duplex cables for use in terminated cable assemblies

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-2-50 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of the normative references;
- b) review and update of parameters and requirements for mechanical tests and environmental tests;
- c) Annex B has been removed and test method for sheath pull-off force evaluation refers to IEC 60794-1-21, method E21;
- d) Annex C has been removed and test method for sheath shrinkage evaluation refers to IEC 60794-1-22, method F11;

- e) Annex D has been removed and test method for buffered fibre movement under compression refers to IEC 60794-1-21, method E22;
- f) Annex E has been removed and test method for temperature cycling evaluation refers to IEC 60794-1-22, method F12;
- g) fibre type designations have been updated and the new wideband MM fibre is included as an option.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1972/FDIS	86A/1978/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 61340 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.