### **EESTI STANDARD**

Mis ooung

## ÜLDTARBEVALGUSTUSE LEEDMOODULID. OHUTUSNÕUDED

LED modules for general lighting - Safety specifications (IEC 62031:2018)



#### EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

6	
	This Estonian standard EVS-EN IEC 62031:2020 consists of the English text of the European standard EN IEC 62031:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 13.03.2020.	Date of Availability of the European standard is 13.03.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.
lagasisidet standardi sisu kohta on võimalik edastad	da, kasutades EVS-i veebilehel asuvat tagasiside vorm

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

#### ICS 29.140.99, 31.080.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

## EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

### EN IEC 62031

March 2020

ICS 29.140.99; 31.080.99

Supersedes EN 62031:2008 and all of its amendments and corrigenda (if any)

**English Version** 

# LED modules for general lighting - Safety specifications (IEC 62031:2018)

Modules à DEL pour éclairage général - Spécifications de sécurité (IEC 62031:2018) LED-Module für Allgemeinbeleuchtung -Sicherheitsanforderungen (IEC 62031:2018)

This European Standard was approved by CENELEC on 2019-12-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

#### **European foreword**

The text of document 34A/2052/FDIS, future edition 2 of IEC 62031, prepared by SC 34A "Electric light sources" of IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62031:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2020-09-18 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2022-12-18 document have to be withdrawn

This document supersedes EN 62031:2008 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

#### Endorsement notice

The text of the International Standard IEC 62031:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60838-2-2	NOTE	Harmonized as EN 60838-2-2
IEC 60947-7-4	NOTE	Harmonized as EN IEC 60947-7-4
IEC 62717	NOTE	Harmonized as EN 62717

#### Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: <a href="http://www.cenelec.eu">www.cenelec.eu</a>.

Publication	Year	Title	<u>EN/HD</u>	Year
IEC 60598-1 (mod)	2014	Luminaires - Part 1: General requirements and tests	EN 60598-1	2015
+ A1	2017	4	+ A1	2018
IEC 61032	1997	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998
IEC 61347-1	2015	Lamp controlgear - Part 1: General and safety requirements	EN 61347-1	2015
+ A1	2017	Ô,	-	-
IEC 62471 (mod)	2006	Photobiological safety of lamps and lamp systems	EN 62471	2008
IEC 62504	-	General lighting - Light emitting diode (LED) products and related equipment - Terms and definitions	EN 62504	-
IEC/TR 62778	2014	Application of IEC 62471 for the assessment of blue light hazard to light sources and luminaires	-	-
ISO 4046-4	2016	Paper, board, pulps and related terms - Vocabulary - Part 4: Paper and board grades and converted products	0	-
ISO 7089	2000	Plain washers - Normal series - Product grade A	EN ISO 7089	2000
			1	2
				0'

#### CONTENTS

1       Scope       6         2       Normative references       6         3       Terms and definitions       6         4       General requirements       8         5       General requirements       8         6       Marking       9         6.1       Overview       9         6.2       Contents of marking for built-in and for independent LED modules       11         6.3       Location of marking for built-in LED modules       12         6.4       Location of marking for built-in LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking.       12         7       Terminals       12         7.1       Integral terminals       13         8       Earthing.       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12.1       General       13         13       Conformity testing during manufacture       14         14       Construction       14         15	FOREWORD	.4
3       Terms and definitions       6         4       General requirements       8         5       General rest requirements       8         6       Marking       9         6.1       Overview       9         6.2       Contents of marking for built-in LED modules       11         6.3       Location of marking for built-in LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking       12         6.6       Durability and legibility of marking       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         11       Electric strength       13         12       Fault conditions       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to corrosion       14<	1 Scope	6
4       General requirements       8         5       General test requirements       8         6       Marking       9         6.1       Overview       9         6.2       Contents of marking for built-in and for independent LED modules       11         6.3       Location of marking for independent LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         13       12.1       General       13         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying par	2 Normative references	.6
5       General test requirements       8         6       Marking       9         6.1       Overview       9         6.2       Contents of marking for built-in and for independent LED modules       11         6.3       Location of marking for built-in LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       12.1       General       14         14       Construction       14         15       Creepage distances and clearances       14<	3 Terms and definitions	.6
5       General test requirements       8         6       Marking       9         6.1       Overview       9         6.2       Contents of marking for built-in and for independent LED modules       11         6.3       Location of marking for built-in LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       12.1       General       14         14       Construction       14         15       Creepage distances and clearances       14<	4 General requirements	.8
6       Marking       9         6.1       Overview.       9         6.2       Contents of marking for built-in LED modules       11         6.3       Location of marking for independent LED modules       12         6.4       Location of marking for independent LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       12.2       Overpower condition       14         14       Construction       14         15       Creepage distances and clearanc		
6.1       Overview		
6.2       Contents of marking for built-in and for independent LED modules       11         6.3       Location of marking for built-in LED modules       12         6.4       Location of marking for independent LED modules       12         6.5       Marking of indegral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         14       Resistance to corrosion       14         15       Conformity testing during manufacture       14         16       Screws, current-carrying parts and connections       14		
6.4       Location of marking for independent LED modules       12         6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking.       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing.       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to corrosion       14         18       Resistance to corrosion       14         19       Information for luminaire design       15         20.1       General       15 </td <td></td> <td></td>		
6.5       Marking of integral LED modules       12         6.6       Durability and legibility of marking       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13.3       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to corrosion       14         18       Resistance to corrosion       15         20.1       General       15         20.1       General       15         20.2       Thermal interface material       15         20.3	6.3 Location of marking for built-in LED modules1	2
6.6       Durability and legibility of marking.       12         7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing.       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       12.1       General       13         12.2       Overpower condition       13         13       12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to corrosion       14         18       Resistance to corrosion       14         19       Information for luminaire design       14 <td>6.4 Location of marking for independent LED modules1</td> <td>2</td>	6.4 Location of marking for independent LED modules1	2
7       Terminals       12         7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1<		
7.1       Integral terminals       12         7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21.1       UV radiation       15		
7.2       Terminals other than integral terminals       13         8       Earthing       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15 <td></td> <td></td>		
8       Earthing.       13         9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15 <td></td> <td></td>		
9       Protection against accidental contact with live parts       13         10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
10       Moisture resistance and insulation       13         11       Electric strength       13         12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
11Electric strength1312Fault conditions1312.1General1312.2Overpower condition1313Conformity testing during manufacture1414Construction1415Creepage distances and clearances1416Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
12       Fault conditions       13         12.1       General       13         12.2       Overpower condition       13         13       Conformity testing during manufacture       14         14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
12.1General.1312.2Overpower condition1313Conformity testing during manufacture1414Construction1415Creepage distances and clearances1416Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15	11 Electric strength1	3
12.2Overpower condition1313Conformity testing during manufacture1414Construction1415Creepage distances and clearances1416Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
13Conformity testing during manufacture1414Construction1415Creepage distances and clearances1416Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
14       Construction       14         15       Creepage distances and clearances       14         16       Screws, current-carrying parts and connections       14         17       Resistance to heat, fire and tracking       14         18       Resistance to corrosion       14         19       Information for luminaire design       14         20       Heat management       15         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
15Creepage distances and clearances1416Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
16Screws, current-carrying parts and connections1417Resistance to heat, fire and tracking1418Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
17Resistance to heat, fire and tracking.1418Resistance to corrosion1419Information for luminaire design.1420Heat management1520.1General.1520.2Thermal interface material1520.3Heat protection1521Photobiological safety.1521.1UV radiation1521.2Blue light hazard15		
18Resistance to corrosion1419Information for luminaire design1420Heat management1520.1General1520.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15		
19Information for luminaire design.1420Heat management1520.1General.1520.2Thermal interface material1520.3Heat protection1521Photobiological safety.1521.1UV radiation1521.2Blue light hazard15		
20       Heat management       15         20.1       General       15         20.2       Thermal interface material       15         20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
20.1       General	19 Information for luminaire design1	4
20.2Thermal interface material1520.3Heat protection1521Photobiological safety1521.1UV radiation1521.2Blue light hazard15	-	
20.3       Heat protection       15         21       Photobiological safety       15         21.1       UV radiation       15         21.2       Blue light hazard       15		
21 Photobiological safety		
21.1   UV radiation		
21.2 Blue light hazard15	<b>č</b>	
Annex A (normative) Test conditions		
Annex B (informative) Conformity testing during manufacture		
Annex C (informative) Information for luminaire design		
C.1 Heat management		
C.1.1 General	0	

C.1.2	Design freedom	3
C.1.3	Testing in the luminaire20	)
C.2 W	/ater contact	)
	lue light hazard assessment20	
C.3.1	LED modules of RG0 unlimited and RG1 unlimited20	
C.3.2	LED modules with a threshold illuminance <i>E</i> <sub>thr</sub> 20	
	/orking voltage	
	ormative) Abnormal temperature test21	
	est procedure	
	21	
Bibliography	/	5
-	ymbol for built-in LED modules	
	- Diagrammatic cross section of an LED module fixed by means of a to a luminaire	)
	- Abnormal temperature test setup	
riguie D.i		-
Table 1 Ov	verview on marking provisions9	<b>)</b>
		•
	Y A	
	7	
	$\Theta_{x}$	
	$\mathcal{O}_{\mathcal{A}}$	

Table 1 – Overview on marking	provisions	9
-------------------------------	------------	---

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### LED MODULES FOR GENERAL LIGHTING – SAFETY SPECIFICATIONS

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62031 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2008, Amendment 1:2012 and Amendment 2:2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the scope was clarified as well as the wording in several other clauses;
- b) the normative references were updated;
- c) the definitions for "replaceable LED module", "non-replaceable LED module" and "nonuser replaceable LED module" were introduced while other definitions covered by IEC 62504 have been removed;
- d) the marking clause was restructured and a table added to provide an informative overview;
- e) the marking requirements for built-in LED modules were changed;

- f) the entry for the marking with the working voltage was revised;
- g) the provisions for terminals and heat management were revised;
- h) Annex B was deleted;
- i) information for luminaire design with regard to working voltage and water contact was introduced;
- j) an abnormal temperature test was introduced.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
34A/2052/FDIS	34A/2061/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

NOTE In this standard, the following print types are used:

- Requirements proper: in roman type.
- Test specifications: in italic type.
- Explanatory matter: in smaller roman type.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

62 172 . r