INTERNATIONAL STANDARD

ISO/IEC 30193

Third edition
2020-03

Corrected version
2020-07

Information technology — Digitally recorded media for information interchange and storage — 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk

Technologies de l'information — Supports enregistrés numériquement pour échange et stockage d'information — Disques BD réinscriptibles de 120 mm triple couche (100,0 Go par disque)

This document is a preview generated by EVS

Reference number
ISO/IEC 30193:2020(E)

© ISO/IEC 2020

This document is a preview generated by EVS



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword ... **ix**
Introduction ... **x**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Symbols and abbreviated terms ... **6**
5 Conformance ... **9**
5.1 Optical disk ... 9
5.2 Generating system ... 9
5.3 Receiving system ... 9
5.4 Compatibility statement ... 9
6 Conventions and notations ... **9**
6.1 Levels of grouping ... 9
6.2 Representation of numbers ... 10
6.3 Integer calculus ... 11
7 General description of disk ... **11**
8 General requirements ... **12**
8.1 Environments ... 12
8.1.1 Test environment ... 12
8.1.2 Operating environment ... 13
8.1.3 Storage environment ... 14
8.1.4 Transportation ... 15
8.2 Safety requirements ... 15
8.3 Flammability ... 16
9 Reference drive ... **16**
9.1 General ... 16
9.2 Measurement conditions ... 16
9.3 Optical system ... 16
9.4 Optical beam ... 17
9.5 HF read channel ... 18
9.6 Radial PP read channel ... 18
9.7 Disk clamping ... 18
9.8 Rotation of disk and measurement velocity ... 19
9.9 Normalized servo transfer function ... 19
9.10 Measurement velocities and reference servos for axial tracking ... 20
9.10.1 General ... 20
9.10.2 Reference servo for axial tracking for 1x measurement velocity ... 20
9.10.3 reference servo for axial tracking for 2x measurement velocity ... 22
9.11 Measurement velocities and reference servos for radial tracking ... 23
9.11.1 General ... 23
9.11.2 Reference servo for radial tracking for 1x measurement velocity ... 23
9.11.3 Reference servo for radial tracking for 2x measurement velocity ... 25
10 Dimensional characteristics ... **26**
10.1 General ... 26
10.2 Disk reference planes and reference axis ... 26
10.3 Overall dimensions ... 28
10.4 First transition area ... 28
10.5 Protection ring ... 28
10.6 Clamping zone ... 28
10.7 Second transition area ... 29

This document is a preview generated by EVS

© ISO/IEC 2020 – All rights reserved

10.8 Information area ... 29
10.8.1 General ... 29
10.8.2 Subdivision of information zone on TL disk ... 30
10.9 Rim area ... 31

11 Mechanical characteristics ... 31
11.1 Mass ... 31
11.2 Moment of inertia ... 31
11.3 Dynamic imbalance ... 31
11.4 Axial runout ... 31
11.4.1 General ... 31
11.4.2 Residual axial tracking error for 1x measurement velocity ... 32
11.4.3 Residual axial tracking error for 2x measurement velocity ... 32
11.5 Radial runout ... 32
11.5.1 General ... 32
11.5.2 Residual radial tracking error for 1x measurement velocity ... 33
11.5.3 Residual radial tracking error for 2x measurement velocity ... 33
11.6 Durability of cover layer ... 33
11.6.1 Impact resistance of cover layer ... 33
11.6.2 Scratch resistance of cover layer ... 34
11.6.3 Repulsion of fingerprints by cover layer ... 34

12 Optical characteristics in information area ... 34
12.1 General ... 34
12.2 Refractive index of transmission stacks (TS) ... 34
12.3 Thickness of transmission stacks (TS) ... 34
12.4 Example of target thickness of spacer layers for TL disks ... 35
12.5 Reflectivity of recording layers ... 36
12.6 Birefringence ... 37
12.7 Angular deviation ... 37

13 Data format ... 38
13.1 General ... 38
13.2 Data frame ... 41
13.3 Error-detection code (EDC) ... 41
13.4 Scrambled data frame ... 42
13.5 Data block ... 43
13.6 LDC block ... 43
13.7 LDC code-words ... 44
13.8 LDC cluster ... 45
13.8.1 General ... 45
13.8.2 First interleaving step ... 45
13.8.3 Second interleaving step ... 45
13.9 Addressing and control data ... 47
13.9.1 General ... 47
13.9.2 Address units ... 47
13.9.3 User-control data ... 52
13.9.4 Byte/Bit assignment for user-control data ... 53
13.10 Access block ... 55
13.11 BIS block ... 55
13.12 BIS code-words ... 56
13.13 BIS cluster ... 57
13.14 ECC cluster ... 60
13.15 Recording frames ... 61
13.16 Physical cluster ... 62
13.17 17PP modulation for recordable data ... 62
13.17.1 General ... 62
13.17.2 Bit conversion rules ... 62
13.17.3 dc-control procedure ... 63
13.17.4 Frame sync ... 63

This document is a preview generated by EVS

 © ISO/IEC 2020 – All rights reserved

13.18 Modulation and NRZI conversion 65

14 Physical data allocating and linking 65
14.1 General 65
14.2 Recording-unit block (RUB) 65
14.2.1 General 65
14.2.2 Data run-in 66
14.2.3 Data run-out 67
14.2.4 Guard_3 field 68
14.3 Locating data relative to wobble addresses 68
14.3.1 General 68
14.3.2 Start-position shift (SPS) 68

15 Track format 70
15.1 General 70
15.2 Track shape 70
15.3 Track path 72
15.4 Track pitch 72
15.4.1 Track pitch in BCA zone 72
15.4.2 Track pitch in embossed HFM areas 72
15.4.3 Track pitch in rewritable areas 72
15.4.4 Track pitch between embossed HFM area and rewritable area 73
15.5 Track layout of HFM grooves 73
15.5.1 General 73
15.5.2 Data format 73
15.5.3 Addressing and control data 74
15.5.4 Recording frames 77
15.6 Track layout of wobbled grooves 79
15.6.1 General 79
15.6.2 Modulation of wobbles 80
15.6.3 Wobble polarity 81
15.7 ADIP information 81
15.7.1 General 81
15.7.2 ADIP-unit types 82
15.7.3 ADIP word structure 83
15.7.4 ADIP data structure 84
15.7.5 ADIP error correction 87
15.8 Disk information in ADIP aux frame 89
15.8.1 General 89
15.8.2 Error protection for disk information aux frames 90
15.8.3 Disk-Information data structure 91

16 General description of information zone 140
16.1 General 140
16.2 Format of information zone 141

17 Layout of rewritable area of information zone 141

18 Inner zone 145
18.1 General 145
18.2 Permanent information and control data (PIC) zone 149
18.2.1 General 149
18.2.2 Content of PIC zone 149
18.2.3 Emergency brake 150
18.3 Rewritable area of inner zone(s) 152
18.3.1 Protection-zone 2 152
18.3.2 Buffer 152
18.3.3 INFO 2/Reserved 8 152
18.3.4 INFO 2/Reserved 7 153
18.3.5 INFO 2/Reserved 6 153
18.3.6 INFO 2/Reserved 5 153

This document is a preview generated by EVS

© ISO/IEC 2020 – All rights reserved

18.3.7 INFO 2/PAC 2 153
18.3.8 INFO 2/Reserved 153
18.3.9 INFO 2/DMA 2 153
18.3.10 INFO 2/Control data 2 153
18.3.11 INFO 2/Buffer 2 153
18.3.12 OPC/Test zone 154
18.3.13 Reserved 154
18.3.14 INFO 1/Buffer 1 154
18.3.15 INFO 1/Drive area (optional) 154
18.3.16 INFO 1/Reserved 3 155
18.3.17 INFO 1/Reserved 2 155
18.3.18 INFO 1/Reserved 1 155
18.3.19 INFO 1/DMA 1 155
18.3.20 INFO 1/Control Data 1 155
18.3.21 INFO 1/PAC 1 155
18.3.22 INFO 1/Reserved 155

19 Data zone 156

20 Outer zone(s) 156
20.1 General 156
20.2 INFO 3/Buffer 3 156
20.3 INFO 3/DMA 3 157
20.4 INFO 3/Control data 3 157
20.5 Angular buffer 157
20.6 INFO 4/DMA 4 157
20.7 INFO 4/Control data 4 157
20.8 INFO 4/Buffer 4 157
20.9 DCZ 0/Test zone, DCZ 1/Test zone and DCZ 2/Test zone 157
20.10 Protection-zone 3 157

21 Physical-access control clusters 157
21.1 General 157
21.2 Layout of PAC zones 158
21.3 General structure of PAC clusters 158
21.4 Primary PAC cluster (mandatory) 163
21.5 Disk write-protect PAC cluster (optional) 166
21.6 IS1 and IS2 PAC clusters 170

22 Disk management 171
22.1 General 171
22.2 Disk-management structure (DMS) 172
22.2.1 General 172
22.2.2 Disk-definition structure (DDS) 173
22.2.3 Defect list (DFL) 177

23 Assignment of logical-sector numbers (LSNs) 182

24 Characteristics of grooved areas 183

25 Method of testing for grooved area 183
25.1 General 183
25.2 Environment 183
25.3 Reference drive 183
25.3.1 General 183
25.3.2 Read power 183
25.3.3 Read channels 183
25.3.4 Tracking requirements 184
25.3.5 Scanning velocities 184
25.4 Definition of signals 184

26 Signals from HFM grooves 185

This document is a preview generated by EVS

 © ISO/IEC 2020 – All rights reserved

26.1 Push–pull polarity ... 185
26.2 Push–pull signal ... 185
26.3 Wobble signal ... 186
26.4 Jitter of HFM signal ... 186

27 Signals from wobbled grooves ... 186
27.1 Phase depth ... 186
27.2 Push–pull signal ... 186
27.3 Wobble signal ... 187
27.3.1 General ... 187
27.3.2 Measurement of NWS ... 187
27.3.3 Measurement of the wobble CNR ... 187
27.3.4 Measurement of harmonic distortion of wobble ... 187

28 Characteristics of recording layer ... 188

29 Method of testing for recording layer ... 188
29.1 General ... 188
29.2 Environment ... 188
29.3 Reference drive ... 188
29.3.1 General ... 188
29.3.2 Read power ... 188
29.3.3 Read channels ... 188
29.3.4 Tracking requirements ... 188
29.3.5 Scanning velocities ... 189
29.4 Write conditions ... 189
29.4.1 Write-pulse waveform ... 189
29.4.2 Write powers ... 189
29.4.3 Average power ... 190
29.4.4 Write conditions for i-MLSE measurement ... 190
29.4.5 Write conditions for cross-erase measurements ... 190
29.5 Definition of signals ... 190

30 Signals from recorded areas ... 190
30.1 HF signals ... 190
30.2 Modulated amplitude ... 190
30.3 Reflectivity-modulation product ... 192
30.4 Asymmetry ... 192
30.5 i-MLSE@DOW(***n***) ... 192
30.6 Cross-erase @ $\mathrm{DOW}(\boldsymbol{n})_{\mathrm{XE}}$ ... 192
30.7 Read stability ... 193

31 Local defects ... 194

32 Characteristics of user data ... 194

33 Method of testing for user data ... 194
33.1 General ... 194
33.2 Environment ... 194
33.3 Reference drive ... 194
33.3.1 General ... 194
33.3.2 Read power ... 194
33.3.3 Read channels ... 194
33.3.4 Error correction ... 195
33.3.5 Tracking requirements ... 195
33.3.6 Scanning velocities ... 195
33.4 Definition of signals ... 195

34 Minimum quality of recorded information ... 196
34.1 General ... 196
34.2 Random symbol error rate ... 196
34.3 Maximum burst errors ... 196

This document is a preview generated by EVS

© ISO/IEC 2020 – All rights reserved

34.4 User-written data 196
35 Burst-cutting area (BCA) **196**
Annex A (normative) **Thickness of transmission stacks in case of multiple layers** **198**
Annex B (normative) **Measurement of reflectivity** **201**
Annex C (normative) **Measurement of scratch resistance of cover layer** **207**
Annex D (normative) **Measurement of repulsion of grime by cover layer** **209**
Annex E (normative) **Measurement of wobble amplitude** **212**
Annex F (normative) **Write-pulse waveform for testing** **217**
Annex G (normative) **Optimum power control (OPC) procedure for disk** **224**
Annex H (normative) **HF signal pre-processing for integrated-maximum likelihood sequence error estimation (i-MLSE) measurements** **227**
Annex I (normative) **Measurement procedures** **239**
Annex J (informative) **Measurement of birefringence** **251**
Annex K (informative) **Measurement of thickness of cover layer and spacer layer** **254**
Annex L (informative) **Measurement of impact resistance of cover layer** **257**
Annex M (informative) **Groove deviation and wobble amplitude** **259**
Annex N (informative) **Guidelines for write pulse adjustment using L-SEAT edge-shift** **261**
Bibliography **270**

This document is a preview generated by EVS

© ISO/IEC 2020 – All rights reserved

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document is in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, information *Technology*, Subcommittee SC 23, *Digitally recorded media for information interchange and storage*.

This third edition cancels and replaces the second edition (ISO/IEC 30193:2016), which has been technically revised. It also incorporates the Amendment ISO 30193:2016/DAM1.

The main changes compared to the previous edition are as follows:

— additional requirements for 4x reading velocity have been added;

— additional requirements for physical access control and reserved area of BD application have been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This corrected version of ISO 30193:2020 incorporates the following corrections:

— minor editorial corrections in symbols (italicization, bolding);

— in 15.8.3.2, reinstatement of "These two bytes shall be set to 44 49h, representing the characters "DI"." in Bytes 0 to 1 and deletion from Byte 3.

This document is a preview generated by EVS

© ISO/IEC 2020 – All rights reserved

Introduction

In March 2002, nine companies known as the Blu-ray Disc Founders, or BDF, came together to create optical-disk formats with large capacity and high-speed transfer rates that would be needed for recording and reproducing high-definition video content. This joint effort turned out to be fruitful and the first version of its Blu-ray Disc™ Rewritable Format Part 1 version 1.0 in June 2002.

Then, in October 2004, more than 100 companies joined and BDF became an open forum called the Blu-ray Disc Association (BDA). The BDA issued version 2.1 of the Blu-ray Disc™ Rewritable Format Part 1 in October 2005 and version 3.0 in June 2010. By the end of 2010, over a hundred million Blu-ray Disc™ had been shipped and Blu-ray™ devices such as players, recorders, game consoles and PC drives were in use all over the world.

The BDA also conducts verification activities for both disks and devices and has established more than 10 testing centers in Asia, Europe and the USA.

The BDA gave consumer applications the highest priority in the first few years. But it was known, of course, that international standardization would be required before many government entities and their contractors would be allowed to use Blu-ray Disc™. In January and February 2011, the chairs of ISO/IEC JTC 1/SC 23 and JIIMA (Japan Image and information Management Association) formally requested the BDA to consider international standardization. The reason for this was to enable the inclusion of writable BDs along with DVDs and CDs in an International Standard specifying the test methods for the estimation of lifetime of optical storage media for long-term data storage. In October 2011, the President of the BDA responded that his organization had decided to pursue international standardization for the basic physical formats for the recordable and rewritable Blu-ray™ Formats.

In December 2011, the BDA sent project proposals for international standardization of four formats to ISO/IEC JTC 1/SC 23 via the Japanese national body. They are 120 mm single layer (25,0 Gbytes per disk) and dual layer (50,0 Gbytes per disk) BD recordable disks, 120 mm single layer (25,0 Gbytes per disk) and dual layer (50,0 Gbytes per disk) BD rewritable disks, 120 mm triple layer (100,0 Gbytes per disk) and quadruple layer (128,0 Gbytes per disk) BD recordable disks and 120 mm triple layer (100,0 Gbytes per disk) BD rewritable disk.

This document specifies the mechanical, physical and optical characteristics of a 120 mm rewritable optical disk with a capacity of 100,0 Gbytes.

A few additional specifications are required in order to write and read video-recording applications, such as BDAV format which had been specified by the BDA for use on BD rewritable disks. These specifications, which are related to the BD application, the file system or the content-protection system, are required for the disk, the generating system and the receiving system. For more information about the BD application, the content-protection system and the additional requirements for the Blu-ray™ Format specifications, see http://www.blu-raydisc.info.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. information may be obtained from the patent database available at www.iso.org/patents.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

NOTE Blu-ray™, Blu-ray Disc™ and the logos are trademarks of the Blu-ray Disc Association.

This document is a preview generated by EVS

 © ISO/IEC 2020 – All rights reserved

Information technology — Digitally recorded media for information interchange and storage — 120 mm Triple Layer (100,0 Gbytes per disk) BD Rewritable disk

This document is a preview generated by EVS

1 Scope

This document specifies the mechanical, physical and optical characteristics of a 120 mm rewritable optical disk with a capacity of 100,0 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. User data can be written, read and overwritten many times using a reversible method. This disk is identified as a BD rewritable disk.

This document specifies the following:

— the one disk type;

— the conditions for conformance;

— the environments in which the disk is to be operated and stored;

— the mechanical and physical characteristics of the disk, so as to provide mechanical interchange between data processing systems;

— the format of the information on the disk, including the physical disposition of the tracks and sectors;

— the error-correcting codes and the coding method used;

— the characteristics of the signals recorded on the disk, enabling data processing systems to read data from the disk.

This document provides for interchange of disks between disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9352, *Plastics — Determination of resistance to wear by abrasive wheels*

ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*

IEC 60068-2-2, *Environmental testing — Part 2-2: Tests — Test B: Dry heat*

IEC 60068-2-30, *Environmental testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60950-1, *Information technology equipment — Safety — Part 1: General requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

© ISO/IEC 2020 – All rights reserved