

This document is a preview generated by EVS

KORSTNAD. TARVIKUD. OSA 1: KORSTNASUMMUTID.  
NÕUDED JA KATSEMEETODID

Chimneys - Accessories - Part 1: Chimney silencers -  
Requirements and test methods

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16475-1:2020 sisaldab Euroopa standardi EN 16475-1:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 16475-1:2020 consists of the English text of the European standard EN 16475-1:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 08.04.2020.	Date of Availability of the European standard is 08.04.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 91.060.40

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

EN 16475-1

April 2020

ICS 91.060.40

English Version

**Chimneys - Accessories - Part 1: Chimney silencers -  
Requirements and test methods**

Conduits de fumée - Accessoires - Partie 1 : Silencieux  
pour conduits de fumée - Exigences et méthodes  
d'essai

Abgasanlagen - Zubehörteile - Teil 1: Schalldämpfer für  
Abgasanlagen - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 5 November 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## Contents

	Page
<b>European foreword.....</b>	<b>4</b>
<b>Introduction .....</b>	<b>5</b>
<b>1 Scope.....</b>	<b>6</b>
<b>2 Normative references.....</b>	<b>6</b>
<b>3 Terms and definitions .....</b>	<b>7</b>
<b>4 Product characteristics.....</b>	<b>8</b>
<b>4.1 General.....</b>	<b>8</b>
<b>4.2 Dimensions and tolerances .....</b>	<b>8</b>
<b>4.3 Mechanical resistance and stability.....</b>	<b>8</b>
<b>4.3.1 Compressive strength.....</b>	<b>8</b>
<b>4.3.2 Wind load .....</b>	<b>8</b>
<b>4.3.3 Non-vertical installation.....</b>	<b>8</b>
<b>4.4 Thermal performance .....</b>	<b>9</b>
<b>4.4.1 Reaction to fire.....</b>	<b>9</b>
<b>4.4.2 Fire resistance (internal to external) .....</b>	<b>9</b>
<b>4.5 Hygiene, health and environment.....</b>	<b>9</b>
<b>4.5.1 Gas tightness .....</b>	<b>9</b>
<b>4.5.2 Condensate penetration resistance (liquid phase) .....</b>	<b>10</b>
<b>4.5.3 Water vapour penetration test (vapour phase) .....</b>	<b>10</b>
<b>4.5.4 Corrosion resistance .....</b>	<b>10</b>
<b>4.6 Materials.....</b>	<b>10</b>
<b>4.6.1 Metal parts in contact with combustion products or condensate .....</b>	<b>10</b>
<b>4.6.2 Material for reducing noise level.....</b>	<b>10</b>
<b>4.7 Additional information on other materials of construction.....</b>	<b>11</b>
<b>4.8 Freeze/thaw .....</b>	<b>11</b>
<b>4.9 Thermal resistance.....</b>	<b>11</b>
<b>4.10 Insertion loss .....</b>	<b>11</b>
<b>4.11 Flow resistance .....</b>	<b>11</b>
<b>5 Testing, assessment and sampling methods .....</b>	<b>12</b>
<b>5.1 General.....</b>	<b>12</b>
<b>5.2 Declaration for type testing.....</b>	<b>12</b>
<b>5.3 Mechanical resistance and stability .....</b>	<b>12</b>
<b>5.3.1 Compressive strength.....</b>	<b>12</b>
<b>5.3.2 Lateral strength .....</b>	<b>12</b>
<b>5.4 Thermal performance .....</b>	<b>12</b>
<b>5.4.1 General.....</b>	<b>12</b>
<b>5.4.2 Heat stress test.....</b>	<b>13</b>
<b>5.4.3 Sootfire test .....</b>	<b>13</b>
<b>5.5 Hygiene, health and the environment .....</b>	<b>13</b>
<b>5.5.1 Gas tightness test.....</b>	<b>13</b>
<b>5.5.2 Condensate penetration test (liquid phase).....</b>	<b>14</b>
<b>5.5.3 Water vapour test (vapour phase).....</b>	<b>16</b>
<b>5.6 Insertion loss .....</b>	<b>16</b>
<b>5.7 Flow resistance .....</b>	<b>16</b>

<b>6</b>	<b>Assessment and verification of constancy of performance – AVCP .....</b>	<b>16</b>
6.1	General .....	16
6.2	Type testing .....	16
6.2.1	General .....	16
6.2.2	Test samples, testing and compliance criteria.....	17
6.2.3	Test reports .....	18
6.2.4	Shared other party results .....	18
6.2.5	Cascading determination of the product type results .....	19
6.3	Factory production control (FPC) .....	20
6.3.1	General .....	20
6.3.2	Requirements.....	20
6.3.3	Product specific requirements .....	23
6.3.4	Initial inspection of factory and of FPC.....	23
6.3.5	Continuous surveillance of FPC .....	24
6.3.6	Procedure for modifications.....	24
6.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity.....	24
<b>7</b>	<b>Classification and designation .....</b>	<b>26</b>
7.1	General .....	26
7.2	Temperature classes and test temperature.....	26
7.3	Pressure class .....	27
7.4	Corrosion resistance.....	27
7.5	Soot fire resistance and distance to combustible material .....	27
<b>8</b>	<b>Marking, labelling and packaging.....</b>	<b>27</b>
8.1	Silencer.....	27
8.2	Packaging.....	28
8.3	Product information.....	28
8.3.1	Instructions.....	28
8.3.2	Minimum information to be included in the instructions .....	28
	<b>Annex A (informative) Recommended test sequence .....</b>	<b>29</b>

## European foreword

This document (EN 16475-1:2020) has been prepared by Technical Committee CEN/TC 166 "Chimneys", the secretariat of which is held by ASI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020, and conflicting national standards shall be withdrawn at the latest by January 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document on "Chimneys — Accessories" consists of the following parts:

- *Part 1: Chimney Silencers — Requirements and test methods (this part)*
- *Part 2: Chimney fans — Requirements and test methods*
- *Part 3: Draught regulators, standstill opening devices and combined secondary air devices — Requirements and test methods*
- *Part 4: Flue dampers — Requirements and test methods*
- *Part 6: Access components — Requirements and test methods*
- *Part 7: Rain caps — Requirements and test methods*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom

## Introduction

In November 2009 CEN/TC 166 assigned TG 1 of CEN/TC 166/WG 1 the task to develop this document for chimney accessories and issued a preliminary work item.

## 1 Scope

This document specifies requirements and test methods for flue gas silencers made of metal that are used as accessories in order to reduce the noise level of combustion appliances.

The document covers silencers in the connecting flue pipes and on top of chimneys.

This document does not cover silencers installed as chimney sections. This document excludes active silencers.

Components tested together with the liner or system chimney are not covered by this document.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1443, *Chimneys - General requirements*

EN 1602, *Thermal insulating products for building applications - Determination of the apparent density*

EN 1856-1:2009, *Chimneys - Requirements for metal chimneys - Part 1: System chimney products*

EN 1856-2:2009, *Chimneys - Requirements for metal chimneys - Part 2: Metal flue liners and connecting flue pipes*

EN 1859:2009+A1:2013, *Chimneys - Metal chimneys - Test methods*

EN 10088-1, *Stainless steels - Part 1: List of stainless steels*

EN 13470, *Thermal insulating products for building equipment and industrial installations - Determination of the apparent density of preformed pipe insulation*

EN 14303:2015, *Thermal insulation products for building equipment and industrial installations - Factory made mineral wool (MW) products - Specification*

EN 15287-1:2007+A1:2010, *Chimneys - Design, installation and commissioning of chimneys - Part 1: Chimneys for non-roomsealed heating appliances*

EN ISO 7235:2009, *Acoustics - Laboratory measurement procedures for ducted silencers and air-terminal units - Insertion loss, flow noise and total pressure loss (ISO 7235:2003)*

EN ISO 11691, *Acoustics - Measurement of insertion loss of ducted silencers without flow - Laboratory survey method (ISO 11691)*