## **TECHNICAL REPORT**

ISO/TR 8124-9

> Second edition 2020-03

## Safety of toys —

Part 9:

Safety aspects related to mechanical and physical properties — **Comparison of ISO 8124-1, EN 71-1** and ASTM F963

Sécurité des jouets —

e sécuri aparaison e Partie 9: Aspects de sécurité relatifs aux propriétés mécaniques et physiques — Comparaison entre l'ISO 8124-1, l'EN 71-1 et l'ASTM F963





© ISO 2020

Viementation, no part of hanical, including pir requested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	ntent	S		Page
Fore	eword			vii
Intr	oductio	n		viii
1	Scon	P		1
2			ferences	
3	Tern	is and de	efinitions	1
4			of scopes	
5	Com	parison (	of terms and definitions	5
	5.1	Genera	1	5
	5.2		is of the main differences between the terms and definitions	
			Aquatic toy	
		5.2.2	Asphyxiation and choking	
		5.2.3	Ball	
		5.2.4	Close-to-the-ear toy	
		5.2.5 5.2.6	CordElastic	
		5.2.7	Hand-held toy	
		5.2.8	Hazard	
		5.2.9	Large and bulky toy	
		5.2.10	Marble	
		5.2.11	Paper	
		5.2.12	Pompom	
		5.2.13	Projectile	
		5.2.14	Projectile toy with stored energy	14
		5.2.15	Protective cap, protective cover or protective tip	
		5.2.16	Pull or push toy	
		5.2.17	Rattle	
		5.2.18	Toy scooter	16
		5.2.19	Squeeze toy	
6		parison (	of requirements	17
	6.1		1]	
	6.2		l use	
	6.3	nably foreseeable abuse		
	6.4	6.4.1	alFillings	
		6.4.2	Expanding materials	
		6.4.3	Glass and porcelain	
	6.5		parts	
	0.0	6.5.1	General	
		6.5.2	Small parts exemptions	
		6.5.3	Test methods	
	6.6	Shape,	size and strength of certain toys	27
		6.6.1	General	
		6.6.2	Squeeze toys, rattles and certain other toys	
		6.6.3	Small balls	
		6.6.4	Pompoms	
		6.6.5	Toy pacifiers	
		6.6.6 6.6.7	Balloons	
		6.6.7	MarblesHemispheric-shaped toys	
		6.6.9	Suction cups	
		6.6.10	Test templates	
	6.7		1 cost compared	

## ISO/TR 8124-9:2020(E)

	6.7.1	General	33
	6.7.2	Age range for application of the functional sharp edge exemption	
	6.7.3	Toys assembled by adults	
	6.7.4	Test method	
6.8	_		
	6.8.1	General	
	6.8.2	Age range for application of the functional sharp point exemption	
	6.8.3	Electrical conductors	
	6.8.4	Examples of accessible, potentially hazardous sharp points	
	6.8.5	Test method	
6.9		ions	
0.7	6.9.1	General	
	6.9.2	Ends of rigid handlebars	
	6.9.3	Age grade	
	6.9.4	Bath toy projections	
	6.9.5	Protective components	
6.10		vires and rods	
0.20	6.10.1	General	
	6.10.2	Scope of the metal wires and rods flexure test	
	6.10.3	Metal wire flexure test methods	
6.11		film or plastic bags in packaging and in toys	
0.11	6.11.1		
	6.11.2	Scope of plastic film or plastic bags in packaging and in toys	
	6.11.3	Minimum sheet thickness	
	6.11.4	Thickness of plastic balloons	
	6.11.5	Detached plastic sheeting	
	6.11.6	Perforated plastic film	
	6.11.7	Determination of plastic sheet area	
6.12			
J.12	6.12.1	General	
	6.12.2	Length of cords, loops, nooses and tangled loops	
	6.12.3	Diameter of certain cords intended for children under 36 months	
	6.12.4	Self-retracting cords	
	6.12.5	Toys attached to or intended to be strung across, or otherwise attached to	10
	0110	a cradle, cot, perambulator or carriage	47
	6.12.6	Cords on pull toys	
	6.12.7	Cords on toy bags	
	6.12.8	Cords, strings and lines for flying toys	
	6.12.9		49
		Cord warning	
		Test methods and equipment	
	6.12.12	Toy disguise costumes	52
6.13		mechanisms	
	6.13.1	General	
	6.13.2	Hinge line clearance	
	6.13.3	Toy pushchairs, perambulators and similar toys	
	6.13.4	Requirement for folding devices having a scissor-like action	
6.14		clearances and accessibility of mechanisms	
	6.14.1	General	
	6.14.2	Holes, clearances and accessibility of mechanisms	
	6.14.3	Accessible clearances for moveable segments	
	6.14.4	Chains or belts in ride-on toys	
	6.14.5	Other driving mechanisms	
	6.14.6	Winding keys	
	6.14.7	Toy bicycles and tricycles provided with a handle that can be used for	
		pushing the child	57
6.15	Springs	F	
6.16		y and overload requirements	
		•	_

	6.16.1	Stability requirements for ride-on toys and seats	58
	6.16.2	Overload requirements for ride-on toys and seats	62
	6.16.3	Stability of stationary floor toys	64
6.17	Enclosu	ıres	
	6.17.1	General	
)	6.17.2	Impermeable material	65
	6.17.3	Ventilation	66
$O_{\lambda}$	6.17.4	Closures	66
	6.17.5	Toy chests safety labelling	66
6.18	Simulat	ted protective equipment, such as helmets, hats and goggles	67
6.19	Project	ile toys	67
	6.19.1	General	67
	6.19.2	General requirements of projectiles	69
	6.19.3	Projectile range	69
	6.19.4	Impact surface	69
	6.19.5	Discharge mechanism	71
	6.19.6	Kinetic energy and warning	74
	6.19.7	Toy catapults and projectiles propelled by an elastic band and projectile	
		toys without stored energy where the discharge mechanism can store	
		energy, only when held in place by the user	75
	6.19.8	Dart	
	6.19.9	Mouth-actuated projectile toys	
		Test method.	
6.20		and propellers	
	6.20.1	General	
	6.20.2	Scope and exemption	
	6.20.3	Leading part(s) on rigid parts of flying toys	
	6.20.4	Examples of designs to minimize the risk potential of rotating blades	
	6.20.5	Rotor or propeller warning	
	6.20.6	Rotors and propellers on remote controlled flying toys	79
6.21	Aquatio	toys	79
6.22	Braking	5	80
	6.22.1		
	6.22.2	Braking device — exemptions	
	6.22.3	Braking device – requirements	
	6.22.4	Free-wheeling facility	81
	6.22.5	Brake performance test	81
6.23	Toy bic	ycles	82
	6.23.1	General	
	6.23.2	Braking system	
	6.23.3	Warning	83
6.24		imitation of electrically driven ride-on toys	
	6.24.1	General	
	6.24.2	Seat requirements	
	6.24.3	Determination of maximum design speed of electrically driven ride-on toys.	
6.25		ntaining a heat source	
	$6.\overline{2}5.1$	General	
	6.25.2	Exemption for toys containing a heat source	
	6.25.3	Scope of toys containing a heat source	
	6.25.4	Temperature rise for heat sources	
	6.25.5	Test environment for toys containing a heat source	
6.26		filled toys	
6.27		actuated toys	
6.28		er skates, toy inline skates and toy skateboards	
6.29		sion caps	
6.30		c requirements	
	6.30.1	General	
	6.30.2	Scope for the acoustic	
		1	- 0

## ISO/TR 8124-9:2020(E)

		6.30.3	Category of acou	stic toys			89
		6.30.4					
		6.30.5		he acoustic requirem			
	6.31						
				oy scooter requireme			
	6.32			omponents			
	6.33 6.34			rn fully or partially a			
	6.35			rith cords for pulling			
	6.36			es and steering whee			
	6.37			to ISO 8124-1:2018, A			
	6.38			fer to ISO 8124-1:201			
	6.39	Toys co	omprising monofila 3124-1:2018)	ament fibres which n	nay present long h	nair hazards (refer	
	6.40	hemisp	heric-shaped cont	components (spheri tainers)		-	
Annex	A (info	ormative	) Index of requir	ements in EN 71-1			99
				ements in ASTM F9			
Annex				orial and technical			
Rihlin	aranhı	17					124
							5
i						© ISO 2020 – All rights	reserved

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 181, Safety of toys.

This second edition cancels and replaces the first edition (ISO/TR 8124-9:2018), which has been technically revised. The main changes to the previous edition are detailed in Annex C.

A list of all parts in the ISO 8124 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

### Introduction

The purpose of this document is to compare and contrast the identified versions of ASTM F963:2017, EN 71-1:2014+A1:2018 and ISO 8124-1:2018. This document focuses on the contents of these three referenced standards as they relate to mechanical and physical properties including scope, definitions, general requirements, warnings and test methods.

For ease of use and readability, ISO 8124-1:2018, Clause 4 is listed in Clause 6 of this document. For example, ISO 8124-1:2018, 4.3 relates to 6.4 of this document.

This document is an overview and, therefore, does not cover the entirety of all the differences between ISO 8124-1, ASTM F963 and EN 71-1. In addition, this document is not to be relied on to fully understand conformity with any of the referenced standards or the requirements within them. In the case of any discrepancies in the comparisons presented, please refer to the relevant clauses of the referenced standards.

The index of requirements in EN 71-1 is given in Annex A.

33 is gr. The index of requirements in ASTM F963 is given in Annex B.

## Safety of toys —

## Part 9:

# Safety aspects related to mechanical and physical properties — Comparison of ISO 8124-1, EN 71-1 and ASTM F963

## 1 Scope

This document consists of a comparison of the mechanical and physical requirements covered by the following toy safety standards:

- a) ISO: ISO 8124-1:2018;
- b) Europe (CEN): EN 71-1:2014+A1:2018;
- c) USA: ASTM F963:2017.

### 2 Normative references

There are no normative references in this document.

#### 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp">https://www.iso.org/obp</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

### 4 Comparison of scopes

The scope of applicable toy products covered by the referenced standards is generally similar, as shown in Table 1.

5