
**Petroleum measurement systems —
Calibration — Volumetric measures,
proving tanks and field measures
(including formulae for properties of
liquids and materials)**



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and units	1
3.1 Terms and definitions	1
3.2 Symbols and units	8
4 Traceability	9
5 General design characteristics of volumetric measures	10
5.1 General design	10
5.2 Design to indicate the volume — Resolution	12
5.2.1 Neck size	12
5.2.2 Gauge glass	12
5.2.3 Scales	13
5.2.4 Adjustment of scale and calibrated volume	15
5.2.5 Levelling	15
5.3 Additional design aspects	15
5.3.1 Temperature measurement	15
5.3.2 Valves and connections	16
5.3.3 Size of measures	17
5.4 Filling and drainage	18
5.4.1 Drainage times and fluids	18
5.4.2 Filling and drainage methods	19
5.5 Markings	20
6 Test measures	21
6.1 Overview	21
6.2 Design and construction of test measures	23
7 Proving tanks	24
7.1 Overview	24
7.2 General construction	28
7.3 Bottom neck	28
7.4 Strength	29
7.5 Support	29
7.6 Size	29
7.7 Mobility	29
7.8 Overflow and vapour recovery	29
7.9 Filling and drainage	29
8 Alternative designs	30
8.1 High-accuracy designs	30
8.2 Automatic pipettes	30
8.3 Proving tanks with bottom sight gauge	30
9 Calibration	31
9.1 General	31
9.2 Common calibration procedures	31
9.3 Gravimetric calibration	33
9.3.1 Principle	33
9.3.2 Calibration circuit and equipment	33
9.3.3 Procedure for calibrating a measure gravimetrically	34
9.4 Volumetric calibration	34
9.4.1 Principle	34
9.4.2 Calibration circuit and equipment	35

9.4.3	Procedure for calibrating a measure volumetrically (water pour)	36
9.4.4	Procedure for calibrating a measure volumetrically (water withdraw).....	36
9.4.5	Additional notes on procedures	37
9.5	Calibration by reference meter	38
9.5.1	Principle	38
9.5.2	Calibration circuit	38
9.5.3	Equipment	39
9.5.4	Procedure for calibration by reference meter	40
9.6	Calibration of neck scales	40
10	Calculations	41
10.1	Overview	41
10.2	Reference volume	41
10.3	Transferred volume (volumetric method)	42
10.4	Transferred volume (gravimetric method)	43
10.5	Calibrated volume of test device	44
10.6	Multiple fills	45
10.7	Calibration of a measure using a reference measure	45
10.8	Calibration of a flowmeter using a measure as reference	46
10.9	Calibration of a displacement (pipe) prover using a measure as reference	46
11	Calibrating and setting the neck and scale	46
11.1	Calibrating the neck	46
11.2	Setting the scales	47
12	Safety	48
Annex A (informative) Properties of fluids and materials		49
Annex B (informative) Temperature measurement and thermometers		63
Annex C (informative) Standard glass contents measures		65
Annex D (informative) Meniscus reading		66
Annex E (informative) Accuracy and uncertainty of volumetric measures		67
Bibliography		68

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 28, *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, Subcommittee SC 2, *Measurement of petroleum and related products*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 19, *Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 8222:2002), which has been technically revised. The main changes to the previous edition are as follows:

- revision of the title and scope to allow the document to cover the design, calibration and use of a wide range of volumetric measures comprising proving tanks, test measures, field and standard measures;
- provision of revised, updated and extended formulae to allow calculation of temperature correction including the addition of formulae for saline water, other liquids and material properties.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Volumetric, or capacity, measures are used to provide an accurate measure of volume, thereby providing a calibration reference for other volume-measuring devices, such as pipe displacement provers or flowmeters.

Volume measures are categorized in terms of capacity, test measures being below 20 l. Measures above 20 l are categorised as prover tanks. Standard measures are designed to comply with regulatory guidance and hence have specified volumes. Other measures have non-standard volumes specifically designed to suit an application, for example measures to accompany a small volume prover.

Volumetric measures can be used to calibrate flowmeters, both duty and reference meters. They can also be used to calibrate secondary volume measures, displacement (pipe) provers and storage tanks.

[Annex A](#) provides the recommended formulae used in the calibration and use of volumetric measures and for other volumetric measurements. This includes pure and saline water properties, the properties of hydrocarbon liquids and the materials of construction of volumetric measuring devices.

Petroleum measurement systems — Calibration — Volumetric measures, proving tanks and field measures (including formulae for properties of liquids and materials)

WARNING — The use of this document could involve hazardous materials, operations and equipment. This document does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices.

1 Scope

This document describes the design, use and calibration of volumetric measures (capacity measures) which are intended for use in fixed locations in a laboratory or in the field. This document gives guidance on both standard and non-standard measures. It also covers portable and mobile measures. This document is applicable to the petroleum industry; however, it may be applied more widely to other applications.

This document excludes measures for cryogenic liquids and pressurized measures as used for liquid petroleum gas (LPG) and liquefied natural gas (LNG).

Volumetric measures are classified as test measures or prover tanks depending on capacity and design.

Measures described in this document are primarily designed, calibrated and used to measure volumes from a measure which is wetted and drained for a specified time before use and designated to deliver. Many of the provisions, however, apply equally to measures which are used to measure a volume using a clean and dry measure and designated to contain.

Guidance is given regarding commonly expected uncertainties and calibration specifications.

The document also provides, in [Annex A](#), reference formulae describing the properties of water and other fluids and materials used in volumetric measurement more generally.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, symbols and units

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>