

This document is a preview generated by EVS

Flow battery energy systems for stationary applications
- Part 2-2: Safety requirements

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62932-2-2:2020 sisaldab Euroopa standardi EN IEC 62932-2-2:2020 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 62932-2-2:2020 consists of the English text of the European standard EN IEC 62932-2-2:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 17.04.2020.	Date of Availability of the European standard is 17.04.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.220.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 29.220.99

English Version

Flow battery energy systems for stationary applications - Part 2-2: Safety requirements (IEC 62932-2-2:2020)

Systèmes de production d'énergie de batteries
d'accumulateurs à circulation d'électrolyte pour applications
stationnaires - Partie 2-2: Exigences de sécurité
(IEC 62932-2-2:2020)

Flussbatterie-Systeme für stationäre Anwendungen - Teil 2-2: Sicherheitsanforderungen
(IEC 62932-2-2:2020)

This European Standard was approved by CENELEC on 2020-03-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 21/1029/FDIS, future edition 1 of IEC 62932-2-2, prepared by IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62932-2-2:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-12-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-03-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62932-2-2:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60529	NOTE	Harmonized as EN 60529
IEC 60664-1	NOTE	Harmonized as EN 60664-1
IEC 60721-3-2	NOTE	Harmonized as EN IEC 60721-3-2
IEC 60812	NOTE	Harmonized as EN IEC 60812
IEC 60900	NOTE	Harmonized as EN IEC 60900
IEC 61000 (series)	NOTE	Harmonized as EN 61000 (series)
IEC 61025	NOTE	Harmonized as EN 61025
IEC 61660-1	NOTE	Harmonized as EN 61660-1
IEC 61660-2	NOTE	Harmonized as EN 61660-2
IEC 61936-1	NOTE	Harmonized as EN 61936-1
IEC 62282-3-100	NOTE	Harmonized as EN 62282-3-100
IEC 62282-3-300	NOTE	Harmonized as EN 62282-3-300
IEC 62351 (series)	NOTE	Harmonized as EN 62351 (series)
IEC 62477-1	NOTE	Harmonized as EN 62477-1
IEC 62932-2-1	NOTE	Harmonized as EN IEC 62932-2-1 ¹
ISO 13850	NOTE	Harmonized as EN ISO 13850

¹ To be published. Stage at the time of publication: FprEN IEC 62932-2-1:2019.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviated terms	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	9
4 Procedure of the risk analysis.....	9
5 Safety requirements and protective measures	10
5.1 General.....	10
5.2 Risk information	10
5.3 Electrical hazards	10
5.3.1 Electrical shock	10
5.3.2 Short-circuits	10
5.3.3 Leakage currents.....	11
5.4 Hazards of gaseous emissions.....	11
5.4.1 General	11
5.4.2 Harmful gas	12
5.4.3 Ventilation	13
5.4.4 Warning sign	13
5.4.5 Close vicinity to emissions.....	14
5.5 Hazard posed by liquids.....	14
5.5.1 General	14
5.5.2 Detection of electrolyte leakage.....	14
5.5.3 Protective measures against leakage.....	14
5.5.4 Specific information	14
5.5.5 Flow path identification	15
5.6 Hazards of mechanical cause	15
5.7 Operational hazards and measures.....	15
5.7.1 General	15
5.7.2 Start	15
5.7.3 Remote monitoring and control systems	16
5.7.4 Protection.....	16
5.7.5 Auxiliary power failure	16
6 Instructions.....	16
7 Identification labels or marking	16
7.1 Name plate information	16
7.2 Warning label information and location	17
8 Transport, storage, disposal and environmental aspects.....	17
8.1 Packing and transport.....	17
8.2 Dismantling, disposal, and recycling	17
9 Inspection.....	17
10 Maintenance.....	18
11 Verification tests for protective measures	18

11.1	General.....	18
11.1.1	Tests	18
11.1.2	Test object.....	19
11.1.3	Test category.....	19
11.2	Dielectric strength of the parts in contact with the fluid.....	19
11.2.1	Requirements	19
11.2.2	Category.....	19
11.2.3	Number of samples.....	19
11.2.4	Test and acceptance criteria.....	19
11.3	Operational sequence	19
11.3.1	Requirements	19
11.3.2	Category.....	19
11.3.3	Number of samples.....	19
11.3.4	Test.....	20
11.3.5	Acceptance criteria	20
11.4	Emergency stop.....	20
11.4.1	Requirement.....	20
11.4.2	Category.....	20
11.4.3	Number of samples.....	20
11.4.4	Test.....	20
11.4.5	Acceptance criteria	20
11.5	Protection	20
11.5.1	Requirements	20
11.5.2	Category.....	21
11.5.3	Number of samples.....	21
11.5.4	Test.....	21
11.5.5	Acceptance criteria	21
11.6	Safety requirement for stacks	21
Annex A	(informative) Recommended structure of user manual	22
A.1	General.....	22
A.2	Table of contents	22
A.3	Safety warning.....	22
A.4	Introduction.....	22
A.5	Product description.....	22
A.5.1	Overview	22
A.5.2	Technical specifications.....	23
A.5.3	System structure.....	23
A.5.4	Applications.....	23
A.5.5	Operational sequence.....	23
A.6	Site requirements.....	23
A.6.1	Location and load	23
A.6.2	Access and clearance.....	23
A.6.3	Precautionary measures for fluid containment.....	23
A.6.4	Ventilation	24
A.6.5	Temperature	24
A.7	Operation.....	24
A.7.1	General	24
A.7.2	Checks before operation.....	24
A.7.3	Energizing and de-energizing the system.....	24

A.7.4	Valve status.....	24
A.7.5	Specific operations	24
A.7.6	Notices for operation	24
A.8	Alarms and fault finding	25
A.9	Maintenance	25
A.10	Contact information.....	25
Annex B (normative)	Safety requirements for stacks	26
B.1	General.....	26
B.2	External short-circuit of the stack.....	26
B.2.1	Requirements	26
B.2.2	Category.....	26
B.2.3	Number of samples.....	26
B.2.4	Test.....	26
B.2.5	Acceptance criteria	26
B.3	Heat shock strength	27
B.3.1	Requirements	27
B.3.2	Category.....	27
B.3.3	Number of samples.....	27
B.3.4	Test.....	27
B.3.5	Acceptance criteria	27
B.4	Leakage of the stack.....	27
B.4.1	Requirements	27
B.4.2	Category.....	28
B.4.3	Number of samples.....	28
B.4.4	Test.....	28
B.4.5	Acceptance criteria	28
Bibliography.....		29
Figure 1 – Flow battery energy system.....		7
Table 1 – List of verification tests for protective measurements		18
Table B.1 – List of verification tests for stacks for protective measurements		26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FLOW BATTERY ENERGY SYSTEMS FOR STATIONARY APPLICATIONS –**Part 2-2: Safety requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The objective of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this edition.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62932-2-2 has been prepared by IEC technical committee 21: Secondary cells and batteries, in collaboration with IEC technical committee 105: Fuel cell technologies.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
21/1029/FDIS	21/1035/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62932 series, published under the general title *Flow battery energy systems for stationary applications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed
- withdrawn
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS

INTRODUCTION

A flow battery system (FBS) can be utilized in a flow battery energy system (FBES). Such an FBES can consist of:

- a flow battery system,
- a power conversion system,
- other equipment and surroundings.

The FBES is connected to the external power input/output via a point of connection (POC).

This document covers the domain of the FBES, as shown in Figure 1. Energy to the auxiliary systems such as the battery management system (BMS), the battery support system (BSS), and the power conversion system (PCS) may be supplied by one of the following:

- a) direct connection to the external power source;
- b) the internal power source of the FBES or FBS itself.




Figure 1 – Flow battery energy system

FLOW BATTERY ENERGY SYSTEMS FOR STATIONARY APPLICATIONS –

Part 2-2: Safety requirements

1 Scope

This part of IEC 62932 applies to flow battery systems for stationary applications and their installations with a maximum voltage not exceeding 1 500 V DC in compliance with IEC 62932-1.

This document defines the requirements and test methods for risk reduction and protection measures against significant hazards relevant to flow battery systems, to persons, property and the environment, or to a combination of them.

This document is applicable to stationary flow battery systems intended for indoor and outdoor commercial and industrial use in non-hazardous (unclassified) areas.

This document covers significant hazards, hazardous situations and events, with the exception of those associated with natural disaster, relevant to flow battery systems, when they are used as intended and under the conditions foreseen by the manufacturer including reasonably foreseeable misuse thereof.

The requirements described in this document are not intended to constrain innovations. When considering fluids, materials, designs or constructions not specifically dealt with in this document, these alternatives are evaluated as to their ability to yield levels of safety equivalent to those specified in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60364-4-41, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60364-4-43, *Low-voltage electrical installations – Part 4-43: Protection for safety – Protection against overcurrent*

IEC 60364-6, *Low voltage electrical installations – Part 6: Verification*

IEC 61936-1, *Power installations exceeding 1 kV a.c. – Part 1: Common rules*

IEC 62485-2:2010, *Safety requirements for secondary batteries and battery installations – Part 2: Stationary batteries*

IEC 62932-1, *Flow battery energy systems for stationary applications – Part 1: Terminology and general aspects*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*