TÄITEMATERJALIDE MEHAANILISTE JA FÜÜSIKALISTE OMADUSTE KATSETAMINE. OSA 2: PURUNEMISKINDLUSE MÄÄRAMISE MEETODID

Tests for mechanical and physical properties of aggregates - Part 2: Methods for the determination of resistance to fragmentation



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN 1097-2:2020 consists of the English text of the European standard EN 1097-2:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.04.2020.	Date of Availability of the European standard is 15.04.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 91.100.15

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 1097-2

April 2020

ICS 91.100.15

Supersedes EN 1097-2:2010

English Version

Tests for mechanical and physical properties of aggregates - Part 2: Methods for the determination of resistance to fragmentation

Essais pour déterminer les caractéristiques mécaniques et physiques de granulats - Partie 2 : Méthodes pour la détermination de la résistance à la fragmentation

Prüfverfahren für mechanische und physikalische Eigenschaften von Gesteinskörnungen - Teil 2: Verfahren zur Bestimmung des Widerstandes gegen Zertrümmerung

This European Standard was approved by CEN on 24 February 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Con	itents	Page
Euro	pean foreword	4
1	Scope	
2	Normative references	6
3	Terms and definitions	7
4	Apparatus	
4.2	Additional apparatus required for determination of resistance to	
	fragmentation by the Los Angeles test method	8
4.3	Additional apparatus required for determination of resistance to	4.0
	fragmentation by the impact test method	10
5	Determination of resistance to fragmentation by the Los Angeles test	40
5.1	methodPrinciple	
5.2	Preparation of test portion	
5.3	Test procedure	
5.4	Calculation and expression of results	
5.5	Test report	12
6	Determination of resistance to fragmentation by the impact test method	
6.1	Principle	
6.2 6.3	Preparation of test specimens Test procedure	
6.4	Calculation and expression of results	
6.5	Test report	
Anne	ex A (normative) Determination of resistance to fragmentation of aggreg	ates
	for railway ballast	15
A.1	Apparatus	15
A.2	Determination of resistance to fragmentation by the Los Angeles test method	17
A.3	Determination of resistance to fragmentation by the impact test metho	od19
Anne	ex B (informative) Alternative narrow range classifications	22
B.1	Los Angeles test	22
B.2	Impact test	22
Anne	ex C (informative) The impact tester: Construction, operation and safety requirements	
C.1	General	24
C.2	Construction	24
C.3	Lifting device	25
C.4	Sample holder	25
C.5	Anvil	26

C.7 Safety requirements and testing	C.8 Checking of impact tester 27 Annex D (informative) Checking of the impact tester 36 D.1 Scope and field of application 36 D.2 Checklist 36 D.3 Apparatus and test agents 36 D.4 Procedure 36 Annex E (informative) Precision 38 E.1 General 38 E.2 Los Angeles test 38 E.3 Impact test 38 Annex F (informative) Worked example of calculation of impact value SZ 40 Annex G (informative) Alternative narrow range classification for the Los Angeles test of 16/32 mm recycled aggregates 41 Annex H (informative) Additional sieve for evaluation of the Los Angeles test for railway ballast 42 Bibliography 43	C.6	Base plate and dampers	27
Annex D (informative) Checking of the impact tester	Annex D (informative) Checking of the impact tester	C.7	Safety requirements and testing	27
D.1 Scope and field of application	D.1 Scope and field of application	C.8	Checking of impact tester	27
D.2 Checklist	D.2 Checklist	Anne	ex D (informative) Checking of the imp	act tester36
D.3 Apparatus and test agents	D.3 Apparatus and test agents	D.1	Scope and field of application	36
D.4 Procedure	D.4 Procedure	D.2	Checklist	36
Annex E (informative) Precision	Annex E (informative) Precision	D.3	Apparatus and test agents	36
E.1 General	E.1 General	D.4	Procedure	36
E.2 Los Angeles test	E.2 Los Angeles test	Anne		
E.3 Impact test	E.3 Impact test	E.1		
Annex F (informative) Worked example of calculation of impact value SZ	Annex F (informative) Worked example of calculation of impact value SZ	E.2	_	
Annex G (informative) Alternative narrow range classification for the Los Angeles test of 16/32 mm recycled aggregates	Annex G (informative) Alternative narrow range classification for the Los Angeles test of 16/32 mm recycled aggregates	E.3	Impact test	38
railway ballast	railway ballast42 Bibliography43	Anne	ex G (informative) Alternative narrow test of 16/32 mm recycled aggregate	range classification for the Los Angeles
Bibliography	Bibliography		railway ballast	42

European foreword

This document (EN 1097-2:2020) has been prepared by Technical Committee CEN/TC 154 "Aggregates", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020, and conflicting national standards shall be withdrawn at the latest by October 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1097-2:2010.

The main technical changes compared to EN 1097-2:2010 are the following:

- All annexes are presented in the Scope.
- The definition of LA_{RR} has been added in Clause 3.
- Reference to the test sieves in Annex B has been added in Table 1.
- Guard sieves are introduced in 4.1 General apparatus.
- Figure 1 describing a typical Los Angeles testing machine has been modified.
- Notes with normative text have been transformed into main text (Note in 4.2.2.1, Note 3 in 5.2 and Note in 6.2.2).
- Explanations about ball load have been added as notes in 4.2.2.2.
- The test procedure in 5.3 has been clarified.
- The texts about masses in 6.2.4 and 6.3.4 have been clarified.
- Annex A is completed to contain full text, not only the clauses expressing additions or modifications to main text clauses.
- The text about ball load in A.1.2.2 has been completed.
- The test procedure for aggregates for railway ballast has been completed (A.2.3).
- Formula (A.1) has been changed.
- The test report content has been adopted to the current rules (5.5, 6.5, A.2.5 and A.3.5).
- The principle and the test procedure for impact test of aggregates for railway ballast have been completed (A.3.1 and A.3.3).
- Annex B has been modified to include both LA test and impact test and is completed with alternative narrow range classifications for the impact test.

- The texts about determination of impact effect have been removed (D.3.2, D.4.7 and the last point of the checklist in D.2).
- A new Annex H with an additional sieve for evaluation of the Los Angeles test for railway ballast is added.
- The Bibliography is supplemented.
- All references (except for the normative) are dated.

This European standard forms part of a series of tests for mechanical and physical properties of aggregates. Test methods for other properties of aggregates are covered by the following European standards:

- EN 932, Tests for general properties of aggregates
- EN 933, Tests for geometrical properties of aggregates
- EN 1367, Tests for thermal and weathering properties of aggregates
- EN 1744, Tests for chemical properties of aggregates
- EN 13179, Tests for filler aggregate used in bituminous mixtures

EN 1097 consists of the following parts, under the general title *Tests for mechanical and physical properties of aggregates*:

- Part 1: Determination of the resistance to wear (micro-Deval)
- Part 3: Determination of loose bulk density and voids
- Part 4: Determination of the voids of dry compacted filler
- Part 5: Determination of the water content by drying in a ventilated oven
- Part 6: Determination of particle density and water absorption
- Part 7: Determination of the particle density of filler Pyknometer method
- Part 8: Determination of the polished stone value
- Part 9: Method for the determination of the resistance to wear by abrasion from studded tyres — Nordic test
- Part 10: Water suction height
- Part 11: Determination of compressibility and confined compressive strength of lightweight aggregates

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom

1 Scope

This document describes the reference method, the Los Angeles test, used for type testing and in case of dispute (and an alternative method, the impact test) for determining the resistance to fragmentation of coarse aggregates (main text) and aggregates for railway ballast (Annex A). For other purposes, in particular factory production control, other methods are possible provided that an appropriate working relationship with the reference method has been established.

This document applies to natural, manufactured or recycled aggregates used in building and civil engineering.

Annex A describes a method for the determination of resistance to fragmentation of aggregates for railway ballast.

Annex B gives alternative narrow range classifications for the Los Angeles test and the impact test.

Annex C contains construction, operation and safety requirements for the impact tester.

Annex D describes a method for checking of the impact tester.

Annex E gives precision data.

Annex F contains a worked example of calculation of impact value SZ.

Annex G gives an alternative narrow range classification for the Los Angeles test of 16/32 mm recycled aggregates.

Annex H proposes an additional sieve for the evaluation of the Los Angeles test for railway ballast.

Annex A is normative and Annexes B to H are informative.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 932-2, Tests for general properties of aggregates — Part 2: Methods for reducing laboratory samples

EN 932-5, Tests for general properties of aggregates — Part 5: Common equipment and calibration

EN 933-1, Tests for geometrical properties of aggregates — Part 1: Determination of particle size distribution — Sieving method

EN 933-2, Tests for geometrical properties of aggregates — Part 2: Determination of particle size distribution — Test sieves, nominal size of apertures

EN 1097-6, Tests for mechanical and physical properties of aggregates — Part 6: Determination of particle density and water absorption

EN 10025-2:2004, Hot rolled products of structural steels — Part 2: Technical delivery conditions for non-alloy structural steels