

Magnetic materials - Part 7: Method of measurement of the coercivity (up to 160 kA/m) of magnetic materials in an open magnetic circuit

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 60404-7:2020 sisaldab Euroopa standardi EN IEC 60404-7:2020 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 60404-7:2020 consists of the English text of the European standard EN IEC 60404-7:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.04.2020.	Date of Availability of the European standard is 24.04.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 17.220.20, 29.030

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Magnetic materials - Part 7: Method of measurement of the
coercivity (up to 160 kA/m) of magnetic materials in an open
magnetic circuit
(IEC 60404-7:2019)**

Matériaux magnétiques - Partie 7: Méthode de mesure de
la coercitivité (jusqu'à 160 kA/m) des matériaux
magnétiques en circuit magnétique ouvert
(IEC 60404-7:2019)

Magnetische Materialien - Teil 7: Verfahren zur Messung
der Koerzitivfeldstärke (bis 160 kA/m) von magnetischen
Werkstoffen in einem offenen Magnetkreis
(IEC 60404-7:2019)

This European Standard was approved by CENELEC on 2019-02-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 68/596/CDV, future edition 2 of IEC 60404-7, prepared by IEC/TC 68 "Magnetic alloys and steels" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60404-7:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-10-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-04-24

This document supersedes EN 10330:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60404-7:2019 was approved by CENELEC as a European Standard without any modification.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
4 Principle of the method.....	7
5 Test specimen	8
6 Solenoid	8
7 Compensation for the earth's magnetic field and static and dynamic magnetic noise fields	8
8 Magnetic shielding of the measurement region	8
9 Measurement.....	8
9.1 Magnetization	8
9.2 Measuring methods.....	9
9.2.1 General	9
9.2.2 Method A.....	9
9.2.3 Method B.....	10
9.3 Determination of coercivity.....	11
9.4 Reproducibility	12
10 Test report.....	13
Annex A (normative) Precautions to be taken for measurements of coercivity below 40 A/m, with a complex shaped test specimen and some special cases	14
A.1 Coercivity below 40 A/m.....	14
A.2 Coercivity measurement of test specimens with complex shapes	14
A.3 Optimization of the amplitude and time of the magnetizing cycle for a test specimen of soft magnetic material	14
A.4 Mechanical stress and heating of the test specimen in the solenoid	14
Annex B (informative) Method C with a VSM (Vibrating Sample Magnetometer).....	15
Bibliography.....	17
Figure 1 – Demagnetizing $B(H)$ and $J(H)$ curves from saturation	6
Figure 2 – Circuit diagram for Methods A and B	7
Figure 3 – Method A, magnetic flux sensing probe: Hall probe	9
Figure 4 – Method A, magnetic flux sensing probe: differential fluxgate probe	10
Figure 5 – Method B, magnetic flux sensing probe: differential fluxgate probe	11
Figure 6 – Magnetic polarisation J over the length L of a cylindrical rod	12
Figure B.1 – Schematic diagram of Method C with a VSM.....	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MAGNETIC MATERIALS –**Part 7: Method of measurement of the coercivity (up to 160 kA/m) of magnetic materials in an open magnetic circuit****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60404-9 has been prepared by IEC technical committee 68: Magnetic alloys and steels.

This second edition cancels and replaces the first published in 1982. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clause 1: The scope includes a more detailed description of the magnetic materials which applies to this standard;
- b) Clause 4: Figure 2 – circuit diagram for methods A and B was simplified and the fluxgate probes inside the solenoid have been added;
- c) Clause 7: Compensation for the earth's magnetic field and for static and dynamic magnetic noise fields has been added;

- d) Clause 8: Magnetic shielding of the measuring region has been added;
- e) 9.2.2: The measuring methods for local and integral measurement of the flux in the test specimen have been separated and the limitations in size and shape of the test specimen have been considered.
- f) 9.3: The method C with a VSM (Vibrating Sample Magnetometer) has been moved from 9.3 to the Annex B.
- g) The term "complex shaped test specimen" has been replaced in several clauses by "test specimen different from ellipsoids".
- h) The character of Annex A has been changed from "informative" to "normative".

The text of this International Standard is based on the following documents:

CDV	Report on voting
68/596/CDV	68/608A/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60404 series, published under the general title *Magnetic materials*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

MAGNETIC MATERIALS –

Part 7: Method of measurement of the coercivity (up to 160 kA/m) of magnetic materials in an open magnetic circuit

1 Scope

This part of IEC 60404 specifies a method of measurement of the coercivity of magnetic materials in an open magnetic circuit.

This document is applicable to all magnetic materials with coercivities from 0,2 A/m to 160 kA/m.

NOTE Examples of magnetic materials covered by this document are amorphous alloys, nanocrystalline alloys, all softmagnetic crystalline materials (e.g. Fe, FeSi-, CoFe- and FeNi-alloys), soft ferrites, hard metals, semi-hard magnetic alloys (e.g. FeCoTiAl-, FeCoV-, FeCrCo- and AlNiCo-alloys) [1]¹.

Special precautions are to be taken in measuring coercivities below 40 A/m, in materials with high conductivity and in test specimens which have a shape different from ellipsoids (see Annex A).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

There are no normative references in this document.

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

coercivity H_{cJ}

value of the coercive field strength in a material when the magnetic flux density, magnetic polarization or magnetization is brought from saturation by a monotonically changing magnetic field to zero

Note 1 to entry: The parameter that is varied should be stated, and the appropriate symbol used as follows: H_{cB} for the coercivity relating to the magnetic flux density, H_{cJ} for the coercivity relating to the magnetic polarization, H_{cM} for the coercivity relating to the magnetization. The first two symbols supersede H_{cB} and H_{cJ} respectively.

¹ Numbers in square brackets refer to the Bibliography.