

Geographic information - Geography Markup Language
(GML) - Part 1: Fundamentals (ISO 19136-1:2020)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN ISO 19136-1:2020 sisaldab Euroopa standardi EN ISO 19136-1:2020 ingliskeelset teksti. | This Estonian standard EVS-EN ISO 19136-1:2020 consists of the English text of the European standard EN ISO 19136-1:2020. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.04.2020. | Date of Availability of the European standard is 15.04.2020. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 35.240.70

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**Geographic information - Geography Markup Language
(GML) - Part 1: Fundamentals (ISO 19136-1:2020)**

Information géographique - Langage de balisage en
géographie (GML) - Partie 1: Principes de base (ISO
19136-1:2020)

Geoinformation - Geography Markup Language (GML) -
Teil 1 (ISO 19136-1:2020)

This European Standard was approved by CEN on 14 April 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 19136-1:2020) has been prepared by Technical Committee ISO/TC 211 "Geographic information/Geomatics" in collaboration with Technical Committee CEN/TC 287 "Geographic Information" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020, and conflicting national standards shall be withdrawn at the latest by October 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 19136:2009.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19136-1:2020 has been approved by CEN as EN ISO 19136-1:2020 without any modification.

Contents

Page

| | |
|--|------------|
| Foreword | x |
| Introduction | xii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms, definitions, symbols and abbreviated terms | 2 |
| 3.1 Terms and definitions | 2 |
| 3.2 Abbreviated terms | 9 |
| 4 Conformance | 10 |
| 4.1 Conformance requirements | 10 |
| 4.2 Conformance classes related to GML application schemas | 10 |
| 4.3 Conformance classes related to GML profiles | 11 |
| 4.4 Conformance classes related to GML documents | 12 |
| 4.5 Conformance classes related to software implementations | 12 |
| 5 Conventions | 13 |
| 5.1 XML namespaces | 13 |
| 5.2 Versioning | 13 |
| 5.3 Deprecated parts of previous versions of GML | 13 |
| 5.4 UML notation | 13 |
| 5.5 XML Schema | 15 |
| 6 Overview of the GML schema | 15 |
| 6.1 GML schema | 15 |
| 6.2 GML application schemas | 15 |
| 6.3 Relationship between the ISO 19100 series of International Standards, the GML schema and GML application schemas | 16 |
| 6.4 Organization of this document | 17 |
| 6.5 Deprecated and experimental schema components | 18 |
| 7 GML schema — General rules and base schema components | 19 |
| 7.1 GML model and syntax | 19 |
| 7.1.1 GML instance documents | 19 |
| 7.1.2 Lexical conventions | 20 |
| 7.1.3 XML Schema definition of GML language | 20 |
| 7.2 gmlBase schema components | 21 |
| 7.2.1 Goals of base schema components | 21 |
| 7.2.2 Base objects | 21 |
| 7.2.3 GML properties | 22 |
| 7.2.4 Standard properties of GML objects | 27 |
| 7.2.5 Collections of GML objects | 27 |
| 7.2.6 Metadata | 28 |
| 8 GML schema — Xlinks and basic types | 31 |
| 8.1 Xlinks — Object associations and remote properties | 31 |
| 8.2 Basic types | 33 |
| 8.2.1 Overview | 33 |
| 8.2.2 Relationship with ISO 19103 | 33 |
| 8.2.3 Simple types | 33 |
| 8.2.4 Lists | 38 |
| 9 GML schema — Features | 40 |
| 9.1 General concepts | 40 |
| 9.2 Relationship with ISO 19109 | 40 |
| 9.3 Features | 41 |
| 9.3.1 AbstractFeatureType | 41 |
| 9.3.2 AbstractFeature | 41 |

| | | |
|-----------|--|-----------|
| 9.4 | Standard feature properties | 41 |
| 9.4.1 | boundedBy, BoundingShapeType, EnvelopeWithTimePeriod, EnvelopeWithTimePeriodType | 41 |
| 9.4.2 | locationName, locationReference | 42 |
| 9.4.3 | FeaturePropertyType, FeatureArrayPropertyType | 43 |
| 9.5 | Geometry properties | 43 |
| 9.6 | Topology properties | 44 |
| 9.7 | Temporal properties | 45 |
| 9.8 | Defining application-specific feature types | 46 |
| 9.9 | Feature collections | 47 |
| 9.9.1 | GML feature collections | 47 |
| 9.9.2 | AbstractFeatureMemberType and derived property types | 48 |
| 9.10 | Spatial reference system used in a feature or feature collection | 48 |
| 10 | GML schema — Geometric primitives | 49 |
| 10.1 | General concepts | 49 |
| 10.1.1 | Overview | 49 |
| 10.1.2 | Relationship with ISO 19107 | 49 |
| 10.1.3 | Abstract geometry | 50 |
| 10.1.4 | Coordinate geometry, vectors and envelopes | 52 |
| 10.2 | Abstract geometric primitives | 54 |
| 10.2.1 | AbstractGeometricPrimitiveType, AbstractGeometricPrimitive | 54 |
| 10.2.2 | GeometricPrimitivePropertyType | 55 |
| 10.3 | Geometric primitives (0-dimensional) | 55 |
| 10.3.1 | PointType, Point | 55 |
| 10.3.2 | PointPropertyType, pointProperty | 55 |
| 10.3.3 | PointArrayPropertyType, pointArrayProperty | 56 |
| 10.4 | Geometric primitives (1-dimensional) | 56 |
| 10.4.1 | AbstractCurveType, AbstractCurve | 56 |
| 10.4.2 | CurvePropertyType, curveProperty | 56 |
| 10.4.3 | CurveArrayPropertyType, curveArrayProperty | 57 |
| 10.4.4 | LineStringType, LineString | 57 |
| 10.4.5 | CurveType, Curve | 57 |
| 10.4.6 | OrientableCurveType, OrientableCurve, baseCurve | 58 |
| 10.4.7 | Curve segments | 58 |
| 10.5 | Geometric primitives (2-dimensional) | 67 |
| 10.5.1 | AbstractSurfaceType, AbstractSurface | 67 |
| 10.5.2 | SurfacePropertyType, surfaceProperty | 68 |
| 10.5.3 | SurfaceArrayPropertyType, surfaceArrayProperty | 68 |
| 10.5.4 | PolygonType, Polygon | 68 |
| 10.5.5 | exterior, interior | 68 |
| 10.5.6 | AbstractRingType, AbstractRing | 69 |
| 10.5.7 | AbstractRingPropertyType | 69 |
| 10.5.8 | LinearRingType, LinearRing | 69 |
| 10.5.9 | LinearRingPropertyType | 70 |
| 10.5.10 | SurfaceType, Surface | 70 |
| 10.5.11 | OrientableSurfaceType, OrientableSurface, baseSurface | 70 |
| 10.5.12 | Surface patches | 72 |
| 10.6 | Geometric primitives (3-dimensional) | 76 |
| 10.6.1 | AbstractSolidType, AbstractSolid | 76 |
| 10.6.2 | SolidPropertyType, solidProperty | 76 |
| 10.6.3 | SolidArrayPropertyType, solidArrayProperty | 77 |
| 10.6.4 | SolidType, Solid | 77 |
| 10.6.5 | ShellType, Shell | 77 |
| 10.6.6 | ShellPropertyType | 78 |
| 11 | GML schema — Geometric complex, geometric composites and geometric aggregates | 78 |
| 11.1 | Overview | 78 |
| 11.2 | Geometric complex and geometric composites | 79 |

| | | |
|-----------|--|------------|
| 11.2.1 | Geometric complex | 79 |
| 11.2.2 | Composite geometries | 79 |
| 11.3 | Geometric aggregates | 81 |
| 11.3.1 | Aggregates of unspecified dimensionality | 81 |
| 11.3.2 | 0-Dimensional aggregates | 82 |
| 11.3.3 | 1-Dimensional aggregates | 83 |
| 11.3.4 | 2-Dimensional aggregates | 84 |
| 11.3.5 | 3-Dimensional aggregates | 85 |
| 12 | GML schema — Coordinate reference systems schemas | 85 |
| 12.1 | Overview | 85 |
| 12.1.1 | General | 85 |
| 12.1.2 | Relationship with ISO 19111 | 86 |
| 12.1.3 | Important XML elements | 86 |
| 12.2 | Reference systems | 87 |
| 12.2.1 | Overview | 87 |
| 12.2.2 | IdentifiedObjectType | 88 |
| 12.2.3 | Abstract coordinate reference system | 88 |
| 12.3 | Coordinate reference systems | 89 |
| 12.3.1 | Overview | 89 |
| 12.3.2 | Abstract coordinate reference systems | 89 |
| 12.3.3 | Concrete coordinate reference systems | 90 |
| 12.4 | Coordinate systems | 96 |
| 12.4.1 | Overview | 96 |
| 12.4.2 | Coordinate system axes | 96 |
| 12.4.3 | Abstract coordinate system | 97 |
| 12.4.4 | Concrete coordinate systems | 98 |
| 12.5 | Datums | 103 |
| 12.5.1 | Overview | 103 |
| 12.5.2 | Abstract datum | 103 |
| 12.5.3 | Geodetic datum | 104 |
| 12.5.4 | Other concrete datums | 106 |
| 12.6 | Coordinate operations | 108 |
| 12.6.1 | Overview | 108 |
| 12.6.2 | Abstract coordinate operations | 109 |
| 12.6.3 | Concrete coordinate operations | 112 |
| 12.6.4 | Parameter values and groups | 115 |
| 12.6.5 | Operation method | 117 |
| 12.6.6 | Operation parameters and groups | 118 |
| 13 | GML schema — Topology | 120 |
| 13.1 | General concepts | 120 |
| 13.1.1 | Overview | 120 |
| 13.1.2 | Relationship with ISO 19107 | 120 |
| 13.2 | Abstract topology | 121 |
| 13.3 | Topological primitives | 121 |
| 13.3.1 | Abstract topological primitives | 121 |
| 13.3.2 | Topological primitives (0-dimensional) | 121 |
| 13.3.3 | Topological primitives (1-dimensional) | 122 |
| 13.3.4 | Topological primitives (2-dimensional) | 123 |
| 13.3.5 | Topological primitives (3-dimensional) | 124 |
| 13.4 | Topological collections | 125 |
| 13.4.1 | Topological collection (0-dimensional) | 125 |
| 13.4.2 | Topological collection (1-dimensional) | 126 |
| 13.4.3 | Topological collection (2-dimensional) | 126 |
| 13.4.4 | Topological collection (3-dimensional) | 127 |
| 13.5 | Topology complex | 127 |
| 13.5.1 | TopoComplexType, TopoComplex | 127 |
| 13.5.2 | Maximal, sub- and super-complexes | 128 |

| | | |
|-----------|--|------------|
| 13.5.3 | topoPrimitiveMember | 128 |
| 13.5.4 | topoPrimitiveMembers | 128 |
| 13.5.5 | TopoComplexPropertyType, topoComplexProperty | 128 |
| 14 | GML schema — Temporal information and dynamic features | 129 |
| 14.1 | General concepts | 129 |
| 14.1.1 | Overview | 129 |
| 14.1.2 | Relationship with ISO 19108 | 130 |
| 14.2 | Temporal schema | 130 |
| 14.2.1 | Abstract temporal objects | 130 |
| 14.2.2 | Temporal geometry | 132 |
| 14.3 | Temporal topology schema | 137 |
| 14.3.1 | General | 137 |
| 14.3.2 | Temporal topology objects | 137 |
| 14.4 | Temporal reference systems | 140 |
| 14.4.1 | Overview | 140 |
| 14.4.2 | Basic temporal reference system, TimeReferenceSystem | 140 |
| 14.4.3 | TimeCoordinateSystem | 141 |
| 14.4.4 | Calendars and clocks | 142 |
| 14.4.5 | Ordinal temporal reference systems | 144 |
| 14.5 | Representing dynamic features | 146 |
| 14.5.1 | Overview | 146 |
| 14.5.2 | dataSource | 146 |
| 14.5.3 | Dynamic properties | 147 |
| 14.5.4 | DynamicFeature | 147 |
| 14.5.5 | DynamicFeatureCollection | 147 |
| 14.5.6 | AbstractTimeSlice | 148 |
| 14.5.7 | history | 149 |
| 15 | GML schema — Definitions and dictionaries | 150 |
| 15.1 | Overview | 150 |
| 15.2 | Dictionary schema | 151 |
| 15.2.1 | Definition, DefinitionType, remarks | 151 |
| 15.2.2 | Dictionary, DictionaryType | 151 |
| 15.2.3 | dictionaryEntry, DictionaryEntryType | 152 |
| 15.2.4 | Using definitions and dictionaries | 152 |
| 16 | GML schema — Units, measures and values | 153 |
| 16.1 | Introduction | 153 |
| 16.2 | Units schema | 154 |
| 16.2.1 | Overview | 154 |
| 16.2.2 | Using unit definitions | 154 |
| 16.2.3 | unitOfMeasure, UnitOfMeasureType | 154 |
| 16.2.4 | UnitDefinition, UnitDefinitionType | 155 |
| 16.2.5 | quantityType, quantityTypeReference | 155 |
| 16.2.6 | catalogSymbol | 155 |
| 16.2.7 | BaseUnit, BaseUnitType, unitsSystem | 155 |
| 16.2.8 | DerivedUnit, DerivedUnitType | 156 |
| 16.2.9 | derivationUnitTerms, DerivationUnitTermType | 156 |
| 16.2.10 | ConventionalUnit, ConventionalUnitType | 156 |
| 16.2.11 | conversionToPreferredUnit, roughConversionToPreferredUnit, ConversionToPreferredUnitType, FormulaType | 157 |
| 16.2.12 | Example of units dictionary <informative> | 158 |
| 16.3 | Measures schema | 159 |
| 16.3.1 | Overview | 159 |
| 16.3.2 | measure | 159 |
| 16.3.3 | Scalar measure types | 159 |
| 16.3.4 | angle | 160 |
| 16.4 | Value objects schema | 160 |
| 16.4.1 | Introduction | 160 |

| | | |
|-----------|--|------------|
| 16.4.2 | Value element hierarchy | 160 |
| 16.4.3 | Boolean, BooleanList | 161 |
| 16.4.4 | Category, CategoryList | 161 |
| 16.4.5 | Count, CountList | 162 |
| 16.4.6 | Quantity, QuantityList | 162 |
| 16.4.7 | AbstractValue, AbstractScalarValue, AbstractScalarValueList | 163 |
| 16.4.8 | Value | 163 |
| 16.4.9 | valueProperty, valueComponent, valueComponents | 163 |
| 16.4.10 | CompositeValue | 164 |
| 16.4.11 | ValueArray | 165 |
| 16.4.12 | Typed ValueExtents: CategoryExtent, CountExtent, QuantityExtent | 166 |
| 16.4.13 | BooleanPropertyType, CategoryPropertyType, CountPropertyType, QuantityPropertyType | 167 |
| 17 | GML schema — Directions | 167 |
| 17.1 | Direction schema | 167 |
| 17.2 | direction, DirectionPropertyType | 167 |
| 17.3 | DirectionVectorType | 167 |
| 17.4 | DirectionDescriptionType | 168 |
| 18 | GML schema — Observations | 169 |
| 18.1 | Observations | 169 |
| 18.2 | Observation schema | 169 |
| 18.2.1 | Overview | 169 |
| 18.2.2 | Observation | 169 |
| 18.2.3 | using | 170 |
| 18.2.4 | target | 170 |
| 18.2.5 | resultOf | 171 |
| 18.2.6 | DirectedObservation | 171 |
| 18.2.7 | DirectedObservationAtDistance | 172 |
| 19 | GML schema — Coverages | 173 |
| 19.1 | The coverage model and representations | 173 |
| 19.1.1 | General remarks | 173 |
| 19.1.2 | Formal description of a coverage | 174 |
| 19.1.3 | Coverage in GML | 174 |
| 19.1.4 | Relationship with ISO 19123 | 175 |
| 19.2 | Grids schema | 175 |
| 19.2.1 | Overview | 175 |
| 19.2.2 | Grid | 175 |
| 19.2.3 | RectifiedGrid | 176 |
| 19.3 | Coverage schema | 178 |
| 19.3.1 | AbstractCoverageType, AbstractCoverage | 178 |
| 19.3.2 | DiscreteCoverageType, AbstractDiscreteCoverage | 178 |
| 19.3.3 | AbstractContinuousCoverageType, AbstractContinuousCoverage | 178 |
| 19.3.4 | domainSet, DomainSetType | 179 |
| 19.3.5 | rangeSet, RangeSetType | 179 |
| 19.3.6 | DataBlock | 180 |
| 19.3.7 | rangeParameters | 180 |
| 19.3.8 | tupleList | 180 |
| 19.3.9 | doubleOrNilReasonTupleList | 181 |
| 19.3.10 | File, FileType | 181 |
| 19.3.11 | coverageFunction, CoverageFunctionType | 182 |
| 19.3.12 | CoverageMappingRule | 183 |
| 19.3.13 | GridFunction, GridFunctionType | 184 |
| 19.3.14 | sequenceRule, SequenceRuleType, SequenceRuleEnumeration | 184 |
| 19.3.15 | Specific Coverage Types in GML | 185 |
| 19.3.16 | MultiPointCoverage | 185 |
| 19.3.17 | MultiCurveCoverage | 186 |
| 19.3.18 | MultiSurfaceCoverage | 187 |

| | | |
|-----------|--|------------|
| | 19.3.19 MultiSolidCoverage..... | 189 |
| | 19.3.20 GridCoverage..... | 189 |
| | 19.3.21 RectifiedGridCoverage..... | 190 |
| 20 | Profiles..... | 191 |
| 20.1 | Profiles of GML and application schemas..... | 191 |
| 20.2 | Definition of profile..... | 191 |
| 20.3 | Relation to application schema..... | 191 |
| 20.4 | Rules for elements and types in a profile..... | 192 |
| 20.5 | Rules for referencing GML profiles from application schemas..... | 192 |
| 20.6 | Recommendations for application schemas using GML profiles..... | 193 |
| 20.7 | Summary of rules for GML profiles..... | 193 |
| 21 | Rules for GML application schemas..... | 194 |
| 21.1 | Instances of GML objects..... | 194 |
| 21.1.1 | GML documents..... | 194 |
| 21.1.2 | GML object elements in other XML documents..... | 194 |
| 21.2 | GML application schemas..... | 194 |
| 21.2.1 | General..... | 194 |
| 21.2.2 | Target namespace..... | 196 |
| 21.2.3 | Import GML schema..... | 196 |
| 21.2.4 | Object type derivation..... | 196 |
| 21.2.5 | Elements representing objects..... | 196 |
| 21.2.6 | Property type derivation..... | 196 |
| 21.2.7 | Elements representing properties..... | 197 |
| 21.3 | Schemas defining Features and Feature Collections..... | 197 |
| 21.3.1 | General..... | 197 |
| 21.3.2 | Import GML schema components..... | 197 |
| 21.3.3 | Elements representing features..... | 198 |
| 21.3.4 | Application features are features..... | 198 |
| 21.4 | Schemas defining spatial geometries..... | 198 |
| 21.4.1 | Import GML geometry schema components..... | 198 |
| 21.4.2 | User-defined geometry types and geometry property types..... | 198 |
| 21.5 | Schemas defining spatial topologies..... | 199 |
| 21.5.1 | Import GML topology schema components..... | 199 |
| 21.5.2 | User-defined topology types and topology property types..... | 200 |
| 21.6 | Schemas defining time..... | 200 |
| 21.6.1 | Import GML temporal schema components..... | 200 |
| 21.6.2 | User-defined temporal types and temporal property types..... | 200 |
| 21.7 | Schemas defining coordinate reference systems..... | 201 |
| 21.7.1 | General..... | 201 |
| 21.7.2 | Import GML coordinate reference system schema components..... | 202 |
| 21.8 | Schemas defining coverages..... | 202 |
| 21.8.1 | General..... | 202 |
| 21.8.2 | Import GML coverage schema components..... | 202 |
| 21.8.3 | User-defined coverage types..... | 202 |
| 21.8.4 | Range parameters shall be substitutable for AbstractValue..... | 202 |
| 21.8.5 | Coverage document..... | 203 |
| 21.9 | Schemas defining observations..... | 203 |
| 21.9.1 | General..... | 203 |
| 21.9.2 | Import GML observation schema components..... | 203 |
| 21.9.3 | User-defined observation types..... | 204 |
| 21.9.4 | Observation collections..... | 204 |
| 21.9.5 | Observations are features..... | 204 |
| 21.9.6 | Observation collection document..... | 204 |
| 21.10 | Schemas defining dictionaries and definitions..... | 204 |
| 21.10.1 | General..... | 204 |
| 21.10.2 | Import GML dictionary schema components..... | 204 |
| 21.10.3 | User-defined definition types..... | 204 |

| | | |
|---------------------|---|------------|
| 21.10.4 | User-defined dictionary types..... | 205 |
| 21.11 | Schemas defining values..... | 205 |
| 21.11.1 | General..... | 205 |
| 21.11.2 | Import GML value objects schema components..... | 205 |
| 21.11.3 | Construction of new value types..... | 205 |
| 21.12 | GML profiles of the GML schema..... | 205 |
| Annex A | (normative) Abstract test suites for GML application schemas, GML profiles and GML documents | 208 |
| Annex B | (normative) Abstract test suite for software implementations..... | 222 |
| Annex C | (informative) GML schema..... | 226 |
| Annex D | (normative) Implemented profile of the ISO 19100 series of International Standards and extensions..... | 228 |
| Annex E | (normative) UML-to-GML application schema encoding rules..... | 289 |
| Annex F | (normative) GML-to-UML application schema encoding rules..... | 308 |
| Annex G | (informative) Guidelines for subsetting the GML schema..... | 317 |
| Annex H | (informative) Default styling..... | 329 |
| Annex I | (informative) Backwards compatibility with earlier versions of GML..... | 339 |
| Annex J | (informative) Modularization and dependencies..... | 355 |
| Bibliography | | 357 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This first edition of ISO 19136-1 cancels and replaces ISO 19136:2007 which has been technically revised.

The main changes compared to the previous edition are as follows:

- The Geography Markup Language (GML) was originally developed within the Open Geospatial Consortium, Inc. (OGC). ISO 19136 was prepared by ISO/TC 211 jointly with the OGC. This edition of this document is a revision to GML 3.2.1 (ISO 19136:2007). It addresses the OGC Change Request 12-092 (gml:id attribute on LinearRing) by applying the following changes:
 - the XML attribute gml:id in gml:AbstractGMLType has been made optional;
 - the elements gml:AbstractRing and gml:Shell have been added to the substitutionGroups gml:AbstractCurve and gml:AbstractSurface respectively;
 - the types gml:AbstractRingType and gml:ShellType are now extended from base types gml:AbstractCurveType and gml:AbstractSurfaceType respectively;

These changes correct inconsistencies with ISO 19107 without breaking the validity of instance documents created using the GML 3.2.1 schema. i.e. all GML 3.2 instance documents that are valid against the GML 3.2.1 schema are also valid against the GML 3.2.2 schema.

The corrected GML 3.2 schema is available at <http://schemas.opengis.net/gml/3.2.1/>. Note that the use of "3.2.1" in the URL is unchanged since this version (3.2.2) replaces the GML 3.2.1 schema. Previous versions of the GML 3.2.1 schema are available at http://schemas.opengis.net/gml/gml-3_2_1.zip.

The change to the gml:id attribute reverts a change that has been made between GML 3.1.1 and GML 3.2.1. Reverting this change also addresses comments raised by several communities since the release of GML 3.2.1 / ISO 19136:2007.

As the correction relaxes a constraint in the XML schema, not all instance documents created based on the GML 3.2.2 schema will be valid against the GML 3.2.1 schema:

- all GML 3.2 instance documents that include a gml:id attribute on a ring or shell element are not valid against the GML 3.2.1 schema;
- all GML 3.2 instance documents that include a feature, a spatial object or a temporal object without a gml:id attribute are not valid against the GML 3.2.1 schema.

Local copies of the GML 3.2.1 schema documents have to be replaced by the GML 3.2.2 schema documents – or be replaced by links to <http://schemas.opengis.net/gml/3.2.1/gml.xsd>.

- URIs have been updated, mainly in examples, where OGC policies have changed since the release of GML 3.2.1 (location of the Xlink schema document, use of OGC HTTP URIs for coordinate reference systems).
- The reference to the normative schema documents in [Annex C](#) now refers to the OGC schema repository. Previously, copies of the GML schema were also published on ISO servers, but the schema documents were not always synchronized. Going forward, all references to the normative GML schema document should go to <http://schemas.opengis.net/gml/>.

A list of all parts in the ISO 19136 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Geography Markup Language (GML) is an XML grammar written in XML Schema for the description of application schemas as well as the transport and storage of geographic information.

The key concepts used by GML to model the world are drawn from the ISO 19100 series of International Standards and the OpenGIS Abstract Specification.

A feature is an “abstraction of real world phenomena” (ISO 19101); it is a geographic feature if it is associated with a location relative to the Earth so a digital representation of the real world may be thought of as a set of features. The state of a feature is defined by a set of properties, where each property may be thought of as a {name, type, value} triple.

The number of properties a feature may have, together with their names and types, is determined by its type definition. Geographic features with geometry are those with properties that may be geometry-valued. A feature collection is a collection of features that may itself be regarded as a feature; as a consequence a feature collection has a feature type and thus may have distinct properties of its own, in addition to the features it contains.

Following ISO 19109, the feature types of an application or application domain is usually captured in an application schema. A GML application schema is specified in XML Schema and can be constructed in two different and alternative ways:

- by adhering to the rules specified in ISO 19109 for application schemas in UML, and conforming to both the constraints on such schemas and the rules for mapping them to GML application schemas specified in this document;
- by adhering to the rules for GML application schemas specified in this document for creating a GML application schema directly in XML Schema.

Both ways are supported by this document. To ensure proper use of the conceptual modelling framework of the ISO 19100 series of International Standards, all application schemas are expected to be modelled in accordance with the General Feature Model as specified in ISO 19109. Within the ISO 19100 series, UML is the preferred language by which to model conceptual schemas.

GML specifies XML encodings, conformant with ISO 19118, of several of the conceptual classes defined in the ISO 19100 series of International Standards and the OpenGIS Abstract Specification. These conceptual models include those defined in:

- ISO/TS 19103 — Conceptual schema language (units of measure, basic types);
- ISO 19107 — Spatial schema (geometry and topology objects);
- ISO 19108 — Temporal schema (temporal geometry and topology objects, temporal reference systems);
- ISO 19109 — Rules for application schemas (features);
- ISO 19111 — Spatial referencing by coordinates (coordinate reference systems);
- ISO 19123 — Schema for coverage geometry and functions.

The aim is to provide a standardized encoding (i.e. a standardized implementation in XML) of types specified in the conceptual models specified by the International Standards listed above. If every application schema were encoded independently and the encoding process included the types from, for example, ISO 19108, then, without unambiguous and completely fixed encoding rules, the XML encodings would be different. Also, since every implementation platform has specific strengths and weaknesses, it is helpful to standardize XML encodings for core geographic information concepts modelled in the ISO 19100 series of International Standards and commonly used in application schemas.

In many cases, the mapping from the conceptual classes is straightforward, while in some cases the mapping is more complex (a detailed description of the mapping is part of this document).

In addition, GML provides XML encodings for additional concepts not yet modelled in the ISO 19100 series of International Standards or the OpenGIS Abstract Specification, for example, dynamic features, simple observations or value objects.

Predefined types of geographic features in GML include coverages and simple observations.

A coverage is a subtype of feature that has a coverage function with a spatiotemporal domain and a value set range of homogeneous 1- to n -dimensional tuples. A coverage may represent one feature or a collection of features “to model and make visible spatial relationships between, and the spatial distribution of, Earth phenomena” (OGC Abstract Specification Topic 6^[18]) and a coverage “acts as a function to return values from its range for any direct position within its spatiotemporal domain” (ISO 19123).

An observation models the act of observing, often with a camera or some other procedure, a person or some form of instrument (Merriam-Webster Dictionary: “an act of recognizing and noting a fact or occurrence often involving measurement with instruments”). An observation is considered to be a GML feature with a time at which the observation took place, and with a value for the observation.

A reference system provides a scale of measurement for assigning values to a position, time or other descriptive quantity or quality.

A coordinate reference system consists of a set of coordinate system axes that is related to the Earth through a datum that defines the size and shape of the Earth.

A temporal reference system provides standard units for measuring time and describing temporal length or duration.

A reference system dictionary provides definitions of reference systems used in spatial or temporal geometries.

Spatial geometries are the values of spatial feature properties. They indicate the coordinate reference system in which their measurements have been made. The “parent” geometry element of a geometric complex or geometric aggregate makes this indication for its constituent geometries.

Temporal geometries are the values of temporal feature properties. Like their spatial counterparts, temporal geometries indicate the temporal reference system in which their measurements have been made.

Spatial or temporal topologies are used to express the different topological relationships between features.

A units of measure dictionary provides definitions of numerical measures of physical quantities, e.g. length, temperature and pressure, and of conversions between units.

NOTE This document makes reference to ISO 19107:2003 and ISO 19111:2007 (withdrawn standards, replaced by 2019 versions) because this edition of ISO 19136-1 is still an XML implementation of the previous edition of ISO 19107 and other standards.

Geographic information — Geography Markup Language (GML) —

Part 1: Fundamentals

1 Scope

The Geography Markup Language (GML) is an XML encoding in accordance with ISO 19118 for the transport and storage of geographic information modelled in accordance with the conceptual modelling framework used in the ISO 19100 series of International Standards and including both the spatial and non-spatial properties of geographic features.

This document defines the XML Schema syntax, mechanisms and conventions that:

- provide an open, vendor-neutral framework for the description of geospatial application schemas for the transport and storage of geographic information in XML;
- allow profiles that support proper subsets of GML framework descriptive capabilities;
- support the description of geospatial application schemas for specialized domains and information communities;
- enable the creation and maintenance of linked geographic application schemas and datasets;
- support the storage and transport of application schemas and datasets;
- increase the ability of organizations to share geographic application schemas and the information they describe.

Implementers can decide to store geographic application schemas and information in GML, or they can decide to convert from some other storage format on demand and use GML only for schema and data transport.

NOTE If an ISO 19109 conformant application schema described in UML is used as the basis for the storage and transportation of geographic information, this document provides normative rules for the mapping of such an application schema to a GML application schema in XML Schema and, as such, to an XML encoding for data with a logical structure in accordance with the ISO 19109 conformant application schema.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8601-1, *Date and time — Representations for information interchange — Part 1: Basic rules*

ISO/IEC 11404:2007, *Information technology — General-Purpose Datatypes (GPD)*

ISO 19108:2002, *Geographic information — Temporal schema*

ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*

ISO/IEC 19757-3, *Information technology — Document Schema Definition Languages (DSDL) — Part 3: Rule-based validation — Schematron*

ISO 80000-3, *Quantities and units — Part 3: Space and time*

IETF RFC 2396, *Uniform Resource Identifiers (URI): Generic Syntax (August 1998)*

W3C XLink, XML Linking Language (XLink) Version 1.1, W3C Recommendation (6 May 2010)

W3C XML, Extensible Markup Language (XML) 1.0 (Fifth Edition), W3C Recommendation (26 November 2008)

W3C XML Namespaces, Namespaces in XML 1.0 (Third Edition), W3C Recommendation (8 December 2009)

W3C XML Schema Part 1, XML Schema Part 1: Structures, W3C Recommendation (28 October 2004)

W3C XML Schema Part 2, XML Schema Part 2: Datatypes, W3C Recommendation (28 October 2004)

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1.1 application schema

conceptual *schema* ([3.1.52](#)) for data required by one or more applications

[SOURCE: ISO 19101-1:2014, 4.1.2]

3.1.2 association

<UML> semantic relationship that can occur between typed instances

[SOURCE: ISO 19103:2015, 4.4, modified — Note 1 to entry has been deleted.]

3.1.3 attribute

<XML> name-value pair contained in an *element* ([3.1.23](#))

Note 1 to entry: In this document an attribute is an XML attribute unless otherwise specified. The syntax of an XML attribute is "Attribute::= Name = AttValue". An attribute typically acts as an XML element modifier (e.g. <Road gml:id = "r1" />; here gml:id is an attribute).

3.1.4 boundary

set that represents the limit of an entity

[SOURCE: ISO 19107:2019, 3.6, modified — Note 1 to entry has been deleted.]

3.1.5 child element

<XML> immediate descendant *element* of an *element* ([3.1.23](#))