EESTI STANDARD EVS-EN 10372:2020

Quality tracking system for flat steel products using barcode - Printing, reading and information processing

This document is a preview generated by EVS

EESTI STANDARDIKESKUS
ESTONIAN CENTRE FOR STANDARDISATION

EESTI STANDARDI EESSÕNA	NATIONAL FOREWORD
See Eesti standard EVS-EN 10372:2020 sisaldab Euroopa standardi EN 10372:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 10372:2020 consists of the English text of the European standard EN 10372:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 22.04.2020.	Date of Availability of the European standard is 22.04.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 35.040.50, 77.140.50

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

This document is a preview generated by EVS

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 10372

April 2020

ICS 35.040.50; 77.140.50

English Version

Quality tracking system for flat steel products using barcode - Printing, reading and information processing

Système de suivi de la qualité des produits plats en acier utilisant des codes barres - Marquage, lecture et traitement de l'information

Qualitätsverfolgungssystem für Flachstahlprodukte mittels Barcode - Druck, Erfassung und Informationsverarbeitung

This European Standard was approved by CEN on 16 January 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 10372:2020 E

This document is a preview generated by EVS

Contents

Page

European foreword 3
1 Scope 4
2 Normative references 4
3 Terms and definitions 5
4 Abbreviations 6
5 Principle 7
6 Requirements 9
6.1 Definition of the 1D barcode 9
6.2 Compact data carrier (CDC) 11
6.2.1 General 11
6.2.2 Transfer of the compact data carrier to the user 13
6.3 Barcode reading unit (BRU) 13
7 Information to be supplied by the steel user 14
7.1 Mandatory information 14
7.2 Options 14
8 Verification of the printed 1D barcode 14
9 Reporting of the results 14
Annex A (informative) Barcode attribution 15
Annex B (informative) Example of the content of the Compact Data Carrier (CDC) 16
Bibliography 18

This document is a preview generated by EVS

European foreword

This document (EN 10372:2020) has been prepared by Technical Committee CEN/TC 459 "ECISS - European Committee for Iron and Steel Standardization[1]", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2020 and conflicting national standards shall be withdrawn at the latest by October 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

This document is a preview generated by EVS

[1] Through its subcommittee SC 9 "Coated and uncoated flat products to be used for cold forming" (secretariat: AFNOR).

1 Scope

This document specifies a method using a barcoding system for tracing isolated defects that can be present in the following kinds of coated or uncoated steel flat products, for example:

— electro-galvanised surface;

— galvanised surface;

— galvannealed surface;

— cold rolled surface.

This method, named "quality tracking", aims to transfer additional material information to steel users, in particular the location of some isolated defects, in a reliable way. This method enables the manufacturer or purchaser to remove blanks or coils containing defects.

The method uses a 1D barcode to identify each section of steel strip.

NOTE 1 The stakeholders most involved in this technique are suppliers of steel flat products, car makers, appliance makers, part manufacturers, blanking line builders, steel processors, service centres, etc. All stakeholders can benefit from this project since defects can be traced, and, therefore, the steel containing defects can be eliminated or set apart from the production line.

NOTE 2 In the first stages of development, this method was called "defect tracking" (see [3]) and has been changed into "quality tracking" at the beginning of the standardization process.

NOTE 3 Quality tracking can be applied to other types of coated or uncoated steel flat products such as pickled and oiled, organic coated, and steels for packaging. Quality tracking can be applied to coiled materials for which the technology of quality tracking is applicable.

NOTE 4 If quality tracking data are used outside of the purpose of quality tracking, it is under the responsibility of the user.

NOTE 5 Quality tracking can be applied to other materials than steel.

NOTE 6 The way to collect the information to be transferred to the user is out of the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1556, *Bar coding - Terminology*

EN 10020:2000, *Definition and classification of grades of steel*

EN 10021:2006, *General technical delivery conditions for steel products*

EN 10079, *Definition of steel products*

EN 10204, *Metallic products - Types of inspection documents*

EN ISO/IEC 15416, *Information technology - Automatic identification and data capture techniques - Bar code print quality test specification - Linear symbols (ISO/IEC 15416)*

This document is a preview generated by EVS

ISO /IEC 15417:2007, *Information technology - Automatic identification and data capture techniques - Code 128 barcode symbology specification*

ISO/IEC 16022, *Information technology - Automatic identification and data capture techniques – Data Matrix bar code symbology specification*

3 Terms and definitions

For the purposes of this document the terms and definitions given in EN 10020:2000, EN 10021:2006, EN 10079, EN 10204, EN 1556, EN ISO/IEC 15416, ISO/IEC 15417, ISO IEC 16022 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

• IEC Electropedia: available at http://www.electropedia.org/

• ISO Online browsing platform: available at https://www.iso.org/obp

3.1
quality tracking
action of finding previously detected isolated defects in a steel strip at the blanking line of the steel user by printing a barcode on the strip at regular intervals aiming at sorting out of the supply chain the parts containing defects

3.2
barcode
array of parallel rectangular bars and spaces arranged according to the encoding rules of a particular symbol specification in order to represent data in machine readable form

Note 1 to entry: See EN 1556.

3.3
code 128C
specific barcode that is used to mark positions on steel strips according to this document

Note 1 to entry: See ISO/IEC 15417.

3.4
barcode reading unit
BRU
device used to capture the data encoded in a barcode symbol consisting of two parts

a) the scanner, an input device sending signals proportional to the reflectivity of each successive element of the symbol to the decoder, and

b) the decoder, examining the signals from the scanner to translate them into recognizable or computer-compatible data

Note 1 to entry: See EN 1556.

Note 2 to entry: The decoder itself is sometimes erroneously called a reader.

This document is a preview generated by EVS