

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Live working – Conductive clothing

Travaux sous tension – Vêtements conducteurs





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60895

Edition 3.0 2020-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Live working – Conductive clothing

Travaux sous tension – Vêtements conducteurs

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 13.260; 29.240.20; 29.260.01

ISBN 978-2-8322-8099-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	6
INTRODUCTION	8
1 Scope	9
2 Normative references	9
3 Terms and definitions	10
4 Requirements	12
4.1 General	12
4.2 Requirements for conductive clothing	12
4.2.1 Design	12
4.2.2 Classification	12
4.2.3 Integrity of the conductive clothing	12
4.2.4 Equipotential bonding	13
4.2.5 Screening efficiency	13
4.2.6 Spark-discharge protection	13
4.3 Mechanical requirements for the outer layer material	13
4.3.1 General	13
4.3.2 Tear resistance	13
4.3.3 Burst strength	13
4.3.4 Abrasion resistance	13
4.4 Requirements for material	13
4.4.1 General	13
4.4.2 Flame retardancy	14
4.4.3 Electrical resistance	14
4.4.4 Current-carrying capability	14
4.4.5 Shielding efficiency	14
4.4.6 Resistance to cleaning	14
4.5 Specific requirements for component parts	14
4.5.1 Conductive gloves, overshoe socks and socks	14
4.5.2 Conductive footwear	14
4.5.3 Conductive head cover, scarf and helmet	15
4.5.4 Conductive face screen	15
4.5.5 Requirements for garment – Electrical resistance	15
4.6 Marking	15
4.7 Packaging	16
4.8 Instructions for use	16
5 Tests	16
5.1 General	16
5.2 Mechanical tests for the outer layer material	17
5.2.1 Type test	17
5.2.2 Alternative method to mechanical test in cases where outer layer materials have completed the production phase	17
5.3 Tests of the material	17
5.3.1 General	17
5.3.2 Flame-retardancy test	17
5.3.3 Electrical resistance test	23
5.3.4 Current-carrying capability	26

5.3.5	Shielding efficiency.....	27
5.3.6	Resistance to cleaning.....	31
5.3.7	Spark-discharge protection	33
5.4	Tests of garment – Measurement of electrical resistance	34
5.4.1	General	34
5.4.2	Type test	34
5.4.3	Alternative method to electrical resistance test in cases where garments have completed the production phase.....	35
5.5	Tests of the complete conductive clothing	35
5.5.1	General	35
5.5.2	Integrity of the conductive clothing.....	35
5.5.3	Bonding test	35
5.5.4	Screening efficiency	36
5.6	Tests of the component parts.....	43
5.6.1	General	43
5.6.2	Type test	43
5.6.3	Alternative methods in cases where component parts have completed the production phase	51
5.7	Marking.....	51
5.7.1	Presence and correctness of marking	51
5.7.2	Durability of marking	51
5.8	Packaging	51
5.9	Presence and correctness of instructions for use	51
6	Conformity assessment of products having completed the production phase	52
7	Modification	52
Annex A (informative)	Guidelines for the selection of the maximum voltage class of conductive clothing in relation to the nominal voltage of an electric system.....	53
Annex B (normative)	Suitable for live working; double triangle (IEC 60417-5216:2002-10) ...	54
Annex C (normative)	General procedure for type tests	55
C.1	Tests on the outer layer material.....	55
C.2	Tests on material	55
C.3	Tests on the conductive garment	55
C.4	Tests on the conductive component parts	56
C.5	Tests on the complete conductive clothing	56
Annex D (normative)	Classification of defects and tests to be allocated	57
Annex E (informative)	Rationale for the classification of defects	60
Annex F (informative)	In-service use and care	63
F.1	General.....	63
F.2	Care, storage and repair	63
F.2.1	Care	63
F.2.2	Storage.....	63
F.2.3	Cleaning and washing.....	63
F.2.4	Patching and repair of conductive fabric	63
F.3	Inspection before use.....	64
F.3.1	General	64
F.3.2	Conductive clothing	64
F.3.3	Conductive boots and leg straps	64
F.3.4	Conductive socks and gloves.....	64

F.4 Non-destructive periodic testing	64
F.4.1 General	64
F.4.2 Time between periodic tests	64
F.4.3 Resistance test	64
F.4.4 Record keeping	65
Annex G (informative) Face protection	66
G.1 General	66
G.2 Face screen design	66
Annex H (informative) Example of general arrangement of complete conductive clothing	68
Bibliography	69
 Figure 1 – Flame-retardancy test – Test chamber	18
Figure 2 – Flame-retardancy test – Test piece holder and support	20
Figure 3 – Electrical resistance test – Test set-up	24
Figure 4 – Orientation of test pieces for electrical resistance and current-carrying capability tests	25
Figure 5 – Electrical resistance test – Electrical circuit	25
Figure 6 – Shielding efficiency	30
Figure 7 – Screening efficiency of conductive clothing – First method: Test set-up	39
Figure 8 – Screening efficiency of conductive clothing – First method – Details of the measurements	40
Figure 9 – Position of ammeters for screening efficiency test	41
Figure 10 – Second method to check the screening efficiency	42
Figure 11 – Electrical resistance test – Conductive gloves	44
Figure 12 – Electrical resistance test – Conductive overshoe socks and socks	45
Figure 13 – Electrical resistance test – Conductive footwear	47
Figure 14 – Electrical resistance test – Conductive head covers, scarves and face screens	50
Figure B.1 – Symbol for live working with its dimensions (IEC 60417-5216:2002-10)	54
Figure G.1 – Electric field strength as a function of mesh opening radius	67
Figure H.1 – Example of general arrangement of complete conductive clothing	68
 Table 1 – Arithmetic mean and maximum resistance of a unit square of the conductive material according to the maximum voltage class of the conductive clothing	26
Table 2 – Minimum shielding efficiency of conductive material according to the maximum voltage class of the conductive clothing	31
Table 3 – Maximum resistance for garment according to the maximum voltage class of the conductive clothing	35
Table 4 – Maximum bonding resistance of the conductive clothing according to its maximum voltage class	36
Table 5 – Maximum phase-to-earth test voltage according to the maximum voltage class of the conductive clothing	37
Table 6 – Minimum screening efficiency of conductive clothing according to the maximum voltage class	42
Table 7 – Parameters of the alternative test and minimum screening efficiency of conductive clothing according to the maximum voltage class	43

Table 8 – Maximum resistance of glove according to the maximum voltage class of the conductive clothing	44
Table 9 – Maximum resistance of overshoe socks and socks according to the maximum voltage class of the conductive clothing	45
Table 10 – Maximum resistance of conductive hood, scarf, helmet and face screen according to the maximum voltage class of the conductive clothing	51
Table A.1 – Designation of maximum use voltage	53
Table C.1 – List of type tests to be carried out on the outer layer material	55
Table C.2 – List of type tests to be carried out on the material	55
Table C.3 – List of type tests to be carried out on the conductive garment	56
Table C.4 – List of type tests to be carried out on the component parts	56
Table C.5 – List of type tests to be carried out on the complete conductive clothing.....	56
Table D.1 – Classification of defects on the outer layer material and associated requirements and tests	57
Table D.2 – Classification of defects on the conductive material and associated requirements and tests	57
Table D.3 – Classification of defects on the conductive garment and associated requirements and tests	58
Table D.4 – Classification of defects on the conductive component parts and associated requirements and tests	58
Table D.5 – Classification of defects on the complete conductive clothing and associated requirements and tests	59
Table E.1 – Justification for the type of defect.....	60

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIVE WORKING – CONDUCTIVE CLOTHING

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60895 has been prepared by IEC technical committee 78: Live working.

This third edition cancels and replaces the second edition, published in 2002. This edition constitutes a technical revision.

This 3edition includes the following significant technical changes with respect to the previous edition:

- a) increase of the use up to 1 000 kV AC and ±800 kV DC;
- b) introduction of two classes of conductive clothing with different electrical requirements;
- c) revision of the electrical requirements of conductive clothing;
- d) definition of specific resistance values for each component part of the conductive clothing;
- e) introduction of conductive helmet and conductive scarf as *component parts* of conductive clothing;
- f) introduction of mechanical requirements and new tests for fabrics;
- g) update of the cleaning test procedures;

- h) revision of the efficiency test of the conductive clothing to improve the feasibility and repeatability;
- i) preparation of the elements of classification of defects, and general application of IEC 61318:2007;
- j) the normative Annex B for the classification of tests has been replaced by normative Annex C for the general type tests procedure, the normative Annex D for the classification of defects and the informative Annex E providing the justification for the classification of defects;
- k) the normative Annex C on sampling procedure has been deleted (not applicable according to IEC 61318:2007);
- l) modification of the recommended frequency of the periodic tests.

The text of this standard is based on the following documents:

FDIS	Report on voting
78/1309/FDIS	78/1312/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Terms defined in Clause 3 are given in *italic* print throughout this standard.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document provides specifications for protective *conductive clothing* currently being used without incident in live work by qualified electrical workers throughout the world. The adequacy of this clothing is established by its *screening efficiency* and the electrical resistance of material and *component parts* of the *conductive clothing*. Based on resistance measurements carried out by manufacturers and utilities of used clothing being successfully worn in the field, differences of up to 1 000 fold have been reported.

The whole set-up and preparation work in very high voltage is made to limit the power of electric arcs during work activities.

When, in the preparation phase of the work, the risk assessment leads to a high probability that there may be electric arcs, due to the short distances or unsuitable equipment insulation, the work is not done.

This approach is dictated by the fact that the electric arcs produced by high-voltage installations have very significant thermal and electrical effects, which are hardly attenuated by protective clothing worn by operators.

If protection against electric arc value is required by agreements between customer and manufacturer, it is possible to perform tests on the fabric and/or on the *garment* complete with accessories using the reference standards already published on this topic by IEC TC 78.

This document has been prepared according to the requirements of IEC 61477, where applicable.

The bibliography provides a list of papers of international level that were used during the development of this edition of IEC 60895.

The product covered by this document may have an impact on the environment during some or all stages of its life cycle. These impacts can range from slight to significant, be of short-term or long-term duration, and occur at the global, regional or local level.

This document does not include requirements and test provisions for the manufacturers of the product, or recommendations to the users of the product for environmental improvement. However, all parties intervening in its design, manufacture, packaging, distribution, use, maintenance, repair, reuse, recovery and disposal are invited to take account of environmental considerations.

LIVE WORKING – CONDUCTIVE CLOTHING

1 Scope

This document is applicable to *conductive clothing*, worn during live working (especially bare-hand working) on AC and DC electrical installations, to provide electrical continuity between all parts of the clothing and a reduction of electric field inside the clothing.

This document is applicable to *conductive clothing* assembled from a conductive *garment* (jackets and trousers or coveralls forming a one-piece *garment*) and from conductive *component parts* (gloves, hoods or helmets, shoes or boots, overshoe socks and socks) in electrical systems with nominal voltage up to 1 000 kV AC and up to ±800 kV DC.

This document does not indicate values of protection from the effects of the electric arc, because any value indicated would not guarantee the necessary protection from the effects of electric arcs, or the operator would need to wear very heavy and rigid conductive clothing, which would not allow the execution of the work in safety.

The products designed and manufactured according to this document contribute to the safety of the users provided they are used by persons trained for the work, in accordance with the live working methods and the instructions for use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60212:2010, *Standard conditions for use prior to and during the testing of solid electrical insulating materials*

IEC 60417, *Graphical symbols for use on equipment* (available at: <http://www.graphical-symbols.info/equipment>)

IEC 61318, *Live working – Conformity assessment applicable to tools, devices and equipment*

IEC 61477, *Live working – Minimum requirements for the utilization of tools, devices and equipment*

ISO 3175 (all parts), *Textiles – Professional care, drycleaning and wetcleaning of fabrics and garments*

ISO 6330, *Textiles – Domestic washing and drying procedures for textile testing*

ISO 12947-1, *Textiles – Determination of the abrasion resistance of fabrics by the Martindale method – Part 1: Martindale abrasion testing apparatus*

ISO 12947-2, *Textiles – Determination of the abrasion resistance of fabrics by the Martindale method – Part 2: Determination of specimen breakdown*

ISO 13937-2, *Textiles – Tear properties of fabrics – Part 2: Determination of tear force of trouser-shaped test specimens (Single tear method)*

ISO 13938-1, *Textiles – Bursting properties of fabrics – Part 1: Hydraulic method for determination of bursting strength and bursting distension*

ISO 15797, *Textiles – Industrial washing and finishing procedures for testing of workwear*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 61318 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

component part

additional element of the complete *conductive clothing* such as glove, sock, scarf, head cover, face screen, and footwear worn in addition to the main *garment* and bonded to it

3.2

conductive clothing

clothing made of natural or synthetic material(s) with integral interwoven conductive fibres or layers used to provide electrical continuity between all parts of the clothing and a reduction of the electric field inside the clothing

Note 1 to entry: The term *conductive clothing* includes conductive jacket, trousers, coverall (one-piece clothing), gloves, hood, overshoe socks and socks.

Note 2 to entry: *Conductive footwear* and conductive helmet are *component parts* used in conjunction with the *conductive clothing*.

[SOURCE: IEC 60743:2013, 8.1.8]

3.3

conductive element

metallic thread or non-metallic conductive substance used to make conductive material

3.4

conductive face screen

protective device made of conductive solid or meshed material affording protection to the face of the worker, or portion thereof, from an electric field

SEE: Figure H.1

[SOURCE: IEC 60743:2013, 8.1.9]

3.5

conductive footwear

protective footwear made with a conductive sole

SEE: Figure H.1

Note 1 to entry: The *conductive footwear* may have a conductive strap for connecting the *conductive clothing*.

Note 2 to entry: *Conductive footwear* may also provide a certain mechanical protection.