

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Guidelines for the measurement method of power durability for surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices in radio frequency (RF) applications

Lignes directrices relatives à la méthode de mesure de la durabilité de puissance des appareils à ondes acoustiques de surface (OAS) et des appareils à ondes acoustiques de volume (OAV) dans les applications de radiofréquence (RF)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Guidelines for the measurement method of power durability for surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices in radio frequency (RF) applications

Lignes directrices relatives à la méthode de mesure de la durabilité de puissance des appareils à ondes acoustiques de surface (OAS) et des appareils à ondes acoustiques de volume (OAV) dans les applications de radiofréquence (RF)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.140

ISBN 978-2-8322-8253-3

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
3.1 General terms	6
3.2 Durability related terms	11
4 Basic properties of life time of RF SAW/BAW devices.....	12
4.1 Life time and accelerated testing.....	12
4.2 Failure mechanisms	14
4.2.1 General	14
4.2.2 Acoustomigration	15
4.2.3 Self-heating and thermal run-away	16
4.2.4 Other mechanisms.....	16
4.3 Modelling	16
5 Life time measurement	18
5.1 Measurement setup	18
5.2 Measurement procedure	19
5.3 Life time estimation.....	20
5.4 Measurement specifications	20
Bibliography.....	21
Figure 1 – FBAR configuration	8
Figure 2 – SMR configuration.....	9
Figure 3 – Frequency response of an RF SAW/BAW filter.....	9
Figure 4 – Arrhenius plot when multiple mechanisms are contributing.....	13
Figure 5 – Structure of ladder filter	14
Figure 6 – Typical transmission characteristic of ladder filter	14
Figure 7 – Creation of voids and hillocks.....	15
Figure 8 – Translation of the filter pass band with temperature change	17
Figure 9 – Basic setup for TF measurement at RF power application	18
Figure 10 – Basic setup for TF measurement of SAW/BAW duplexer	18
Figure 11 – Setup for TF measurement including filter response monitoring.....	19
Figure 12 – Another setup for TF measurement including filter response monitoring	19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**GUIDELINES FOR THE MEASUREMENT METHOD OF
POWER DURABILITY FOR SURFACE ACOUSTIC WAVE (SAW)
AND BULK ACOUSTIC WAVE (BAW) DEVICES IN
RADIO FREQUENCY (RF) APPLICATIONS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63155 has been prepared by IEC technical committee 49: Piezoelectric, dielectric and electrostatic devices and associated materials for frequency control, selection and detection.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
49/1339/FDIS	49/1342/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Radio frequency (RF) surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices are now widely used in various communication systems owing to their features such as small size, light weight, little or no need for tuning, high stability and high reliability.

One of the most important applications of the devices is the antenna duplexer in mobile communication devices which separates incoming receiving (Rx) signals from base-stations and outgoing transmitting (Tx) signals in the frequency domain. It is known that acoustic vibration can accelerate destruction of electrode metals in the inter-digital transducers (IDTs) employed, which results in device failure. Thus, the device life time (time to failure, TF) is dependent on not only the chip temperature but also on input power level and frequency of the applied radio frequency signal. It should be noted that chip temperature can be somewhat different from the environmental temperature because the input power level of Tx signals in the above-mentioned applications is about 1 W at maximum, and heat generation due to power consumption is not negligible.

The requisite TF of the SAW/BAW duplexers is usually specified by input power level, exposure frequency range and environmental temperature. Nevertheless, TF measurement under given specifications is not realistic because the requisite TF is too long (could be up to many years). Accelerated life time testing is applied to shorten the TF. TF is measured in more severe situations, namely at higher power and/or higher ambient temperature. TF under given specifications is estimated by extrapolation based on the Arrhenius model including the inverse power law. Although the model explains the variation of the TF with respect to input power level and temperature well, the parameters appearing in the model need to be determined experimentally, and its procedures have not been well established. Therefore, measurement methods will be specifically established for TF estimation of RF SAW/BAW devices.

This document has been compiled in response to a generally expressed desire on the part of both users and manufacturers for general information on testing condition guidance of RF SAW/BAW filters, so that the filters may be used to their best advantage. To this end, general and fundamental characteristics have been explained in this document.

GUIDELINES FOR THE MEASUREMENT METHOD OF POWER DURABILITY FOR SURFACE ACOUSTIC WAVE (SAW) AND BULK ACOUSTIC WAVE (BAW) DEVICES IN RADIO FREQUENCY (RF) APPLICATIONS

1 Scope

This document defines the measurement method for the determination of the durability of radio frequency (RF) surface acoustic wave (SAW) and bulk acoustic wave (BAW) devices, such as filters and duplexers, with respect to high power RF signals, which are used in telecommunications, measuring equipment, radar systems and consumer products. RF BAW devices include two types: those based on the film bulk acoustic resonator (FBAR) technology and those based on the solidly mounted resonator (SMR) technology.

This document includes basic properties of failure of RF SAW/BAW devices, and guidelines to set up the measurement system and to establish the procedure to estimate the time to failure (TF). Since TF is mainly governed by the RF power applied in the devices, discussions are focused on the power durability.

It is not the aim of this document to explain the theory, or to attempt to cover all the eventualities which can arise in practical circumstances. This document draws attention to some of the more fundamental questions which will need to be considered by the user before he/she places an order for an RF SAW/BAW device for a new application. Such a procedure will be the user's means of preventing unsatisfactory performance related to premature device failure resulting from high-power exposure of RF SAW/BAW devices.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

3.1 General terms

3.1.1

BAW

bulk acoustic wave

acoustic wave, propagating between the top and bottom surface of a piezoelectric structure and then traversing the entire thickness of the piezoelectric bulk

Note 1 to entry: The wave is excited by metal electrodes attached to both sides of the piezoelectric layer.

[SOURCE: IEC 62575-1:2015, 3.1.1]

3.1.2

BAW filter

bulk acoustic wave filter

filter characterised by a bulk acoustic wave which is usually generated by a pair of electrodes and propagates along a thin film thickness direction

[SOURCE: IEC 62575-1:2015, 3.1.2]