

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Application integration at electric utilities – System interfaces for distribution management –

Part 1: Interface architecture and general recommendations

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution –

Partie 1: Architecture des interfaces et recommandations générales



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Application integration at electric utilities – System interfaces for distribution management –

Part 1: Interface architecture and general recommendations

Intégration d'applications pour les services électriques – Interfaces système pour la gestion de la distribution –

Partie 1: Architecture des interfaces et recommandations générales

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.240.10

ISBN 978-2-8322-7915-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	11
3.5 Abbreviated terms.....	12
4 Interface reference model.....	12
4.1 Domain	12
4.2 Business functions.....	13
4.3 Interface reference model	13
4.3.1 General	13
4.3.2 Asset Management (AM)	14
4.3.3 Customer Management (CM)	19
4.3.4 Emergency Simulation (ES)	22
4.3.5 End Device Operation (EDO)	25
4.3.6 Engineering Design Management (EDM)	27
4.3.7 Fault Management (FM).....	34
4.3.8 Compliance Management (CO)	37
4.3.9 Market Operation (MO)	39
4.3.10 Market Settlement (MS)	42
4.3.11 Network Model Management (NMM)	45
4.3.12 Network Operation (NO)	48
4.3.13 Predictive Operation Planning (POP).....	54
4.3.14 Retail Market Operation (RMO).....	59
4.3.15 System Development Planning (SDP)	61
4.3.16 Work Management (WM)	64
4.3.17 External to IEC	68
4.4 General.....	75
4.5 Requirements analysis methodology	75
5 Interface profile	75
5.1 General.....	75
5.2 Business function.....	76
5.3 Application adapter	77
5.4 Interface specification	78
5.5 Middleware adapter	78
5.6 Middleware service	79
5.7 Communication service	80
5.8 Platform environment.....	80
6 Information exchange model.....	80
6.1 General requirements	80
6.2 Message structures.....	81
6.2.1 General	81
6.2.2 Compliance philosophy	81
6.2.3 Extension	82
7 Component reporting and error handling.....	82

7.1	Component reporting	82
7.2	Error message handling	83
8	Security and authentication	83
9	Maintenance aspects	84
Annex A	(informative) Use of IEC 61968 series of standards	85
A.1	General.....	85
A.2	Application of IEC 61968 series by a product vendor	85
A.3	Application of IEC 61968 series by a utility	85
A.4	Establish interface architecture	87
A.5	Define generic use cases	88
A.6	Message type verbs	88
A.7	Development of CIM model extensions for distribution	88
Annex B	(informative) Inter-application integration performance considerations	89
Annex C	(informative) Views of data in a conventional electric utility	90
C.1	General.....	90
C.2	Classification	90
C.3	Identification	91
Annex D	(informative) Relevant ArchiMate definitions for IRM.....	93
D.1	General.....	93
D.2	Business role	93
D.3	Business function.....	94
D.4	Business object.....	94
D.5	Data object	95
D.6	Composition relationship.....	95
D.7	Aggregation relationship	96
D.8	Realization relationship.....	96
D.9	Access relationship	96
D.10	Specialization relationship	97
Annex E	(informative) ED2 Interface profile mapping to ArchiMate.....	98
E.1	ED2 Interface profile	98
E.2	ArchiMate interface profile	98
E.3	Mapping between the 61968-1:2012 IRM and ArchiMate Used for ED3	100
Bibliography		102
Figure 1	– High-level IEC IRM business functions	7
Figure 2	– Defined business function for Interface Reference Model (IRM)	13
Figure 3	– Asset management business functions and business objects	16
Figure 4	– Customer management business functions and business objects	20
Figure 5	– Emergency simulation training business functions and business objects	23
Figure 6	– End device operation business functions and business objects	25
Figure 7	– Engineering design management business functions and business objects	29
Figure 8	– Break down of detail engineering and detail design	30
Figure 9	– Fault management business functions and business objects	35
Figure 10	– Compliance management business functions and business objects	37
Figure 11	– Market operation business functions and business objects	40
Figure 12	– Market settlement business functions and business objects	43

Figure 13 – Network model management business functions and business objects	46
Figure 14 – Network operation business functions and business objects	49
Figure 15 – Predictive operation planning business functions and business objects	55
Figure 16 – Retail market operation business functions and business objects	60
Figure 17 – System development planning business functions and business objects	62
Figure 18 – Work management business functions and business objects	65
Figure 19 – External to IEC business functions and business objects	69
Figure 20 – Overview of the interface profile and corresponding subclause numbers	76
Figure 21 – Manage Work Business Process Example	76
Figure 22 – WorkRequest Data Object Example	77
Figure 23 – Application Process Sequence Diagram Example	78
Figure A.1 – Process A: Application of IEC 61968 series by a utility	86
Figure A.2 – Process B: application of IEC 61968 series by a utility	87
Figure C.1 – Database views depend on the time and user	91
Figure D.1 – Business role notation	93
Figure D.2 – Business function notation	94
Figure D.3 – Business object notation	95
Figure D.4 – Data object notation	95
Figure D.5 – Composition notation	96
Figure D.6 – Aggregation notation	96
Figure D.7 – Realization notation	96
Figure D.8 – Access notation	97
Figure D.9 – Specialization notation	97
Figure D.10 – Specialization	97
Figure E.1 – Overview of the interface profile in IEC 61968-1:2012 and corresponding subclause numbers	98
Figure E.2 – Simplified Mapping between the ArchiMate Language and the TOGAF ADM	99
Figure E.3 – Decomposition of the different layer to passive structure, behaviour and active structure	100
Table 1 – Document overview for IEC 61968-1	9
Table B.1 – Typical load scenario	89

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**APPLICATION INTEGRATION AT ELECTRIC UTILITIES –
SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –****Part 1: Interface architecture and general recommendations**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-1 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This third edition cancels and replaces the second edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update of IRM section, which has been out of date since the 2nd edition;
- b) update to IRM model using ArchiMate modelling language;
- c) addition of missing business functions and business objects;
- d) alignment with newly released documents from the technical committee;
- e) alignment with IEC 61968-100;

f) update of annexes.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/2174/FDIS	57/2186/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61968 is a series of standards:

IEC 61968 part	Title
1	Interface architecture and general recommendations
2	Glossary
3	Interface for network operation
4	Interface for records and asset management
5	Interface standard for operational planning and optimisation
6	Interface for maintenance and construction
7	Interface standard for network extension planning ¹
8	Interface standard for customer support
9	Interface for meter reading and control
11	Common information model (CIM) extensions for distribution
13	CIM RDF model exchange format for distribution
100	Implementation profiles

The IEC 61968 series is intended to facilitate inter-application integration, as opposed to intra-application integration of the various distributed software application systems supporting the management of utility electrical distribution networks. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment. Additionally, the intra-application integration tends to be optimized for close, real-time, synchronous connections and interactive request/reply or conversation communication models. The IEC 61968 series by contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications) each supported by dissimilar runtime environments. Therefore, the IEC 61968 series is relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols, and management tools. The IEC 61968 series is intended to support applications that need to exchange data on an event driven basis. The IEC 61968 series is also intended to be implemented with middleware services that broker messages among applications and complementing, but not replacing, utility data warehouses, database gateways, and operational stores.




Figure 1 – High-level IEC IRM business functions

¹ Under consideration.

Figure 1 clarifies the scope of IEC IRM in terms of business functions.

As used in the IEC 61968 series, distribution management consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, and network model management. The distribution management system could also be integrated with premise area networks (PAN) through an advanced metering infrastructure (AMI) network. Standard interfaces are to be defined for each class of applications identified in Clause 3, Interface Reference Model (IRM), except for those in the group EXT (External to IEC).

In the distribution management domain it is important to keep in mind the basic meaning of the following terms:

- management: effective regulation and direction;
- automation: working without human participation in accordance with pre-defined rule sets;
- system: a set of organized operations working to support a particular activity (set of applications). Generally, a system in the context of this work is a computer-based technology.

In the world of integrated systems, systems can also be a subset of a larger system, a system of systems or a set of federated systems. A system composed of coordinating subsystems may support activities more efficiently than the subsystems operating independently.

As the size of an organisation increases so does the complexity of the tasks and information exchange associated with the tasks. Furthermore, the deeper the data structure is within a system the less transparent it is to the end user. This suggests the need for data stewardship to avoid:

- errors arising from multiple points of data entry;
- lack of consistency with software interfaces;
- expensive changes with new or upgraded software;
- loss of governance of authorised data.

The standardisation of data facilitates the reduction of errors, reduced time for data entry, and improved process control.

The IEC 61968 series recommends that the semantics (domain model) of system interfaces of a compliant utility inter-application infrastructure be defined using Unified Modelling Language (UML).

The Extensible Markup Language (XML) is a data format for structured document interchange, particularly on the Internet. One of its primary uses is information exchange between different and potentially incompatible computer systems. XML is currently recommended to define grammar/syntax for profiles of a compliant utility inter-application infrastructure. A CIM profile, in accordance with IEC TR 62361-103, is derived from the CIM canonical model, which is maintained in the form of a logical information model using UML. Once defined, the profile can be used to generate an associated schema definition, most commonly (but not exclusively) as an XML Schema (XSD) or Resource Description Framework Schema (RDFS). The instance data for given information exchange must then conform to the schema defined for the profile in order to be valid. This can take into account additional restrictions that are defined for the profile over what is defined by the CIM, as almost everything is otherwise optional in the CIM by virtue of its role as a logical information model. Where applicable, IEC 61968-3 to -9 and -13 will define the information recommended for 'message payloads'. Message payloads will be formatted in accordance with industry requirements and technology development such as XML Schema for IEC 61968-3 to -9 and RDF Schema for IEC 61968-13 with the intent that these payloads can be exchanged using common integration technologies such as SOAP,

JMS, RESTful HTTP, or Web Services (WS). It is the intent of the IEC 61968 series to be leveraged by Service-Oriented Architectures (SOA) and to encourage the usage of Enterprise Service Buses (ESB). In the future, it is possible that payload formats other than XML could be officially adopted by the IEC 61968 series for specific parts or information exchanges.

The organization of IEC 61968-1 is described in Table 1.

Table 1 – Document overview for IEC 61968-1

Clause	Title	Purpose
1.	Scope	Scope of IEC 61968-1.
2.	Normative references	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3.	Terms and definitions	The terms and definitions relevant to IEC 61968 series is described.
4.	Interface reference model	The domain relevant to IEC 61968 series is described. For each relevant business function, a list of abstract components is provided, which is described by the functions performed by the component. Parts IEC 61968-3 to -9 define interfaces for these abstract components.
5.	Interface profile	Utility inter-application integration environmental requirements are described. Abstract message passing services are defined and are available for applications to communicate information to other applications, including publish and subscribe services.
6.	Information exchange model	Requirements and recommendations are provided for information exchange between applications/functions listed in the IRM.
7.	Component reporting and error handling	Recommendations for audit trails and error message handling authentication necessary to support utility inter-application integration are described.
8.	Security and authentication	Recommendations for security and authentication necessary to support utility inter-application integration are described.
9.	Maintenance aspects	General maintenance recommendations are specified.
Informative Annex A	Use of IEC 61968 series	The methodology used to determine interface architecture recommendations for utility inter-application integration is described.
Informative Annex B	Inter-application integration performance considerations	Some typical performance recommendations necessary to support utility inter-application integration are described. These recommendations are of a general nature as specific implementation requirements will vary by utility.
Informative Annex C	Views of data in a conventional electric utility	This annex describes some of the underlying principles of defining the reference data dictionary of IEC 61968-11.
Informative Annex D	Relevant ArchiMate Definitions for IRM	This annex describes the ArchiMate notations used in the IEC 61968-1 IRM modelling.
Informative Annex E	61968:ED2 Interface profile mapping to ArchiMate	This annex provides the mapping between the 61968-1:2012 ED2 Interface profile and ArchiMate 3.0 from Open Group Standard that is used for this Edition (ED3).

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 1: Interface architecture and general recommendations

1 Scope

This part of IEC 61968 is the first in a series that, taken as a whole, defines interfaces for the major elements of an interface architecture for power system management and associated information exchange.

This document identifies and establishes recommendations for standard interfaces based on an Interface Reference Model (IRM). Subsequent clauses of this document are based on each interface identified in the IRM. This set of standards is limited to the definition of interfaces. They provide for interoperability among different computer systems, platforms, and languages. IEC 61968-100 gives recommendations for methods and technologies to be used to implement functionality conforming to these interfaces.

As used in IEC 61968, distribution management consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, network model management, facilities management, and metering. The IRM is specified in Clause 3. The IRM defines the high-level view of the TC 57 reference architecture and the detailed in the relevant 61968 series, 61970 series or 62325 series. The goal of the IRM is to provide a common relevant context view for TC 57 that covers domains like transmission, distribution, market, generation, consumer, regional reliability operators, and regulators.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61968-3, *Application integration at electric utilities – System interfaces for distribution management – Part 3: Interface for network operations*

IEC 61968-4, *Application integration at electric utilities – System interfaces for distribution management – Part 4: Interfaces for records and asset management*

IEC 61968-5, *Application integration at electric utilities – System interfaces for distribution management – Part 5: Distributed energy optimization²*

IEC 61968-6, *Application integration at electric utilities – System interfaces for distribution management – Part 6: Interfaces for maintenance and construction*

IEC 61968-8, *Application integration at electric utilities – System interfaces for distribution management – Part 8: Interfaces for customer operations*

² Under preparation. Stage at the time of publication: IEC/AFDIS 61968-5:2019.

IEC 61968-9, *Application integration at electric utilities – System interfaces for distribution management – Part 9: Interfaces for meter reading and control*

IEC 61968-11, *Application integration at electric utilities – System interfaces for distribution management – Part 11: Common information model (CIM) extensions for distribution*

IEC 61968-13, *Application integration at electric utilities – System interfaces for distribution management – Part 13: CIM RDF Model exchange format for distribution*

IEC 61968-100, *Application integration at electric utilities – System interfaces for distribution management – Part 100: Implementation profiles*

IEC 62351-11, *Power systems management and associated information exchange – Data and communications security – Part 11: Security for XML documents*

IEC TR 62361-103, *Power systems management and associated information exchange – Interoperability in the long term – Part 103: Standard profiling*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

Where there is a difference between the definitions in this standard and those contained in other referenced IEC standards, then those defined in IEC 61968-2 shall take precedence over the others listed, and those defined in IEC 61968-1 shall take precedence over those defined in IEC 61968-2.

3.1

DMS

Distribution Management System

system consisting of various distributed application components for the utility to manage electrical distribution networks

Note 1 to entry: These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management.

3.2

IRM

Interface Reference Model

standard interfaces for TC 57 cover domains like transmission, distribution, market, generation, consumer, regional reliability operators, and regulators defined using The Open Group ArchiMate standard

Note 1 to entry: The high-level view defined in 61968-1 Interface Architecture and General Requirements, defines the Business Layer context model using Business Function and Business Objects.

3.3

profiles

subset of the CIM used to define a specific message in a given context