IEC TS 62600-3

Edition 1.0 2020-05

TECHNICAL SPECIFICATION

This document is a preview generated by EVS

Marine energy – Wave, tidal and other water current converters – Part 3: Measurement of mechanical loads



IEC TS 62600-3:2020-05(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

This document is a preview generated by EVS

IEC TS 62600-3

Edition 1.0 2020-05

TECHNICAL SPECIFICATION

This document is a preview generated by EVS

Marine energy – Wave, tidal and other water current converters – Part 3: Measurement of mechanical loads

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-8105-5

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 8
INTRODUCTION 10
1 Scope 11
1.1 General 11
1.2 Subdivision of marine energy converter types 11
2 Normative references 14
3 Terms and definitions 15
4 Symbols, units and abbreviated terms 15
4.1 Symbols 15
4.2 Greek symbols 16
4.3 Subscripts 17
4.4 Abbreviated terms 17
5 General 17
5.1 Document structure 17
5.2 Safety during testing 18
5.3 Technology qualification 18
5.4 Load measurement 18
6 Test requirements 18
6.1 General 18
6.2 Test site requirements all WEC and CEC 19
6.3 Subsystem or structural component laboratory load testing 19
6.4 Measurement load cases all WEC and CEC 19
6.4.1 General 19
6.4.2 MLCs during steady-state operation 20
6.4.3 MLCs during transient events 21
6.4.4 MLCs for dynamic characterization 21
6.4.5 MLC for abnormal operating condition 22
6.4.6 Capture matrices 22
6.5 Measurement load cases for MECs with blades connected to a rotor shaft 23
6.5.1 General 23
6.5.2 MLCs for dynamic characterization 23
6.5.3 Capture matrices 24
6.6 Quantities to be measured for all WEC and CEC 25
6.6.1 General 25
6.6.2 Load quantities 25
6.6.3 Meteorological and oceanographic quantities 26
6.6.4 MEC operation quantities 26
6.7 Quantities to be measured for MECs with blades connected to a rotor shaft 27
6.7.1 General 27
6.7.2 Load quantities 28
6.7.3 Oceanographic and meteorological quantities 28
6.7.4 MEC operation quantities 28
6.8 MEC configuration changes 29
7 Instrumentation 29
7.1 Load quantities for all WEC and CEC 29
7.1.1 General 29

This document is a preview generated by EVS

7.1.2 Types of sensors 30
7.1.3 Choice of sensor location 30
7.1.4 The connection between prime mover and PTO 30
7.1.5 The connection between PTO and substructure and/or foundation 31
7.1.6 The connection between PTO and floating device 31
7.1.7 Measurement of station keeping loads 31
7.1.8 Prime mover absolute and relative position 31
7.1.9 PTO absolute and relative position 32
7.1.10 Substructure or floating device absolute and relative position 32
7.1.11 Water pressure measurements 32
7.2 Operation quantities for all WEC and CEC 32
7.2.1 General 32
7.2.2 Electrical power 32
7.2.3 Hydraulic power 33
7.2.4 Generator speed 33
7.2.5 Brake moment or force 33
7.2.6 MEC status 33
7.2.7 Brake status 33
7.2.8 Draft or freeboard measurement 33
7.3 Load quantities for MECs with blades connected to a rotor shaft 33
7.3.1 General 33
7.3.2 Blade root bending moments 33
7.3.3 Blade bending moment distribution 34
7.3.4 Blade torsion frequency/damping 34
7.3.5 Rotor yaw and tilt moment 34
7.3.6 Rotor torque 34
7.3.7 Tubular column bending 34
7.3.8 Darrieus style rotor bending 35
7.3.9 PTO and blade absolute and relative position 35
7.4 Operation quantities for MECs with blades connected to a rotor shaft 35
7.4.1 General 35
7.4.2 Rotor speed or generator speed 35
7.4.3 Yaw misalignment 35
7.4.4 Rotor azimuth angle 35
7.4.5 Pitch position 35
7.4.6 Pitch speed 36
7.4.7 Brake moment 36
7.5 Oceanographic and meteorological quantities 36
7.5.1 General 36
7.5.2 Measurement and installation requirements 36
7.5.3 Sea or river ice loads and ice accretion 36
7.6 Data acquisition system (DAS) 36
7.6.1 General 36
7.6.2 Resolution and sampling frequency 36
7.6.3 Anti-aliasing 37
8 Determination of calibration factors 37
8.1 Overview 37
8.2 General 37

This document is a preview generated by EVS

8.3 Calibration of load channels for all WEC and CEC 38
8.4 Calibration of non-load channels for all WEC and CEC 38
8.5 Calibration of load channels for MECs with blades connected to a rotor shaft 38
8.5.1 General 38
8.5.2 Blade bending moments 39
8.5.3 Main shaft moments 40
8.5.4 Tubular column bending moments 40
8.6 Calibration of non-load channels for MECs with blades connected to a rotor shaft 41
8.6.1 Pitch angle 41
8.6.2 Rotor azimuth angle 41
8.6.3 Yaw angle 41
8.6.4 Oceanographic and meteorological 41
8.6.5 Brake moment or force 41
9 Data verification 42
9.1 Overview 42
9.2 General 42
9.3 Verification checks for all WEC and CEC 42
9.4 Verification checks for MECs with blades connected to a rotor shaft 43
9.4.1 General 43
9.4.2 Blade moments 43
9.4.3 Main rotor shaft 44
9.4.4 Tubular column 44
10 Processing of measured data 45
10.1 Overview 45
10.2 General 45
10.3 Load quantities 45
10.4 Current speed and/or sea state trend detection 45
10.5 Statistics 46
10.6 Rainflow counting 46
10.7 Cumulative rainflow spectrum 46
10.8 Damage equivalent load (DEL) 46
10.9 Current speed or wave energy flux binning 47
10.10 Power spectral density (PSD) 48
11 Uncertainty estimation 48
12 Reporting 48
Annex A (normative) Full-scale structural laboratory testing of rotor blades 52
A.1 General 52
A.2 Coordinate systems 52
A.3 General principles 54
A.3.1 Purpose of tests 54
A.3.2 Limit states 55
A.3.3 Practical constraints 55
A.3.4 Results of test 55
A.4 Documentation and procedures for test blade 56
A.5 Blade test program 56
A.5.1 Areas to be tested 56
A.5.2 Test program 57

This document is a preview generated by EVS

A.6 Test plans 58
A.6.1 General 58
A.6.2 Blade description 58
A.6.3 Loads and conditions 58
A.6.4 Instrumentation 58
A.6.5 Expected test results 58
A.7 Load factors for testing 59
A.7.1 General 59
A.7.2 Partial safety factors used in the design 59
A.7.3 Factors on materials 59
A.7.4 Partial factors on loads 59
A.7.5 Application of load factors to obtain the target load 60
A.8 Test loading and test load evaluation 61
A.8.1 General 61
A.8.2 Influence of load introduction 62
A.8.3 Static load testing 62
A.8.4 Fatigue load testing 63
A.9 Test requirements 64
A.9.1 Test records 64
A.9.2 Instrumentation calibration 64
A.9.3 Measurement uncertainties 64
A.9.4 Root fixture and test stand requirements 64
A.9.5 Environmental conditions monitoring 65
A.9.6 Deterministic corrections 65
A.9.7 Static test 65
A.9.8 Fatigue test 66
A.9.9 Other blade property tests 66
A.10 Test results evaluation 67
A.10.1 General 67
A.10.2 Catastrophic failure 67
A.10.3 Permanent deformation, loss of stiffness or change in other blade properties 67
A.10.4 Superficial damage 68
A.10.5 Failure evaluation 68
A.11 Renewed testing 68
A.12 Reporting 69
A.12.1 General 69
A.12.2 Test report content 69
A.12.3 Evaluation of test in relation to design requirements 70
Annex B (informative) Example coordinate systems for MECs with blades connected to a rotor shaft 71
B.1 General 71
B.2 Blade coordinate system 71
B.3 Hub coordinate system 71
B.4 Nacelle coordinate system 72
B.5 Tubular column coordinate system 73
B.6 Yaw misalignment 74
B.7 Cone angle and tilt angle 74
B.8 Rotor azimuth angle 75

This document is a preview generated by EVS

B.9 Blade pitch angle 75
Annex C (informative) Recommendations for design and testing of MECs with respect to ice loading and ice accretion 76
Annex D (informative) Offshore load measurements 77
D.1 General 77
D.2 Fibre optic strain sensors 77
D.3 Published experience 78
D.4 Operational sound 79
Annex E (informative) Uncertainty analysis 80
Annex F (informative) Load model validation 82
F.1 General 82
F.2 Methods for loads comparison 82
F.2.1 Statistical binning 82
F.2.2 Spectral functions 83
F.2.3 Fatigue spectra 83
F.2.4 Data point by data point 83
Annex G (informative) Formulation of test load for rotor blade testing 84
G.1 Static target load 84
G.2 Fatigue target load 84
Annex H (informative) Difference between design and test load condition for rotor blade testing 85
H.1 General 85
H.2 Load introduction 85
H.3 Bending moments and shear 85
H.4 Radial loads 87
H.5 Torsion loads 87
H.6 Environmental conditions 87
Annex I (informative) Influence of the number of load cycles on fatigue tests of rotor blades 88
I.1 General 88
I.2 Background 88
I.3 The approach used 88
Bibliography 92

Figure 1 – General scheme of marine energy converters fixed to the seabed or shore 12
Figure 2 – General scheme of floating marine energy converters moored to the seabed or shore 13
Figure 3 – Marine energy converter with blades connected to a rotor shaft supported by a fixed substructure 13
Figure 4 – Marine energy converter with blades connected to a rotor shaft supported by a floating device 14
Figure 5 – Turbine loads: rotor, blade and base of tubular column loads 28
Figure A.1 – Chordwise (flatwise, edgewise) coordinate system 53
Figure A.2 – Rotor (flapwise, lead-lag) coordinate system 54
Figure B.1 – Blade coordinate system 71
Figure B.2 – Hub coordinate system 72
Figure B.3 – Nacelle coordinate system 73

This document is a preview generated by EVS

Figure B.4 – Tubular column coordinate system 73
Figure B.5 – Yaw misalignment 74
Figure B.6 – Cone angle and tilt angle 74
Figure H.1 – Difference of moment distribution for target and actual test load 85
Figure H.2 – Distribution of the shear force as a function of the spanwise location for different numbers of load application point 86
Figure H.3 – Distribution of the bending moment as a function of the spanwise location for different numbers of load application points 86
Figure I.1 – Simplified Goodman diagram 88
Figure I.2 – Test load factor γ_{ef} as a function of the reduction factor H_r 91

Table 1 – MLCs during steady-state operation 21
Table 2 – Measurement of transient load cases 21
Table 3 – MLCs for dynamic characterization 22
Table 4 – Capture matrix for parked condition 23
Table 5 – Capture matrix for normal transient events 23
Table 6 – Capture matrix for other than normal transient events 23
Table 7 – MLCs for dynamic characterization 24
Table 8 – Capture matrix for parked condition 24
Table 9 – All WEC and CEC load quantities 26
Table 10 – Oceanographic and meteorological quantities 26
Table 11 – MEC operation quantities 27
Table 12 – MECs with blades connected to a rotor shaft load quantities 28
Table 13 – MEC with blades connected to a rotor shaft operation quantities 29
Table 14 – Summary of suitable calibration methods 39
Table A.1 – Blade test program 57
Table A.2 – Recommended values for γ_{ef} as a function of the reduction factor H_r 60
Table A.3 – Examples of situations typically requiring or not requiring renewed testing 69
Table E.1 – List of uncertainty components 81
Table I.1 – Recommended values for γ_{ef} as a function of the reduction factor H_r 91

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 3: Measurement of mechanical loads

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62600-3, which is a Technical Specification, has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters.

This document is a preview generated by EVS

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
114/326/DTS	114/336A/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS

INTRODUCTION

This part of IEC 62600 outlines specifications for the full-scale mechanical loads measurement on hydrodynamic marine energy converters (MECs). It is directed at a technology readiness level (TRL) of 7 to 9, meaning the last prototype or the first production device. This document also outlines the demands for full-scale structural testing of rotor blades as well as the interpretation and evaluation of test results.

In the process of structural design of marine energy converters, thorough understanding and accurate quantification of the loading is of utmost importance. In the design stage, loads can be predicted with simulation models and codes. However, such models have their modelling restrictions and uncertainties, and they always need to be validated by measurement.

Mechanical load measurements can be used both as the basis for design and as the basis for certification. The design of marine energy converters is covered by IEC 62600-2: Marine Energy – Wave, tidal and other water current converters – Part 2: Design requirements for marine energy systems.

This document is aimed at the test institute, the marine energy converter manufacturer and the certifying body and defines the requirements for mechanical loads tests resulting in consistent and reproducible test results.

There exists a large variety of marine energy converter working principles. This document aims to cover most hydrodynamic marine energy converter working principles. Therefore, generalised tests are presented at the level of the common subsystems. For Tidal Energy Converters (TECs) and for other water current converters, the most common working principle is a turbine comprising blades connected to a rotor shaft. Therefore, detailed tests are specified for this working principle. For marine energy converter working principles that do not fit partly or completely in the scope of this document, the technology qualification process is introduced. Through the technology qualification process, the user can adapt the test programme to their specific marine energy converter.

This document is comparable to the international wind standards IEC 61400-13: Wind turbines – Part 13: Measurement of mechanical loads and IEC 61400-23: Wind turbines – Part 23: Full-scale structural testing of rotor blades. Since testing laboratories and certification bodies already have experience with these wind standards, it is convenient to adapt the same methods where possible.

There is not much published experience with offshore mechanical load measurement on marine energy converters. This document is a first step towards a future International Standard which can be used as part of a type certification process of marine energy converters. First, experience should be gained with offshore mechanical load measurement and with the application of this document.

Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

This preview is generated by EVS

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 3: Measurement of mechanical loads

This document is a preview generated by EVS

1 Scope

1.1 General

This part of IEC 62600 describes the measurement of mechanical loads on hydrodynamic marine energy converters such as wave, tidal and other water current converters (including river current converters) for the purpose of load simulation model validation and certification. This document contains the requirements and recommendations for the measurement of mechanical loads for such activities as site selection, measurand selection, data acquisition, calibration, data verification, measurement load cases, capture matrix, post-processing, uncertainty determination and reporting.

Informative annexes are also provided to improve understanding of testing methods. The methods described in this document can also be used for mechanical loads measurements for other purposes such as obtaining a measured statistical representation of loads, direct measurements of the design loads, safety and function testing, or measurement of subsystem or component structural loads.

Through a technology qualification process, the test requirements can be adapted to the specific marine energy converter.

This document also defines the requirements for full-scale structural testing of subsystems or parts with a special focus on full-scale structural testing of marine energy converter rotor blades and for the interpretation and evaluation of achieved test results. This document focuses on aspects of testing related to an evaluation of the structural integrity of the blade. The purpose of the tests is to confirm to an acceptable level of probability that the whole installed production of a blade type fulfils the design assumptions.

1.2 Subdivision of marine energy converter types

There is a wide variety of marine energy converter types, especially concerning wave energy converters (WECs). For tidal energy converters and other current energy converters (CECs) the working principle of a turbine comprising blades connected to a rotor shaft, is common, whether seabed mounted or mounted to floating structures. However, there are also other types of tidal energy converters under development without blades connected to a rotor shaft and there are wave energy converters under development with blades connected to a rotor shaft. This document aims to cover all types of hydrodynamic marine energy converters, being wave energy converters (WECs) and current energy converters (CECs). Therefore, this document provides requirements and recommendations for all wave energy converters and current energy converters. For wave energy converters and current energy converters with blades connected to a rotor shaft, the requirements are specified in more detail, since in this case there is more knowledge about the technical components of the device.

For all wave and current energy converters a subdivision can be made between seabed (or shore) mounted devices (see Figure 1) and floating devices (see Figure 2). The seabed can also be a riverbed and the shore can also be a pier, a bridge girder, a canal lock gate or another artificial construction. The seabed (or shore) mounted devices generally consist of the following subsystems:

- prime mover;

- power take-off (PTO);
- control;
- foundation and/or substructure.




Figure 1 – General scheme of marine energy converters fixed to the seabed or shore

There can be marine energy converter types that do not fit in this characterization like the magneto hydrodynamic device (MHD), where the seawater itself is the prime mover. For such a device the scheme can be reduced to only “foundation and/or substructure”, “power take-off” and “control”. At the oscillating water column device (OWC), air is used to transfer power from the moving seawater to the turbine. Here the air turbine is the prime mover.

Figure 2 gives a scheme for floating marine energy converter working principles. The floating marine energy converters generally consist of the following subsystems:

- prime mover;
- power take-off (PTO);
- control;
- floating device;
- mooring system.

This document is a preview generated by EVS




Figure 2 – General scheme of floating marine energy converters moored to the seabed or shore

Other configurations of the subsystems in these figures are also possible. For example, for wave energy converters the power take-off and prime mover can be inside the floating device. Also, a marine energy converter can be composed from more than one subsystem of any kind. The subsystems can also be connected in series, such as alternating series of prime movers and power take-offs, or in parallel. The floating device can also be moored above the seabed but below the free surface.

Special requirements are provided for marine energy converters with one or more blades connected at a single end to a rotor shaft. The rotor forms the prime mover of the marine energy converter. The rotor can rotate with respect to a substructure. The power take-off connects the rotor to the substructure and houses an energy conversion from mechanical power to electrical power or some other form of transportable power such as hydraulic power. This is also called the drive train. The power take-off can be housed in a nacelle. The substructure connects the power take-off to the foundation fixed to the seabed or shore (see Figure 3). A control subsystem can be applied to control critical functions like rotor speed, rotor torque and rotor braking.




Figure 3 – Marine energy converter with blades connected to a rotor shaft supported by a fixed substructure

There are also optional mechanical components in a control subsystem for example:

This document is a preview generated by EVS

- mechanism to allow yawing of the rotor towards the direction of the current (e.g. for the ebb and flood current direction);
- mechanism to allow pitching of the rotor blades for example to optimise power production, to shed loads or to adjust to the direction of the current.

The rotor and power take-off can also be supported by a floating device which is connected to the seabed (or shore) by a mooring system (see Figure 4).




Figure 4 – Marine energy converter with blades connected to a rotor shaft supported by a floating device

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1, *Marine Energy – Wave, tidal and other water current converters – Part 1: Terminology*

IEC TS 62600-2:2019, *Marine energy – Wave, tidal and other water current converters – Part 2: Marine energy systems – Design requirements*

IEC TS 62600-10, *Marine Energy – Wave, tidal and other water current converters – Part 10: Assessment of mooring system for marine energy converters (MECs)*

IEC TS 62600-100, *Marine Energy – Wave, tidal and other water current converters – Part 100: Electricity producing wave energy converters – Power performance assessment*

IEC TS 62600-200, *Marine energy – Wave, tidal and other water current converters – Part 200: Electricity producing tidal energy converters – Power performance assessment*

IEC TS 62600-300, *Marine energy – Wave, tidal and other water current converters – Part 300: Electricity producing river energy converters – Power performance assessment*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

This document is a preview generated by EVS