PUIDUTÖÖTLEMISMASINAD. OHUTUS. OSA 13: MITMEKETTALISED LINTSAAGIMISMASINAD KÄSITSI ETTEANDE JA/VÕI VÄLJAJOOKSUGA

Woodworking machines - Safety - Part 13: Multi-blade rip sawing machines with manual loading and/or unloading (ISO 19085-13:2020)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 19085-13:2 sisaldab Euroopa standardi EN 19085-13:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 19085-13:2020 consists of the English text of the European standard EN ISO 19085-13:2020.
Standard on jõustunud sellekohase te avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on tei Euroopa standardi rahvuslikele liikme kättesaadavaks 27.05.2020.	nud Date of Availability of the European standard is 27.05.2020.
Standard on kättesaadav E Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 13.110, 79.120.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 19085-13

NORME EUROPÉENNE EUROPÄISCHE NORM

May 2020

ICS 13.110; 79.120.10

Supersedes EN 1870-4:2012

English Version

Woodworking machines - Safety - Part 13: Multi-blade rip sawing machines with manual loading and/or unloading (ISO 19085-13:2020)

Machines à bois - Sécurité - Partie 13: Déligneuses multi-lames à chargement et/ou déchargement manuel (ISO 19085-13:2020)

Holzbearbeitungsmaschinen - Sicherheit - Teil 13: Mehrblattkreissägemaschinen für Längsschnitt mit Handbeschickung und/oder Handentnahme (ISO 19085-13:2020)

This European Standard was approved by CEN on 24 April 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (EN ISO 19085-13:2020) has been prepared by Technical Committee ISO/TC 39 "Machine tools" in collaboration with Technical Committee CEN/TC 142 "Woodworking machines - Safety" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2020, and conflicting national standards shall be withdrawn at the latest by November 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1870-4:2012.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19085-13:2020 has been approved by CEN as EN ISO 19085-13:2020 without any modification.

Annex ZA

(informative)

Relationship between this European Standard and the essential requirements of EU Directive 2006/42/EC

This European standard has been prepared under a Commission's standardisation request "M/396 Mandate to CEN and Cenelec for standardisation in the field of machinery" to provide one voluntary means of conforming to essential requirements of Directive 2006/42/EC of the European Parliament and of the Council of 17 May 2006 on machinery.

Once this standard is cited in the Official Journal of the European Union under that Directive 2006/42/EC, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Directive 2006/42/EC

The relevant Essential Requirements (ERs) of Directive 2006/42/EC	Clause(s)/sub-clause(s) of this EN	Remarks/Notes
1.1.2 Principles of safety integration		
a) fitted for its function	Clause 5, 6, 7, 8	
b) eliminate or reduce the risks, give measures, inform	Clause 5, 6, 7, 8	
c) intended use and reasonably foreseeable misuse	Clause 5, 6, 7, 8	
d) constraints in use	7.5, 8.3	
e) equipment	6.1, 8.3	
1.1.3 Materials and products	6.2, 7.3	
1.1.4 Lighting	8.3	
1.1.5 Design of machinery to facilitate its handling	7.5	
1.1.6 Ergonomics	7.5	
1.1.7 Operating position	5.2	
1.2.1 Safety and reliability of control systems	5.1, 5.6, 5.7, 5.8, 5.9, 5.12, 5.13, 6.5, 6.6, 7.7, 7.8	6
1.2.2 Control devices	5.2, 5.3, 5.4, 5.6, 5.7, 5.11, 5.13, 6.7.4.2, 8.3	7
1.2.3 Starting	5.3	
1.2.4 Stopping	5.4, 5.5, 6.4	40
1.2.4.1 Normal stop	5.4.2	0,
1.2.4.3 Emergency stop	5.4.4	
1.2.5 Selection of control or operating mode	5.6	

1.3.2 Risk of break-up during operation 1.3.3 Risks due to falling or ejected objects 1.3.4 Risk due to surfaces, edges or angles 1.3.4 Risk due to surfaces, edges or angles 1.3.5 Risks related to moving parts 1.3.6 Risks related to moving parts 1.3.6 Looice of protection against risks related to moving parts 1.3.8 Looice of protection against risks related to moving parts 1.3.8 I Moving transmission parts 1.3.8 Risk of uncontrolled movements 1.3.9 Risk of uncontrolled movements 1.3.9 Risk of uncontrolled movements 1.4.1 General requirements 1.4.2 I Fixed guards 1.4.2.1 Fixed guards 1.4.2.2 Interlocking movable guards 1.5.2 Looice of protective devices 1.5.3 Energy supply 1.5.4 Errors of fitting 1.5.5 Errors of fitting 1.5.6 Fire 1.5.7 Looice 1.5.11 External radiation 1.5.12 Laser equipment 1.5.13 Emission of hazardous materials and substances 1.6.1 Machinery maintenance 1.6.2 Access to operating position and servicing points 1.6.3 Isolation of energy sources 1.6.4 Operator intervention 1.6.5 Cleaning of internal parts 1.7.1 Information and warnings on the machinery 1.7.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 1.7.4 Instructions 1.7.5 Access to appear and the surface of the protection of machinery 1.7.4 Instructions 1.7.5 Marking of machinery 1.7.6 Marking of machinery 1.7.7 Warning devices 1.7.8 Marking of machinery 1.7.9 Instructions 1.7.4 Instructions	1.2.6 Failure of the power supply	5.8, 7.7, 7.8	
1.3.3 Risks due to falling or ejected objects 6.2, 6.3, 6.5, 6.8, 6.9, 8.3 1.3.4 Risk due to surfaces, edges or angles Not significant 1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 moving parts 6.6.3 1.3.8.1 Moving transmission parts 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.5 Fire 7.1 1.5.1 External radiation 7.9 1.5.1.2 Laser equipment 7.10 1.5.1.3 Emission of hazardous materials and substances 7.14, 8.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.4 Operator intervention 7.14, 8.3 </td <td>1.3,1 Risk of loss of stability</td> <td>6.1, 8.3</td> <td></td>	1.3,1 Risk of loss of stability	6.1, 8.3	
1.3.4 Risk due to surfaces, edges or angles	1.3.2 Risk of break-up during operation	6.2, 8.3	
1.3.7 Risks related to moving parts 6.5, 6.6, 6.7, 8.3 1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.14, 8.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1 1.7.2 Warning devices 8.1 <	1.3.3 Risks due to falling or ejected objects	6.2, 6.3, 6.5, 6.8, 6.9, 8.3	
1.3.8 Choice of protection against risks related to moving parts 6.6, 6.7, 6.8 1.3.8.1 Moving transmission parts 6.6.3 1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1 1.	1.3.4 Risk due to surfaces, edges or angles		Not significant
1.3.8.1 Moving transmission parts 1.3.8.1 Moving transmission parts 1.3.8.2 Moving parts involved in the process 1.4.2.1 Six of uncontrolled movements 1.4.1 General requirements 1.4.2.1 Fixed guards 1.4.2.2 Interlocking movable guards 1.4.2.2 Interlocking movable guards 1.4.2.2 Interlocking movable guards 1.4.2.3 Special requirements for protective devices 1.5.3 Electricity supply 1.5.2 Static electricity 1.5.3 Energy supply other than electricity 1.5.4 Errors of fitting 1.5.4 Errors of fitting 1.5.6 Fire 1.5.8 Noise 1.5.1 External radiation 1.5.12 Exact equipment 1.5.13 Emission of hazardous materials and substances 1.6.1 Machinery maintenance 1.6.2 Access to operating position and servicing points 1.6.3 Isolation of energy sources 1.4.8.3 1.6.4 Operator intervention 1.4.8.3 1.7.1 Information and warnings on the machinery 1.5.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 1.7.4 Instructions 1.7.5 Instructions 1.7.5 Instructions 1.7.7 Inst	1.3.7 Risks related to moving parts	6.5, 6.6, 6.7, 8.3	
1.3.8.2 Moving parts involved in the process 6.6.2 1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.1 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1 1.7.2 Warning devices 8.1 1.7.4 Instructions 8.3	1.3.8 Choice of protection against risks related to moving parts	6.6, 6.7, 6.8	
1.3.9 Risk of uncontrolled movements 6.1.1 1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1 1.7.2 Warning devices 8.1 1.7.4 Instructions 8.3	1.3.8.1 Moving transmission parts	6.6.3	
1.4.1 General requirements 6.9 1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.5 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.3.8.2 Moving parts involved in the process	6.6.2	
1.4.2.1 Fixed guards 6.5.1 1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.5 Fire 7.1 1.5.1 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.3.9 Risk of uncontrolled movements	6.1.1	
1.4.2.2 Interlocking movable guards 6.5.2 1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.4.1 General requirements	6.9	
1.4.3 Special requirements for protective devices 6.5.3, 6.5.6 1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.4.2.1 Fixed guards	6.5.1	
1.5.1 Electricity supply 7.4, 7.13 1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.4.2.2 Interlocking movable guards	6.5.2	
1.5.2 Static electricity 7.11 1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.4.3 Special requirements for protective devices	6.5.3, 6.5.6	
1.5.3 Energy supply other than electricity 7.7, 7.8 1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.1 Electricity supply	7.4, 7.13	
1.5.4 Errors of fitting 7.12 1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.2 Static electricity	7.11	
1.5.6 Fire 7.1 1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.3 Energy supply other than electricity	7.7, 7.8	
1.5.8 Noise 7.2 1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.4 Errors of fitting	7.12	
1.5.11 External radiation 7.9 1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.6 Fire	7.1	
1.5.12 Laser equipment 7.10 1.5.13 Emission of hazardous materials and substances 7.3 1.6.1 Machinery maintenance 7.14, 8.3 1.6.2 Access to operating position and servicing points 7.14, 8.3 1.6.3 Isolation of energy sources 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.5.8 Noise	7.2	
1.5.13 Emission of hazardous materials and substances 1.6.1 Machinery maintenance 1.6.2 Access to operating position and servicing points 1.6.3 Isolation of energy sources 1.6.4 Operator intervention 1.6.5 Cleaning of internal parts 1.7.1 Information and warnings on the machinery 1.7.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 1.7.4 Instructions 1.7.5 Instructions 1.7.5 Instructions 1.7.6 Instructions 1.7.7 Instructions 1.7.8 Instructions 1.7.9 Instructions 1.7.	1.5.11 External radiation	7.9	
Substances 1.6.1 Machinery maintenance 1.6.2 Access to operating position and servicing points 1.6.3 Isolation of energy sources 1.6.4 Operator intervention 1.6.5 Cleaning of internal parts 1.7.1 Information and warnings on the machinery 1.7.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 7.14, 8.3 8.1 8.2 8.1 8.2 8.3	1.5.12 Laser equipment	7.10	
1.6.2 Access to operating position and servicing points 1.6.3 Isolation of energy sources 1.6.4 Operator intervention 1.6.5 Cleaning of internal parts 1.7.1 Information and warnings on the machinery 1.7.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 7.14, 8.3 8.1 8.2 8.3	1.5.13 Emission of hazardous materials and substances	7.3	
points 7.13, 8.3 1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.6.1 Machinery maintenance	7.14, 8.3	
1.6.4 Operator intervention 7.14, 8.3 1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.6.2 Access to operating position and servicing points	7.14, 8.3	
1.6.5 Cleaning of internal parts 7.14, 8.3 1.7.1 Information and warnings on the machinery 8.1, 8.2 1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.6.3 Isolation of energy sources	7.13, 8.3	
1.7.1 Information and warnings on the machinery 1.7.2 Warning devices 1.7.3 Marking of machinery 1.7.4 Instructions 8.1, 8.2 8.1 8.2	1.6.4 Operator intervention	7.14, 8.3	
1.7.2 Warning devices 8.1 1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.6.5 Cleaning of internal parts	7.14, 8.3	
1.7.3 Marking of machinery 8.2 1.7.4 Instructions 8.3	1.7.1 Information and warnings on the machinery	8.1, 8.2	
1.7.4 Instructions 8.3	1.7.2 Warning devices	8.1	4
	1.7.3 Marking of machinery	8.2	0,
2.3 Machinery for working wood and analogous	1.7.4 Instructions	8.3	
	2.3 Machinery for working wood and analogous		

materials		
a) guiding	6.10, 6.11	
b) ejection	6.9, 8.3	
c) brake	5.5, 6.4	
d) Accidental tool contact	8.3	

WARNING 1 — Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this ation may be standard should consult frequently the latest list published in the Official Journal of the European Union.

WARNING 2 — Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

Introduction	Co	ntents	;	Page
1 Scope 1 2 Normative references 1 3 Terms and definitions 2 4 List of significant hazards 4 5 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.2 Control devices 6 5.3 Start 5 5.4 Sofe stops 6 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 8 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing by changing belts on the pulleys 10 5.7.2 <th>Fore</th> <th>word</th> <th></th> <th>v</th>	Fore	word		v
1 Scope 1 2 Normative references 1 3 Terms and definitions 2 4 List of significant hazards 4 5 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.1 Safety requirements and measures for controls 6 5.2 Control devices 6 5.3 Start 5 5.4 Sofe stops 6 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 8 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing by changing belts on the pulleys 10 5.7.2 <th>Intr</th> <th>oduction</th> <th></th> <th>vi</th>	Intr	oduction		vi
2 Normative references				
3 Terms and definitions 2 4 List of significant hazards 4 5 Safety requirements and measures for controls 6 5.1 Safety and reliability of control systems 6 5.2 Control devices 6 5.3 Start 8 5.4 General 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 9 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7.3 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by frequency inverter 10	1	Scope		1
4 List of significant hazards 4 5 Safety requirements and measures for controls 6 5.1 Safety and reliability of control systems 6 5.2 Control devices 6 5.3 Start 8 5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.8 Failure of any power supply 10 <	2	Norm	ative references	1
4 List of significant hazards 4 5 Safety requirements and measures for controls 6 5.1 Safety and reliability of control systems 6 5.2 Control devices 6 5.3 Start 8 5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.8 Failure of any power supply 10 <	3	Terms	and definitions	2
5 Safety requirements and measures for controls 6 5.1 Safety and reliability of control systems 6 5.2 Control devices 6 5.2 Control devices 6 5.2 Safe stops 8 5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing by changing belts on the pulleys 10 5.7.1 Spindle speed changing by incremental speed change motor 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10	4.			
5.1 Safety and reliability of control systems 6 5.2 Control devices 6 5.3 Start 8 5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.6 Mode selection 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11<	_			
5.2 Control devices 6 5.3 Start 5 5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13	5	-		
5.3 Start 5.4 Safe stops 5.4.1 General 8.5.4.2 Normal stop 8.5.4.2 Normal stop 8.5.4.2 Normal stop 8.5.4.2 Normal stop 8.5.4.2 Mode selection 8.5.4.4 Emergency stop 8.5.5.4 Emergency stop 8.5.5.6 Mode selection 8.5.6.1 General 8.6.2 Selection 9.6.2 Selection 9.		_		
5.4 Safe stops 8 5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 11 5.12 Time delay 10 <td></td> <td>_</td> <td></td> <td></td>		_		
5.4.1 General 8 5.4.2 Normal stop 8 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing by changing belts on the pulleys 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.2 Spindle speed changing by requency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12				
5.4.2 Normal stop 5.4.3 Operational stop 8 5.4.4 Emergency stop 8 5.5 Braking function of tool spindles 6 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by changing belts on the pulleys 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10		0.1	•	
5.4.3 Operational stop. 5.4 5.4.4 Emergency stop. 6 5.5 Braking function of tool spindles. 5 5.6 Mode selection. 6 5.6.1 General. 8 5.6.2 Pressure shoe/board cutting mode. 9 5.6.4 Powered axial adjustment mode. 9 5.7 Spindle speed changing. 10 5.7.1 Spindle speed changing by changing belts on the pulleys. 10 5.7.2 Spindle speed changing by incremental speed change motor. 10 5.7.3 Infinitely variable speed by frequency inverter. 10 5.8 Failure of any power supply. 10 5.9 Manual reset control. 10 5.10 Enabling control. 10 5.11 Machine moving parts limited speed monitoring. 10 5.12 Time delay. 10 5.13 Powered adjustments when guards are closed. 11 6.1 Stability. 11 6.1 Stability. 11 6.1.				
5.5 Braking function of tool spindles 8 5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.2 Risk of break-up during operation <				
5.6 Mode selection 8 5.6.1 General 8 5.6.2 Pressure shoe/board cutting mode 9 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.2 Risk of break-up during operation 11 6.3.1 General 11				
5.6.1 General 5 5.6.2 Pressure shoe/board cutting mode 8 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3.1 General 11		5.5	Braking function of tool spindles	8
5.6.2 Pressure shoe/board cutting mode 5 5.6.3 Cleaning mode 9 5.6.4 Powered axial adjustment mode 9 5.7.1 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.2 Spindle lock		5.6		
5.6.3 Cleaning mode 5 5.6.4 Powered axial adjustment mode 9 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11				
5.6.4 Powered axial adjustment mode 5 5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.4 Flanges dimensions for circular saw				
5.7 Spindle speed changing 10 5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.4.1 Braking 11				
5.7.1 Spindle speed changing by changing belts on the pulleys 10 5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4.1 Braking </td <td></td> <td></td> <td></td> <td></td>				
5.7.2 Spindle speed changing by incremental speed change motor 10 5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.2 Spindle locking 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.		5.7		
5.7.3 Infinitely variable speed by frequency inverter 10 5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4.1 Braking 11 6.4.2 Maximum run-down time 12 6.4.3 Bra				
5.8 Failure of any power supply 10 5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12				
5.9 Manual reset control 10 5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12		5.8		
5.10 Enabling control 10 5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12			Manual reset control	10
5.11 Machine moving parts limited speed monitoring 10 5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12				
5.12 Time delay 10 5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12				
5.13 Powered adjustments when guards are closed 10 6 Safety requirements and measures for protection against mechanical hazards 11 6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12			Time delay	10
6 Safety requirements and measures for protection against mechanical hazards. 11 6.1 Stability				
6.1 Stability 11 6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12	6	·		
6.1.1 Stationary machines 11 6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12	O			
6.1.2 Displaceable machines 11 6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12		0.1	6.1.1 Stationary machines	11
6.2 Risk of break-up during operation 11 6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12			6.1.1 Stationary machines	11
6.3 Tool holder and tool design 11 6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12		6.2	Risk of break-up during operation	11
6.3.1 General 11 6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12				
6.3.2 Spindle locking 11 6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12		0.0		
6.3.3 Circular saw blade fixing device 11 6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12				
6.3.4 Flanges dimensions for circular saw blades 11 6.4 Braking 11 6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12			6.3.3 Circular saw blade fixing device	11
6.4.1 Braking of tool spindles 11 6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12				
6.4.2 Maximum run-down time 12 6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12		6.4		
6.4.3 Brake release 12 6.5 Safeguard design 12 6.5.1 Fixed guards 12			6.4.1 Braking of tool spindles	11
6.5 Safeguard design12 6.5.1 Fixed guards12				
6.5.1 Fixed guards			6.4.3 Brake release	12
		6.5		
6.5.2 Interlocking moveable guards12				
CHO WILL				
6.5.3 Hold-to-run control 12				
6.5.4 Two-hand control 12				
6.5.5 Electro-sensitive protective equipment (ESPE) 12				

	6.6	Prevention of access to moving parts	12
		6.6.1 General	12
		6.6.2 Guarding of tools	13
		6.6.3 Guarding of drives	13
		6.6.4 Guarding of crushing and shearing zones	13
	6.7	Impact hazard	14
	6.8	Clamping devices	14
	6.9	Measures against ejection	
		6.9.1 General	
		6.9.2 Guards materials and characteristics	
		6.9.3 Measures against ejection through the infeed opening	
		6.9.4 Measures against ejection through the outfeed opening	25
	6.10	Work-piece support and guide	28
7	Safet	ty requirements and measures for protection against other hazards	28
	7.1	Fire	28
	7.2	Noise	28
		7.2.1 Noise reduction at the design stage	28
		7.2.2 Noise emission measurement	28
	7.3	Emission of chips and dust	28
	7.4	Electricity	28
		7.4.1 General	28
		7.4.2 Displaceable machines	28
	7.5	Ergonomics and handling	28
	7.6	Lighting	28
	7.7	Pneumatics	29
	7.8	Hydraulics	29
	7.9	Electromagnetic compatibility	29
	7.10	Laser	29
	7.11	Static electricity	29
	7.12	Errors of fitting	
	7.13	Isolation	29
	7.14	Maintenance	29
8	Infor	rmation for use	29
	8.1	Warning devices	
	8.2	Marking	
	0.2	8.2.1 General	
		8.2.2 Additional marking	
	8.3	Instruction handbook	
	0.0	8.3.1 General	
		8.3.2 Additional information	
Anne	x A (in	formative) Performance level required	
Anna	v P (no	ormative) Test for braking function	22
Anne		ormative) Stability test for displaceable machines	22
Anne	N D (22	ormative) Impact test method for guards	33 2.4
		ormative) Noise emission measurement for machines not in ISO 7960:1995	
		ormative) Test for the anti-splinter system on machines with one chain conve	
	-	ny	
ווטוע	וועם וצט.	I V	4U

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 39, *Machine tools*, Subcommittee SC 4, *Woodworking machines*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 142, *Woodworking machines - Safety*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This document is intended to be used in conjunction with ISO 19085-1:2017, which gives requirements common to different machine types.

A list of all parts in the ISO 19085 series can be found on the ISO website.