

Packaging - Glass Packaging - Deep BVS finishes for still wines

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16293:2020 sisaldab Euroopa standardi EN 16293:2020 ingliskeelset teksti.	This Estonian standard EVS-EN 16293:2020 consists of the English text of the European standard EN 16293:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.06.2020.	Date of Availability of the European standard is 24.06.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 55.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Packaging - Glass Packaging - Deep BVS finishes for still wines

Emballage - Emballages en verre - Bagues BVS hautes
pour vins tranquilles

Verpackung - Verpackungen aus Glas - Tiefe BVS-
Mundstücke für stille Weine

This European Standard was approved by CEN on 17 May 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Designation	5
5 Recommendations	5
6 Constructions and dimensions of deep BVS finishes	5
7 Thread profile construction	10
8 Construction for sealing surface and bore entrance profile	11
9 Construction of transfer bead	11
10 Construction of the neck	13
11 BVS finishes — Dimensions Y and X	13
12 Control of bottle and neck verticality	16
Annex A (normative) Parnaby type gauge	17
Bibliography	18

European foreword

This document (EN 16293:2020) has been prepared by Technical Committee CEN/TC 261 “Packaging”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2020, and conflicting national standards shall be withdrawn at the latest by December 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16293:2013.

The essential modifications in this document as compared to the previous version have been brought in the following sections:

- Introduction of the mandatory Clause 2. Normative references (no normative references are listed).
- New numbering of all clauses from Clause 1.
- In Clause 3. Terms and definitions: modification of definition 3.1 deep BVS finish.
- Addition of Clause 4. Designation.
- Renaming of Clause 3. Requirements in Clause 5. Recommendations, and introducing the relevant changes in the text.
- In Clause 6. Constructions and dimensions of deep BVS finishes: addition of Note 3 and deletion of key c in Table 1.
- In Clause 8. Construction for sealing surface and bore entrance profile, Figure 5:
 - addition of the specified gap of 0/+0,2 mm on the guide-ring external diameter;
 - introduction of a minimum value in addition to the existing maximum value for the sealing surface: 0,5 -1,0 mm.
- In Clause 9. Construction of transfer bead: addition of a paragraph after Figure 6.
- In Clause 11. BVS finishes — Dimensions Y and X: deletion of the ovality tolerance notion in Table 4 and clarification on how to use the tolerance on Y and Y_{MEAN} .
- In Clause 12. Control of bottle and neck verticality: rewording of paragraph to introduce requirements.
- Addition of Annex A (normative) Parnaby type gauge.
- Update of the Bibliography section.
- Many editorial changes in the text as well as in the figures.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Efficient packaging is of great importance for the distribution and the protection of goods as insufficient or inappropriate packaging can lead to damage or wastage of the contents of the pack.

This document is a preview generated by EVS

1 Scope

This document specifies dimensions of a series of deep screw finishes for the closure of wines with a CO₂ content below 1,2 g per litre.

NOTE Carbonation $\geq 1,2$ g/l CO₂ requires a suitable container and closure agreed between the glass maker, closure maker and packer/filler.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following term and definition apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

deep BVS finish

neck finish designed to receive a screw cap equipped with a tamper evident skirt

4 Designation

The finish can be defined successively by its name (BVS), the diameter (in mm), the type (H) and the height of the closure (in mm), for example BVS 28 H 44, BVS 30 H 60.

5 Recommendations

Container verticality should be controlled as specified in Clause 12 "Control of bottle and neck verticality".

During capping, when changing between different batches of bottles conforming to this document or different batches of caps, it is necessary to verify the setting of the capping equipment.

6 Constructions and dimensions of deep BVS finishes

The constructions of deep BVS finishes shall be as given in the following figures:

- Figure 1: Constructions and dimensions
- Figure 2: Optional finish with additional support bead
- Figure 3: Optional take-out groove

The dimensions of deep BVS finishes shall be as given in the following tables:

- Table 1 – Dimensions for finishes type BVS
- Table 4 – Dimensions Y and X for finishes type BVS