Space engineering - Simulation modelling platform



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 16603-40-07: sisaldab Euroopa standardi 16603-40-07:2020 ingliskeelset teksti.	:2020 This Estonian standard EVS-EN 16603-40-07:202 consists of the English text of the Europea standard EN 16603-40-07:2020.
Standard on jõustunud sellekohase avaldamisega EVS Teatajas	teate This standard has been endorsed with notification published in the official bulletin of th Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on te Euroopa standardi rahvuslikele liikm kättesaadavaks 10.06.2020.	J 1
Standard on kättesaadav Standardikeskusest.	Eesti The standard is available from the Estonian Centr for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 49.140

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN 16603-40-07

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2020

ICS 49.140

English version

Space engineering - Simulation modelling platform

Ingénierie spatiale - Plateforme de modélisation pour simulation

Raumfahrttechnik - Teil 40-07: Modelliersoftware-Platform

This European Standard was approved by CEN on 17 May 2020.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

Europe	ean fore	eword	7	
Introdu	uction		8	
1 Scop	e		9	
2 Norn	native re	eferences	10	
3 Term	ıs, defir	nitions and abbreviated terms	11	
3.1	Terms f	from other standards	11	
3.2	Terms	specific to the present standard	11	
3.3	Abbrev	iated terms	16	
3.4	Nomen	clature	16	
4 Princ	iples		17	
4.1	17 1 Objectives			
4.2	Common Concepts and common types17			
4.3	Architecture			
4.4	Time handling principle19			
4.5	Simulation lifecycle20			
4.6				
	4.6.1	Discrete-event simulation (DES)	21	
	4.6.2	Parallelization and distribution		
	4.6.3	Inter component communication		
4.7	Models	, Services and Components	23	
	4.7.1	Objects		
	4.7.2	Components	25	
	4.7.3	Factories	27	
	4.7.4	Models and Services	27	
4.8	Publica	tion and Persistence	28	
4.9	Dynami	ic invocation	29	
4.10	Compo	nents meta data	31	
	4.10.1	Catalogue	31	
	4.10.2	Package	31	

		4.10.3	Configuration	32
	4.11	Model e	exchanges considerations	32
		4.11.1	Overview	32
		4.11.2	SMP Bundle	32
5 I	Interl	face red	ıuirements	33
			n	
	0	5.1.1	Primitive Types specification	
		5.1.2	Time Kinds	
		5.1.3	Path string	
		5.1.4	Universally Unique Identifiers (UUID)	
		5.1.5	Exception specification	
	5.2	Compor	nents and Objects interfaces	37
		5.2.1	Object Specification (IObject)	37
		5.2.2	Collection Specification (ICollection)	38
		5.2.3	Component Specification	39
		5.2.4	Aggregation	42
		5.2.5	Composition	45
		5.2.6	Events	47
		5.2.7	Entry points	50
		5.2.8	Dynamic Invocation	50
		5.2.9	Persistence (IPersist)	54
		5.2.10	Failures	
		5.2.11	Field interfaces	56
		5.2.12	Requirements on utilization of Simulation Environments interfaces by components	62
	5.3	Simulati	componentsion Environment interfaces	63
		5.3.1	Logger (ILogger interface) Time Keeper (ITimeKeeper)	63
		5.3.2	Time Keeper (ITimeKeeper)	65
		5.3.3	Scheduler (IScheduler)	67
		5.3.4	Event Manager (IEventManager)	
		5.3.5	Resolver (IResolver)	79
		5.3.6	Link Registry (ILinkRegistry)	
		5.3.7	Simulator (ISimulator)	82
		5.3.8	Persistence	
		5.3.9	Publication	95
		5.3.10	Type Registry	.102
		5.3.11	Component Factory (IFactory)	.107

5.4	Meta data		108
	5.4.1	Catalogue	108
	5.4.2	Package	112
	5.4.3	Configuration data	112
6 Impl	ementa	ition mapping	113
		gue to C++	
	6.1.1	Mapping templates	113
	6.1.2		
	6.1.3	Element and Type Visibility Kind	116
	6.1.4	Mapping of elements	117
	6.1.5	Basic Value Types	126
	6.1.6	Compound Value Types	128
	6.1.7	Reference Types	130
6.2	Packag	ge to library	133
	6.2.1	Mapping templates	133
	6.2.2	Common to Unix and Windows	133
	6.2.3	Unix (Shared object)	134
	6.2.4	Addendum for Windows Dynamic Link Library (DLL)	135
	6.2.5	SMP Bundle	136
Annex	A (nor	mative) Catalogue file - DRD	137
A.1	-	gue DRD	
	A.1.1	Requirement identification and source document	137
	A.1.2	Purpose and objective	
A.2	Expect	ed response	
	A.2.1	Scope and content	137
	A.2.2	Special remarks	137
Annex	B (nor	mative) Package file - DRDge DRD	138
B.1	Packad	ge DRD	138
	B.1.1	Requirement identification and source document	
	B.1.2	Purpose and objective	·138
B.2	Expect	red response	138
	B.2.1	Scope and content	
	B.2.2	Special remarks	* /
Annex	C (nor	mative) Configuration file - DRD	139
C.1		uration DRD	
	_	Requirement identification and source document	

	C.1.2	Purpose and objective	139		
C.2	Expect	ted response	139		
	C.2.1	Scope and content	139		
	C.2.2	Special remarks	139		
Annex	D (nor	mative) Manifest file - DRD	140		
		uration DRD			
2	D.1.1				
	D.1.2				
D.2		ted response			
	D.2.1	Scope and content			
	D.2.2	Special remarks			
Diblia			4.40		
DIDIIO	grapny		143		
Figure		0,	4.0		
		mmon Concepts and Type System			
•		P Architecture			
•		P State machine			
•	•	ect mechanisms			
		erview of components hierarchy			
		mponent Mechanisms			
_		mponent State machine			
Figure	4-8: Seq	quence of calls for dynamic invocation	30		
Tables					
		rview of simulation states			
Table 4	I-2: View	vKind values	28		
Table 5	Table 4-2: ViewKind Values				
Table 5-2: Component states39					
		nantically equivalent types for connections			
Table 5	5-4: Defa	ault Log Message Kinds	64		
		dition for emitting predefined global events			
	Table 6-1: C++ declaration templates11				
	Table 6-2: C++ definition templates116				
	Table 6-3: C++ mapping for the Visibility kind attribute116				
		mapping of Association depending on ByPointer attribute			
Table 6	6-5: C++	mapping for the Direction kind attribute	120		

Table 6-6: C++ mapping for Property depending on ByPointer attribute	
Table 6-7: C++ mapping for the Operator attribute kinds	
Table 6-8: C++ declaration templates for packages	
Table D-1: SMP Manifest Key	141

European foreword

This document (EN 16603-40-07:2020) has been prepared by Technical Committee CEN-CENELEC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-40-07:2020) originates from ECSS-E-ST-40-07C.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2020, and conflicting national standards shall be withdrawn at the latest by December 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Space programmes have developed simulation software for a number of years, which are used for a variety of applications including analysis, engineering operations preparation and training. Typically, different departments perform developments of these simulators, running on several different platforms and using different computer languages. A variety of subcontractors are involved in these projects and as a result a wide range of simulation software are often developed. This standard addresses the issues related to portability and reuse of simulation models. It is based on the work performed by ESA in the development of the Simulator Model Portability Standards SMP1 and SMP2 starting from the mid-end of the nineties.

This standard integrates the ECSS-E-ST-40 with additional requirements which are specific to the development of simulation software. The formulation of this standard takes into account:

- The existing ISO 9000 family of documents, and
- The Simulation Model Portability specification version 1.2.

The intended readership of this standard is the simulator software customer and supplier.

1 Scope

ECSS-E-ST-40-07 is a standard based on ECSS-E-ST-40 for the engineering of simulation software.

ECSS-E-ST-40-07 complements ECSS-E-ST-40 in being more specific to simulation software. Simulation software include both Simulation environments and simulation models. The standard enables the effective reuse of simulation models within and between space projects and their stakeholders. In particular, the standard supports model reuse across different simulation environments and exchange between different organizations and missions.

This standard can be used as an additional standard to ECSS-E-ST-40 providing the additional requirements which are specific to simulation software.

This standard may be tailored for the specific characteristic and constrains of a space project in conformance with ECSS-S-T-00.

Applicability

This standard lays down requirements for simulation software including both Simulation environments and simulation models. The requirements cover simulation models' interfaces and simulation environment interfaces for the purpose of model re-use and exchange to allow simulation models to be run in any conformant simulation environment.

A consequence of being compliant to this standard for a model is the *possibility* of being reused in several simulation facilities or even in several projects. However, adherence to this standard does <u>not</u> imply or guarantees model reusability, it is only a precondition. Other characteristics of the model, to be defined outside this standard, such as its functional interfaces and behaviour, its configuration data as well as quality, suitability and performance, etc. are also heavily affecting the potential for a model to be reused. In addition, agreements need to be reached on simulation environments compatibility, model validation status as well as legal issues and export control restrictions.

Therefore, this standard *enables* but does not mandate, impose nor guarantee successful model re-use and exchange.

Model reuse in this standard is meant both at source-code and binary level, with the latter restricted to a fixed platform.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system - Glossary of terms
EN 16603-40	ECSS-E-ST-40	Space engineering - Software general requirements
	[SMP_FILES]	ECSS_SMP_Issue1(2March2020).zip - SMP C++ Header files, SMP XML schemas and SMP Catalogue. (Available from ECSS website)
	https://www.w3.org/T R/xmlschema11-2/	XML schema specification
	http://www.opengrou p.org	The UUID specification from Open Group.
	https://www.osgi.org/ developer/specificatio ns/	OSGi Specifications