
**Thermal insulating products
for building applications —
Determination of freeze-thaw
resistance**

*Produits isolants thermiques destinés aux applications du bâtiment —
Détermination de la résistance aux effets du gel-dégel*



This document is a preview generated by ERS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	2
6 Test specimens	2
6.1 General.....	2
6.2 Dimensions of test specimens.....	2
6.3 Number of test specimens.....	2
6.4 Preparation of test specimens.....	2
6.5 Conditioning of test specimens.....	3
7 Procedure	3
7.1 General.....	3
7.2 Preliminary tests.....	3
7.3 Water absorption frost thaw cycling.....	4
7.4 Compression behaviour.....	4
7.5 Interruption of the procedure.....	4
8 Calculation and expression of results	5
8.1 Water absorption.....	5
8.2 Changes in the compression behaviour.....	6
9 Test report	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 1, *Test and measurement methods*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 88, *Thermal insulating materials and products*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 16546:2012), which has been technically revised. The main changes compared to the previous edition are as follows:

- Revision of Clause 4, the test is performed by an automatic process only;
- Revision of Clause 7 with a more detailed procedure.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Thermal insulating products for building applications — Determination of freeze-thaw resistance

1 Scope

This document specifies the equipment and test method for determining the effects of successive cycling from dry conditions at -20 °C to wet conditions at 20 °C on the mechanical properties and moisture content of thermal insulating products.

This document is intended to simulate the freeze–thaw effects on thermal insulating products which are frequently exposed to water and low temperature conditions, e.g. inverted roofs and unprotected ground insulation.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 29469, *Thermal insulating products for building applications — Determination of compression behaviour*

ISO 16535, *Thermal insulating products for building applications — Determination of long-term water absorption by immersion*

ISO 16536, *Thermal insulating products for building applications — Determination of long-term water absorption by diffusion*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

freeze-thaw resistance

ability of a product to withstand repeated wetting followed by freezing conditions, quantified by water absorption and change in compression behaviour

4 Principle

The test is performed continuously using an automatic process of cycling between the specified conditions.

The freeze-thaw resistance is determined as the change in the amount of water absorbed and the change in compression strength or stress of a test specimen which has been subjected to 300 successive cycles from dry conditions at -20 °C to wet conditions at 20 °C . Testing shall be performed in conjunction with one of the following long-term water absorption tests:

a) water absorption by diffusion, according to ISO 16536;