

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 4-2: Contactors and motor-starters – Semiconductor motor controllers,
starters and soft-starters**

**Appareillage à basse tension –
Partie 4-2: Contacteurs et démarreurs de moteurs – Gradateurs, démarreurs et
démarreurs progressifs à semiconducteurs de moteurs**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Low-voltage switchgear and controlgear –
Part 4-2: Contactors and motor-starters – Semiconductor motor controllers,
starters and soft-starters**

**Appareillage à basse tension –
Partie 4-2: Contacteurs et démarreurs de moteurs – Gradateurs, démarreurs et
démarreurs progressifs à semiconducteurs de moteurs**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.130.20

ISBN 978-2-8322-8451-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.
--

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	11
3 Terms, definitions, symbols and abbreviated terms.....	12
3.1 Terms and definitions.....	12
3.1.1 Terms and definitions concerning the types of semiconductor motor controllers and starters	12
3.1.2 Terms and definitions concerning semiconductor motor controllers and starters	14
3.1.3 Terms and definitions concerning safety aspects	17
3.1.4 Alphabetical index of terms	18
3.2 Symbols and abbreviated terms	20
4 Classification.....	20
5 Characteristics of semiconductor motor controllers and starters	20
5.1 Summary of characteristics.....	20
5.2 Type of equipment	21
5.2.1 Kind of equipment.....	21
5.2.2 Number of poles	21
5.2.3 Kind of current	21
5.2.4 Interrupting medium (air, vacuum, etc.).....	21
5.2.5 Operating conditions of the equipment.....	21
5.3 Rated and limiting values for main circuits	22
5.3.1 Rated voltages.....	22
5.3.2 Currents.....	24
5.3.3 Rated frequency	25
5.3.4 Duty cycle values and sequences	25
5.3.5 Normal load and overload characteristics.....	25
5.3.6 Rated conditional short-circuit current.....	27
5.3.7 Semiconductor motor controller power losses	27
5.4 Utilization category	28
5.4.1 General.....	28
5.4.2 Assignment of ratings based on the results of tests	28
5.5 Control circuits.....	29
5.6 Auxiliary circuits.....	29
5.7 Characteristics of relays and releases (overload relays).....	29
5.7.1 Summary of characteristics	29
5.7.2 Types of relay or release	30
5.7.3 Characteristic values	30
5.7.4 Designation and current settings of overload relays	31
5.7.5 Time-current characteristics of overload relays	31
5.7.6 Influence of ambient air temperature.....	32
5.8 Coordination with short-circuit protective devices (SCPD).....	32
6 Product information	32
6.1 Nature of information	32
6.2 Marking.....	34

6.3	Instructions for installation, operation, maintenance, decommissioning and dismantling	34
6.4	Environmental information	34
7	Normal service, mounting and transport conditions	35
7.1	Normal service conditions	35
7.1.1	Ambient air temperature	35
7.1.2	Altitude	35
7.1.3	Atmospheric conditions	35
7.1.4	Shock and vibrations	35
7.2	Conditions during transport and storage	35
7.3	Mounting	35
7.4	Electrical system disturbances and influences	35
8	Constructional and performance requirements	36
8.1	Constructional requirements	36
8.1.1	General	36
8.1.2	Materials	36
8.1.3	Current-carrying parts and their connections	37
8.1.4	Clearances and creepage distances	37
8.1.5	Actuator	37
8.1.6	Indication of the contact position	37
8.1.7	Additional requirements for equipment suitable for isolation	37
8.1.8	Terminals	37
8.1.9	Additional requirements for equipment provided with a neutral pole	38
8.1.10	Provisions for protective earthing	38
8.1.11	Enclosures for equipment	38
8.1.12	Degrees of protection of enclosed equipment	38
8.1.13	Conduit pull-out, torque and bending with metallic conduits	38
8.1.14	Limited energy source	38
8.1.15	Stored charge energy circuit	40
8.1.16	Fault and abnormal conditions	40
8.1.17	Short-circuit and overload protection of ports	41
8.2	Performance requirements	41
8.2.1	Operating conditions	41
8.2.2	Temperature-rise	46
8.2.3	Dielectric properties	47
8.2.4	Normal load and overload performance requirements	48
8.2.5	Coordination with short-circuit protective devices	53
8.3	EMC requirements	54
8.3.1	General	54
8.3.2	Immunity	54
8.3.3	Emission	56
9	Tests	56
9.1	Kinds of tests	56
9.1.1	General	56
9.1.2	Type tests	56
9.1.3	Routine tests	57
9.1.4	Sampling tests	57
9.1.5	Special tests	57
9.2	Compliance with constructional requirements	58

9.2.1	General.....	58
9.2.2	Electrical performance of screwless-type clamping units	58
9.2.3	Ageing test for screwless-type clamping units	59
9.2.4	Limited energy source test.....	59
9.2.5	Breakdown of components	59
9.2.6	Wire flexing test.....	60
9.3	Compliance with performance requirements	60
9.3.1	Test sequences	60
9.3.2	General test conditions	61
9.3.3	Performance under no load, normal load, and overload conditions	61
9.3.4	Performance under short-circuit conditions	72
9.4	EMC tests	75
9.4.1	General.....	75
9.4.2	EMC immunity tests	76
9.4.3	EMC emission tests	76
9.5	Routine and sampling tests	79
9.5.1	General.....	79
9.5.2	Operation and operating limits	79
9.5.3	Dielectric tests	79
Annex A (normative)	Marking and identification of terminals	81
A.1	General.....	81
A.2	Marking and identification of terminals of semiconductor controllers and starters	81
A.2.1	Marking and identification of terminals of main circuits.....	81
A.2.2	Marking and identification of terminals of control circuits.....	81
A.3	Marking and identification of terminals of overload relays	81
Annex B (xxx)		82
Annex C (normative)	Coordination at the crossover current between the starter and associated SCPD.....	83
C.1	General and definitions	83
C.1.1	General.....	83
C.1.2	Terms and definitions	83
C.2	Condition for the test for the verification of coordination at the crossover current by a direct method	83
C.3	Test currents and test circuits	83
C.4	Test procedure and results to be obtained	84
C.4.1	Test procedure	84
C.4.2	Results to be obtained	84
C.5	Verification of coordination at the crossover current by an indirect method	84
C.5.1	General.....	84
C.5.2	Test for I_{cd}	84
C.5.3	Time-current characteristic withstand capability of controllers/starters	85
Annex D (xxx)		87
Annex E (xxx)		88
Annex F (informative)	Operating capability.....	89
Annex G (informative)	Rated operational currents and rated operational powers of switching devices for electrical motors	93
G.1	General.....	93
G.2	Rated operational powers and rated operational currents.....	93

Annex H (xxx)	97
Annex I (normative) Modified test circuit for short-circuit testing of semiconductor motor controllers and starters	98
Annex J (xxx)	100
Annex K (xxx)	101
Annex L (normative) Examples of overvoltage category reduction	102
L.1 General	102
L.2 Insulation to the surroundings	102
L.2.1 Circuits connected directly to the supply mains	102
L.2.2 Insulation between circuits	103
Annex M (xxx)	107
Annex N (normative) Additional requirements and tests for equipment with protective separation	108
N.1 General	108
N.2 Definitions	108
N.3 Requirements	108
N.3.1 Test method for implementing protective impedance	108
N.3.2 Touch current measurement	109
Bibliography	111
Figure 1 – Semiconductor motor control devices	13
Figure 2 – Connecting methods	24
Figure 3 – Thermal memory test	44
Figure 4 – Multiple of current setting limits for ambient air temperature compensated time-delay overload relays	71
Figure C.1 – Examples of time-current withstand characteristic	86
Figure F.1 – Thermal stability test profile	90
Figure F.2 – Overload capability test profile	91
Figure F.3 – Blocking and commutating capability test profile	92
Figure I.1 – Modified circuit for short-circuit testing of semiconductor devices	98
Figure I.2 – Time line for the short-circuit test of 9.3.4.1.6	99
Figure L.1 – Basic insulation evaluation for circuits connected directly to the origin of the installation mains supply	102
Figure L.2 – Basic insulation evaluation for circuits connected directly to the mains supply	103
Figure L.3 – Basic insulation evaluation for equipment not permanently connected to the mains supply	103
Figure L.4 – Basic insulation evaluation for insulation between circuits connected directly to the origin of the installation mains supply and that are declared galvanically separated	104
Figure L.5 – Basic insulation evaluation for insulation between circuits connected directly to the mains supply and that are declared galvanically separated	104
Figure L.6 – Basic insulation evaluation for insulation between circuits not permanently connected directly to the mains supply and that are declared galvanically separated	105
Figure L.7 – Basic insulation evaluation for insulation between circuits connected directly to the origin of the installation mains supply and that are declared galvanically separated where internal SPDs are used	105

Figure L.8 – Basic insulation evaluation for insulation between circuits connected directly to the mains supply and that are declared galvanically separated where internal SPDs are used	106
Figure L.9 – Basic insulation evaluation for insulation between circuits connected directly to the mains supply and that are declared galvanically separated	106
Figure N.1 – Protection by means of protective impedance	109
Figure N.2 – Measuring instrument	110
Table 1 – Utilization categories	28
Table 2 – Relative levels of severity	29
Table 3 – Trip classes of overload relays	31
Table 19 – Limits for limited energy sources without an over-current protective device	39
Table 20 – Limits for limited energy sources with an over-current protective device	39
Table 21 – Limits for limited energy source with current limiting impedance	40
Table 4 – Limits of operation of time-delay overload relays when energized on all poles	43
Table 5 – Limits of operation of three-pole time-delay overload relays when energized on two poles only	45
Table 6 – Temperature-rise limits for insulated coils in air and in oil	47
Table 7 – Minimum overload current withstand time (T_x) in relation to overload current ratio (X) and corresponding to overload relay trip class (see Table 3)	49
Table 8 – Minimum requirements for thermal stability test conditions	50
Table 9 – Prospective locked rotor current by utilization categories	50
Table 10 – Minimum requirements for overload capability test conditions	51
Table 11 – Making and breaking capacity test; making and breaking conditions according to utilization categories for the mechanical switching device	52
Table 12 – Conventional operational performance making and breaking conditions according to utilization categories for the mechanical switching device	53
Table 13 – Specific performance criteria when EM disturbances are present	55
Table 14 – Thermal stability test specifications	66
Table 15 – Initial case temperature requirements	66
Table 16 – Minimum requirements and conditions for performance testing with an induction motor load	68
Table 17 – Terminal disturbance voltage limits for conducted radio-frequency emission (AC mains power port)	78
Table 18 – Radiated emissions test limits	79
Table A.1 – Main circuit terminal markings	81
Table C.1 – Test conditions	85
Table G.1 – Rated operational powers and rated operational currents of motors	94
Table L.1 – Drawing keys	102

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –**Part 4-2: Contactors and motor-starters –
Semiconductor motor controllers, starters and soft-starters**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60947-4-2 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- scope exclusions;
- editorial correction of notes and hanging paragraphs;
- reference to IEC 62683-1;

- safety aspects related to:
 - general aspects;
 - limited energy circuits;
 - electronic circuits;
- mention of dedicated wiring accessories;
- power consumption measurement;
- alignment to IEC 60947-1:2020.

The provisions of the general rules dealt with IEC 60947-1 are applicable to this part of IEC 60947 series where specifically called for. Clauses and subclauses, tables, figures and annexes of the general rules thus applicable are identified by reference to IEC 60947-1:2020.

The text of this standard is based on the following documents:

FDIS	Report on voting
121A/353/FDIS	121A/360/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60947 series, under the general title *Low-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document covers low-voltage semiconductor motor controllers, starters and soft-starters that have many capabilities and features beyond the simple starting and stopping of an induction motor, such as controlled starting and stopping, manoeuvring and controlled running.

The generic term “controller” is used in this document wherever reference is made to elements of power semiconductor switching devices.

The generic term “starter” is used in this document wherever reference is made to the elements of power semiconductor switching devices together with suitable overload protective devices.

LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 4-2: Contactors and motor-starters – Semiconductor motor controllers, starters and soft-starters

1 Scope

This part of IEC 60947 applies to semiconductor motor controllers, starters and soft-starters which can include a series mechanical switching device, intended to be connected to circuits the rated voltage of which does not exceed 1 000 V AC.

This document characterizes semiconductor motor controllers and starters with and without bypass means.

This document does not apply to:

- semiconductor motor controllers and starters used for continuous operation of AC motors at motor speeds other than the normal speed¹;
- electromechanical contactors and external overload relays (see IEC 60947-4-1);
- short-circuit protective device associated with semiconductor motor controllers and starters (see IEC 60947-4-1 (MPSD), IEC 60947-2 and IEC 60947-3);
- semiconductor equipment, including semiconductor contactors (3.4.13 of IEC 60947-1:2020) controlling non-motor loads (see IEC 60947-4-3);
- semiconductor motor controllers and starters used for rotor circuits¹;
- adjustable speed electrical power drive systems (see IEC 61800 series);
- use of the product within explosive atmospheres (see IEC 60079 series);
- software and firmware requirements¹;

NOTE 1 Guidance on embedded software is given in IEC TR 63201.

- cyber security aspects (see IEC TS 63208).

Contactors, overload relays and control circuit devices used in semiconductor motor controllers and starters are considered compliant with the requirements of their relevant product standard. Where mechanical switching devices are used, they are considered meeting the requirements of their own IEC product standard, and the additional requirements of this document.

The object of this document is to state as follows:

- the characteristics of semiconductor motor controllers, starters and soft-starters and associated equipment;
- the conditions with which semiconductor motor controllers, starters and soft-starters comply with reference to
 - a) their operation and behaviour in normal and abnormal operating conditions including overcurrent operating conditions;
 - b) their dielectric properties;
 - c) the degrees of protection provided by their enclosures where applicable;

¹ For this subject, the manufacturer is responsible for taking additional safety measures.

- d) their construction including safety measures against electric shock, fire hazard and mechanical hazard;
- the tests intended for confirming that these conditions have been met, and the methods to be adopted for these tests;
- the information to be given with the equipment, or in the manufacturer's literature.

NOTE 2 For the purpose of this document, the term "controller" is used instead of "semiconductor motor controller".

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:2017, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60445, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors*

IEC 60715, *Dimensions of low-voltage switchgear and controlgear – Standardized mounting on rails for mechanical support of switchgear, controlgear and accessories*

IEC 60730-1, *Automatic electrical controls – Part 1: General requirements*

IEC 60947-1:2020, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subject to conditional connection*

IEC 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase*

IEC 61140:2016, *Protection against electric shock – Common aspects for installation and equipment*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*
CISPR 11:2015/AMD1:2016

ISO 2859-1:1999, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*