

Leather - Determination of degradability by  
micro-organisms (ISO 20136:2020)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 20136:2020 sisaldab Euroopa standardi EN ISO 20136:2020 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 20136:2020 consists of the English text of the European standard EN ISO 20136:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.07.2020.	Date of Availability of the European standard is 15.07.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 59.140.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

## Leather - Determination of degradability by micro-organisms (ISO 20136:2020)

Cuir - Détermination de la dégradabilité par les micro-organismes (ISO 20136:2020)

Leder - Bestimmung der Abbaubarkeit durch Mikroorganismen (ISO 20136:2020)

This European Standard was approved by CEN on 8 June 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## European foreword

This document (EN ISO 20136:2020) has been prepared by Technical Committee ISO/IULTCS "International Union of Leather Technologists and Chemists Societies" in collaboration with Technical Committee CEN/TC 289 "Leather" the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2021, and conflicting national standards shall be withdrawn at the latest by January 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 20136:2017.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 20136:2020 has been approved by CEN as EN ISO 20136:2020 without any modification.

# Contents

Page

<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Symbols and abbreviated terms</b>	<b>2</b>
<b>5 Principle</b>	<b>2</b>
5.1 General	2
5.2 Assessment of biodegradation by manual titration; method A	2
5.3 Assessment of biodegradation by infrared (IR) detection; method B	3
<b>6 Chemicals</b>	<b>3</b>
<b>7 Apparatus and materials</b>	<b>4</b>
<b>8 Procedure</b>	<b>7</b>
8.1 Collection and preparation of the inoculum	7
8.2 Preparation of the test material and reference material	7
8.3 Test conditions and incubation period	7
8.4 Termination of the test	7
<b>9 Quantification</b>	<b>8</b>
9.1 Assessment of biodegradation by manual titration (method A)	8
9.1.1 Determination of the organic carbon content	8
9.1.2 Determination of the amount of CO <sub>2</sub> produced	8
9.1.3 Correcting for normality of HCl	8
9.1.4 Percentage of biodegradation from CO <sub>2</sub> evolved	9
9.2 Assessment of biodegradation by IR (method B)	9
9.2.1 Determination of the organic carbon content	9
9.2.2 Determination of the amount of CO <sub>2</sub> produced	10
9.2.3 Percentage of biodegradation from CO <sub>2</sub> data	10
<b>10 Expression of results</b>	<b>15</b>
<b>11 Validity of results</b>	<b>15</b>
<b>12 Test report</b>	<b>15</b>
<b>Annex A (informative) Determination of the degree and rate of degradation of the material</b>	<b>16</b>
<b>Annex B (informative) Quantitative determination of leather biodegradation</b>	<b>19</b>
<b>Annex C (informative) Comparative biodegradability using different waste waters</b>	<b>23</b>
<b>Bibliography</b>	<b>24</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by the Chemical Tests Commission of the International Union of Leather Technologists and Chemists Societies (IUC Commission, IULTCS) in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 289, *Leather*, the secretariat of which is held by UNI, in accordance with the agreement on technical cooperation between ISO and CEN (Vienna Agreement).

IULTCS, originally formed in 1897, is a world-wide organization of professional leather societies to further the advancement of leather science and technology. IULTCS has three Commissions, which are responsible for establishing international methods for the sampling and testing of leather. ISO recognizes IULTCS as an international standardizing body for the preparation of test methods for leather.

This second edition cancels and replaces the first edition (ISO 20136:2017), which has been technically revised. The main changes to the previous edition are as follows:

- Method B in the first edition described a closed O<sub>2</sub> circuit system. This system had the inconvenience that, over time, the O<sub>2</sub> concentration decreased and, therefore, so did the activity of the microorganism. Now an open O<sub>2</sub> circuit system has been developed where there is no O<sub>2</sub> limitation and, therefore, the activity of the microorganism is always optimal.
- An explanation about the results calculation method has been added to method B. The CO<sub>2</sub> accumulated in the test (area under the CO<sub>2</sub> moles curve vs time) is calculated.
- The possibility of using municipal wastewater instead of tannery wastewater as an inoculum has been included.
- A new [Annex C](#) has been added which compares the biodegradability with different inoculum sources.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

One of the main issues faced by the footwear industry is waste treatment. Such wastes, and especially leather, even though they are considered non-hazardous by the regulations in force, are generated in vast quantities and mostly end up in landfills, where natural degradation time is much longer than the product's useful life.

Faced with this problem, there is a growing search for alternative tanning agents that confer the same properties on leather as those provided by the agents currently employed, but which in turn reduce the time to biodegrade in nature.

This document allows the measurement of leather biodegradability in a liquid system by using aerobic microorganisms as an inoculum. The test is considered valid when collagen (positive control) degrades by at least 70 % in a maximum period of 50 days. In order to determine how biodegradable a leather sample (test material) is, its percentage degradability value is compared with the percentage degradability value obtained in collagen, in the same test and period of time. The closer the percentage degradability values, the shorter the time to biodegrade in nature. Therefore, those test materials showing percentage degradability values well below the collagen value will require a longer time for biodegradation in nature.

# Leather — Determination of degradability by micro-organisms

## 1 Scope

This document specifies a test method to determine the degree and rate of aerobic biodegradation of hides and skins of different animal origin, whether they are tanned or not, through the indirect determination of CO<sub>2</sub> produced by the degradation of collagen.

The test material is exposed to an inoculum (activated sludge from tannery wastewater) in an aqueous medium. If there is not a tannery nearby then urban wastewater can be used as the inoculum.

The conditions established in this document correspond to optimum laboratory conditions to achieve the maximum level of biodegradation. However, they might not necessarily correspond to the optimum conditions or maximum level of biodegradation in the natural medium.

In general, the experimental procedure covers the determination of the degradation degree and rate of the material under controlled conditions, which allows the analysis of the evolved carbon dioxide produced throughout the test. For this purpose, the testing equipment complies with strict requirements with regard to flow, temperature and agitation control.

This method applies to the following materials:

- natural polymers of animal stroma (animal tissue/skins);
- animal hides and skins tanned (leather) using organic or inorganic tanning agents;
- leathers that, under testing conditions, do not inhibit the activity of microorganisms present in the inoculum.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### **filter pore No. 1**

diffuser with pore size from 100 µm to 160 µm

Note 1 to entry: This measurement is standard.

### 3.2

#### **inoculum**

activated sludge from tannery wastewater

Note 1 to entry: If there is not a tannery nearby then urban wastewater can be used as the inoculum.