TECHNICAL SPECIFICATION

ISO/TS 4210-10

First edition 2020-07

Cycles — Safety requirements for bicycles —

Part 10:

Safety requirements for electrically A. wer power assisted cycles (EPACs)



Reference number ISO/TS 4210-10:2020(E)



© ISO 2020

"mentation, no part of rical, including p' nuested from All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				
For	eword		v	
Inti	roduction	n	vi	
1	Scon	e	1	
2	<.O [*]	native references		
3		s and definitions		
4 Abbreviated terms				
5		ral requirements	6	
	5.1	Lighting systems, reflectors and warning device	6	
	5.2	Risk assessment		
	5.3	Significant hazards and safety functions 5.3.1 Significant hazards		
		5.3.2 Safety function for control system of EPACs		
	5.4	Prevention of unauthorized use		
	5.5	Failure mode		
		5.5.1 Requirement	8	
		5.5.2 Test method	8	
6	Elect	rical requirements	8	
_	6.1	Motor controller		
	6.2	Controls and symbols		
	6.3	Batteries		
	6.4	Battery charger		
		6.4.1 Requirements for proprietary system	9	
		6.4.2 Requirements for non-proprietary system	9 10	
	6.5	6.4.3 Solutions for non-proprietary systems Electric cables and couplers	10	
	6.6	Wiring		
	6.7	Protection against ingress of water (IP code)	11	
	6.8	Environmental and operational conditions		
	6.9	Mechanical strength of the electrical components	11	
		6.9.1 General	11	
		6.9.2 Function related shock test	11	
	6.10	6.9.3 Impact related shock test Performance measurement	11 12	
	6.10	6.10.1 General		
		6.10.2 System based on maximum continuous rated power		
		6.10.3 System based on maximum assisted rate	14	
	6.11	Walk assistance mode	20	
		6.11.1 Requirements	20	
		6.11.2 Test method for EPAC with walk assistance mode		
	6.12	Electromagnetic compatibility (EMC)		
	6 12	6.12.1 Requirement		
	6.13	Anti-tampering measure 6.13.1 General		
		6.13.2 Prevention of tampering of the motor		
	6.14	Thermal hazards		
		6.14.1 Non-continuous contact surface		
		6.14.2 Continuous contact surface	22	
		6.14.3 Ambient temperature	22	
7	Mech	anical requirements	22	
	7.1	General	22	
	7.2	Brakes — Heat-resistance test		
	7.3	Handlebar and stem assembly — Lateral bending test	22	

ISO/TS 4210-10:2020(E)

9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAs 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125	7.4 Handlebar stem –	- Forward bending test	23
7.7 Frame — Impact test (falling mass) 23 7.8 Frame and front for kassembly — Impact test (falling frame) 24 7.9 Frame — Fatigue test with horizontal forces 24 7.10 Frame — Fatigue test with a vertical force 24 7.11 Front fork — Static bending test 25 7.12 Front fork — Rearward impact test 25 7.13 Front fork — Bending fatigue test plus rearward impact test 25 7.14 Seat-post — Fatigue test 25 8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAs 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Battery 120 Bibliography 125			
7.8 Frame and front fork assembly — Impact test (falling frame) 24 7.9 Frame — Fatigue test with horizontal force. 24 7.10 Frame — Fatigue test with horizontal force. 24 7.11 Front fork — Static bending test 25 7.12 Front fork — Bending fatigue test plus rearward impact test 25 7.13 Front fork — Bending fatigue test plus rearward impact test 25 7.14 Seat-post — Fatigue test 25 8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of ESAS 35 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
7.9 Frame — Fatigue test with horizontal force 24 7.10 Frame — Fatigue test with a vertical force 24 7.11 Front fork — Static bending test 25 7.12 Front fork — Bending fatigue test plus rearward impact test 25 7.13 Front fork — Bending fatigue test plus rearward impact test 25 7.14 Seat-post — Fatigue test 25 8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAs 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Battery 120 Bibliography 125			
7.10 Frame — Fatigue test with a vertical force			
7.11 Front fork — Rearward impact test 25 7.12 Front fork — Bending fatigue test plus rearward impact test 25 7.13 Front fork — Bending fatigue test plus rearward impact test 25 7.14 Seat-post — Fatigue test 25 8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
7.12 Front fork — Rearward impact test 7.13 Front fork — Bending fatigue test plus rearward impact test 2.5 7.14 Seat-post — Fatigue test 8 Manufacturer's instructions 9 Marking 2.6 Annex A (normative) Electromagnetic compatibility of EPACs 2.8 Annex B (informative) Electromagnetic compatibility of ESAs Annex C (normative) The battery chargers for non-proprietary system 4.4 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
7.13 Front fork — Bending fatigue test plus rearward impact test 25 7.14 Seat-post — Fatigue test 25 8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
7.14 Seat-post — Fatigue test			
8 Manufacturer's instructions 26 9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACS 28 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex F (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
9 Marking 26 Annex A (normative) Electromagnetic compatibility of EPACs 28 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
Annex A (normative) Electromagnetic compatibility of EPACS 28 Annex B (informative) Electromagnetic compatibility of ESAS 35 Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
Annex B (informative) Electromagnetic compatibility of ESAS Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125	J. Company		
Annex C (normative) The battery chargers for non-proprietary system 44 Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
Annex D (normative) Light, audible warning device, On/Off symbols 118 Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
Annex E (informative) Environmental and operational conditions 119 Annex F (normative) Battery 120 Bibliography 125			
Annex F (normative) Battery 120 Bibliography 125			
Bibliography 125			
		9	
iv.			
W II.U .IU.IU VII;;;;;;;;; -	iv	@ 100.30	120 All vichto veccous

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 149, *Cycles*, Subcommittee SC 1, *Cycles and major sub-assemblies*.

A list of all parts in the ISO 4210 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document combines several countries' safety requirements for Electrically Power Assisted Cycles (EPACs). The commercialization of EPACs has accelerated in the global market, in response to global concerns about CO₂ reduction and energy saving. EPAC technologies for performance, electrical control, battery management and battery charging are currently developing rapidly in a competitive market. It is therefore necessary to standardize the safety of these technologies for EPACs.

This documentation will allow an easy and clear understanding of requirements for different types of EPAC.

This document includes safety requirements for the charging of EPACs. This includes off-board parts and EPAC battery chargers.

This document does not state the limit for the maximum permissible load of the EPAC. The manufacturer re an i. is advised to consider amongst other factors the maximum permissible load (luggage plus rider) as well as the intended use of the EPAC. Both have an influence on the mechanical requirements.

Cycles — Safety requirements for bicycles —

Part 10:

Safety requirements for electrically power assisted cycles (EPACs)

1 Scope

This document specifies safety and performance requirements for the design, marking, assembly, and testing of two wheeled electrically power assisted cycles (hereafter EPACs), fully-assembled EPACs and subassemblies, and provides guidelines for information supplied by the manufacturers (i.e. instructions on the use and care of such EPACs).

This document applies to two wheeled EPACs that have a maximum saddle height of 635 mm or more and are intended for private and commercial use with exception of EPACs intended for hire from unattended stations.

This document is intended to cover all common significant hazards, hazardous situations and events listed in 5.3 of EPACs, when used as intended or under conditions of misuse that are reasonably foreseeable by the manufacturer.

This document specifies requirements and test methods for engine power management systems, electrical circuits including the charger for the assessment of the design and assembly of EPACs and sub-assemblies for systems having a Safety Extra Low Voltage (SELV) maximum voltage up to 60 V d.c. including tolerances.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2409, Paints and varnishes — Cross-cut test

ISO 4210-1, Cycles — Safety requirements for bicycles — Part 1: Terms and definitions

ISO 4210-2:2015, Cycles — Safety requirements for bicycles — Part 2: Requirements for city and trekking, young adult, mountain and racing bicycles

ISO 4210-4:2014, Cycles — Safety requirements for bicycles — Part 4: Braking test methods

ISO 4210-5:2014, Cycles — Safety requirements for bicycles — Part 5: Steering test methods

ISO 4210-6:2015, Cycles — Safety requirements for bicycles — Part 6: Frame and fork test methods

ISO 4210-9:2014, Cycles — Safety requirements for bicycles — Part 9: Saddle and seat-post test methods

ISO 7010:2011, Graphical symbols — Safety colours and safety signs — Registered safety signs

ISO 11451-1, Road vehicles — Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 1: General principles and terminology

ISO 11451-2, Road vehicles — Vehicle test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 2: Off-vehicle radiation sources

ISO/TS 4210-10:2020(E)

ISO 11452-1, Road vehicles — Component test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 1: General principles and terminology

ISO 11452-2, Road vehicles — Component test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 2: Absorber-lined shielded enclosure

ISO 11452-4:2011, Road vehicles — Component test methods for electrical disturbances from narrowband radiated electromagnetic energy — Part 4: Harness excitation methods

ISO 11898-1, Road vehicles — Controller area network (CAN) —Part 1: Data link layer and physical signalling

ISO 11898-2, Road vehicles — Controller area network (CAN) —Part 2: High-speed medium access unit

ISO 12100, Safety of machinery — General principles for design — Risk assessment and risk reduction

ISO 13849-1, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design

ISO 13849-2, Safety of machinery — Safety-related parts of control systems — Part 2: Validation

IEC 60034-1, Rotating electrical machines — Part 1: Rating and performance

IEC 60068-2-27, Environmental testing — Part 2-27: Tests — Test Ea and guidance: Shock

IEC 60335-2-29, Household and similar electrical appliances — Safety — Part 2-29: Particular requirements for battery chargers

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 62133-1:2017, Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications — Part 1: Nickel systems

IEC 62133-2:2017, Secondary cells and batteries containing alkaline or other non-acid electrolytes — Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications — Part 2: Lithium systems

CISPR 12:2007 + A1:2009, Vehicles, boats and internal combustion engines — Radio disturbance characteristics — Limits and methods of measurement for the protection of off-board receivers

CISPR 16-1-1:2015, Specification for radio disturbance and immunity measuring apparatus and methods — Part 1-1: Radio disturbance and immunity measuring apparatus — Measuring apparatus

CISPR 25:2016, Vehicles, boats and internal combustion engines — Radio disturbance characteristics — Limits and methods of measurement for the protection of on-board receivers

EN 50604-1:2016, Secondary lithium batteries for light EV (electric vehicle) applications — Part 1: General safety requirements and test methods

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 4210-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/