

Edition 1.0 2020-07

INTERNATIONAL



Maximum power point tracking efficiency of grid connected photovoltaic inverters



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



Edition 1.0 2020-07

INTERNATIONAL STANDARD -Unon is



Maximum power point tracking efficiency of grid connected photovoltaic inverters

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.160

ISBN 978-2-8322-8470-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| FOREWOR | RD | 4 | | |
|---|--|------|--|--|
| 1 Scope | | | | |
| 2 Norm | ative references | 6 | | |
| 3 Terms | s and definitions | 6 | | |
| 3.1 | Inverter input (PV generator) | 6 | | |
| 3.2 | Inverter output (grid) | 7 | | |
| 3.3 | Measured quantities | 7 | | |
| 3.4 | Calculated quantities | 8 | | |
| 4 MPPT | efficiencies | 9 | | |
| 4.1 | General description | 9 | | |
| 4.2 | Test set-up | . 10 | | |
| 4.3 | Static MPPT efficiency | 11 | | |
| 4.3.1 | Test conditions | . 11 | | |
| 4.3.2 | Measurement procedure | . 12 | | |
| 4.3.3 | Evaluation – Calculation of static MPPT efficiency | . 13 | | |
| 4.4 | Test conditions for dynamic MPPT efficiency | .13 | | |
| 4.4.1 | Dynamic MPPT efficiency | .13 | | |
| 4.4.2 | Measurement procedure | . 14 | | |
| 4.4.3 | Evaluation – Calculation of the dynamic MPPT efficiency | 14 | | |
| 5 Calcu | lation of the overall efficiency | . 15 | | |
| Annex A (r | normative) Requirements on the measuring apparatus | . 16 | | |
| A.1 | PV generator simulator | . 16 | | |
| A.1.1 | General | | | |
| A.1.2 | Requirements on the static characteristic | | | |
| A.1.3 | Requirement on the transient stability | | | |
| A.1.4 | Requirements on the dynamic characteristic | | | |
| A.1.5 | Requirements on electrical characteristic | | | |
| A.1.6 | Calibration – Uncertainty | . 17 | | |
| A.2 | AC power supply | | | |
| Annex B (r | normative) Test conditions for dynamic MPPT efficiency | . 18 | | |
| B.1 | Test profiles | . 18 | | |
| | Test sequence with ramps 10 % – 50 % G _{STC} (See Table B.1) | | | |
| | Test sequence with ramps 30 % – 100 % G _{STC} (See Table B.2) | | | |
| | Start-up and shut-down test with slow ramps (See Table B.3 and Figure B.3) | | | |
| | Total test duration | | | |
| Annex C (I | normative) Models of current/voltage characteristic of PV generator | 23 | | |
| C.1 | PV generator model for MPPT performance tests | 23 | | |
| | Alternative PV generator model for MPPT performance tests | | | |
| Annex D (I | normative) Efficiency weighting factors | . 29 | | |
| | European efficiency | | | |
| | CEC efficiency | | | |
| Annex E (normative) Specification of the static MPPT and conversion efficiency in | | | | |
| terms of normalised rated AC power | | | | |
| E.1 | General | . 30 | | |
| E.2 | Re-normalisation of output power P_{AC} to the rated output power $P_{AC,r}$ | 30 | | |

| | Representation of the conversion efficiency in terms of normalised rated output power | 30 |
|-------------------|--|------|
| | Interpolation on normative nodes | |
| | Result | |
| Bibliograp | hy | 34 |
| | | |
| Figure 1 - | Example test set-up for MPPT efficiency measurements | 11 |
| | - Test sequence for fluctuations between small and medium irradiation | 18 |
| | 2 – Test sequence for fluctuations between medium and high irradiation | |
| | | . 19 |
| | B – Test sequence for the start-up and shut-down test of grid connected | 22 |
| | I – Irradiation-dependent V-I- and V-P characteristic of a c-Si PV generator | |
| • | 2 – Irradiation-dependent V-I- and V-P characteristic of a thin-film PV | |
| | | 26 |
| | | |
| Table 1 – | Test specifications for static MPPT efficiency | 12 |
| | General requirements on the simulated I/V characteristic of the PV | |
| | · · · · · · · · · · · · · · · · · · · | . 16 |
| Table B.1 | – Dynamic MPPT-Test 10 % $ ightarrow$ 50 % $G_{ m STC}$ (valid for the evaluation of | |
| | – Dynamic MPPT-Test 30 % \rightarrow 100 % G_{STC} (valid for the evaluation of | |
| | | 21 |
| • | – Dynamic MPPT- Slow Ramp 1 % \rightarrow 10 % G_{STC} (valid for the evaluation of | |
| $\eta_{MPPTdyn})$ | | |
| Table C.1 | - Technology-dependent parameters | 24 |
| Table C.2 | - MPP-values obtained with the cSi PV model | 25 |
| Table C.3 | - MPP-values obtained with the TF-PV mode | 27 |
| | Weighting factors and partial MPP power levels for the calculation of the efficiency | 29 |
| | Weighting factors and partial MPP power levels for the calculation of the | |
| | ency (California Energy Commission) | 29 |
| Table E.1 | - Measured quantities at the conversion efficiency test. | 30 |
| Table E.2 | - Conversion efficiency in term of rated AC power | 31 |
| Table E.3 | - Allowed limits for the nodes of the normalised AC power | 31 |
| | – Sought values by means of interpolation | |
| | – Interpolated conversion efficiencies | |
| | | |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MAXIMUM POWER POINT TRACKING EFFICIENCY OF GRID CONNECTED PHOTOVOLTAIC INVERTERS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62891 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

The text of this standard is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 82/1723/FDIS | 82/1736/RVD |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer. 'is a proview generated by the second s

52

MAXIMUM POWER POINT TRACKING EFFICIENCY OF GRID CONNECTED PHOTOVOLTAIC INVERTERS

- 6 -

1 Scope

This document provides a procedure for the measurement of the efficiency of the maximum power point tracking (MPPT) of inverters used in grid-connected photovoltaic (PV) systems. Both the static and dynamic MPPT efficiency are considered. Based on the static MPPT efficiency calculated in this document and steady state conversion efficiency determined in IEC 61683 the overall efficiency can be calculated.

The dynamic MPPT efficiency is indicated separately.

NOTE This document addresses PV inverters connected to an AC grid. However, this procedure may also be used for other power conversion devices with MPPT functionality used in PV systems, such as charge controllers or optimizers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61683, Photovoltaic systems – Power conditioners – Procedure for measuring efficiency

IEC TS 61836, Solar photovoltaic energy systems – Terms, definitions and symbols

EN 50160, Voltage characteristics of electricity supplied by public distribution networks

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TS 61836 apply, as well as the following:

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1 Inverter input (PV generator)

3.1.1 maximum input voltage V_{DCmax} allowed maximum voltage at the inverter input

Note 1 to entry: Exceeding of V_{DCmax} may destroy the equipment under test.