NAFTA-, NAFTAKEEMIA- JA MAAGAASITÖÖSTUSED. SEADMETE OHUTUS. KÄSITÕSTUKID

Petroleum, petrochemical and natural gas industries -Safety of machineries - Manual elevators



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	2020 ingliskeelset	This Estonian standard EVS-EN 16808:2020 consists of the English text of the European standard EN 16808:2020.
Standard on jõustunud se avaldamisega EVS Teatajas		This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 05.08.2020.		Date of Availability of the European standard is 05.08.2020.
Standard on kättesa Standardikeskusest.		The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 75.180.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 16808

EUROPÄISCHE NORM

August 2020

ICS 75.180.10

English Version

Petroleum, petrochemical and natural gas industries - Safety of machineries - Manual elevators

Industries du pétrole, de la pétrochimie et du gaz naturel - Sécurité des machines - Élévateurs manuels Erdöl-, petrochemische und Erdgasindustrie -Sicherheit von Maschinen - Manuelle Elevatoren

This European Standard was approved by CEN on 6 April 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	tents	Page
Europ	ean foreword	4
ntrod	luction	5
l	Scope	6
2	Normative references	6
3	Terms and definitions	7
1	Abbreviated terms	13
5	List of significant hazards	13
5	Safety requirements and/or protective/risk reduction measures	13
5.1	General requirements for manual elevators	13
5.2	Mechanical strength	
5.3	Safety design of manual elevators	
5.3.1	General	
5.3.2	Ergonomic design	
5.3.3	Fastening methods and DROPS prevention of parts	
5.3.4	Suspension points	
5.3.5	Moving parts, pinch points and guards	
5.4	Other protective measures	
5.4.1	Risks due to surfaces, edges or angles	
5.4.2	Size and type verification (errors of fitting)	
5.4.3	Static electricity	
5.4.4	Loss of stability	15
5.4.5	Explosion prevention	16
5.4.6	Controls	
5.4.7	Elevator coating	16
5.4.8	Noise	
5.5	Verification of safety requirements and/or protective/risk reduction measures	
5.5.1	General	
5.5.2	Service life	
5.5.3	Fatigue life	
5.5.4	Maintenance	
7.J.T	Functions for preparing the elevator for a safe lift: wrapping, securing, locking	
	verification	
7.1	General	17
7.2	Black box approach	17
7.3	Wrapping	
7.4	Securing	
7.5	Locking	
7.6	Verification of readiness for safe lift	
3	Closed-ring elevator	
3.1	Wrapping	
3.1 3.2	Securing and locking	
3.3	Verification	
0.0	V ET 111C4C1U11	ZU

9	Information for use		
9.1 9.2	General Instruction handbook		
10	Marking of manual elevators	.23	
	A (informative) List of significant hazards and associated requirement		
	B (normative) Verification tests for elevators		
	ZA (informative) Relation between this European Standard and the essen requirements of Directive 2006/42/EC aimed to be covered	tial	
		.29	

European foreword

This document (EN 16808:2020) has been prepared by Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries", the secretariat of which is held by NEN and CYS.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2021, and conflicting national standards shall be withdrawn at the latest by February 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, lance Spain, c. Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document specifies general principles for the design and production of manually operated elevators for the oil and gas industries, in on- and offshore applications. It is intended for use by manufacturers, designers, standards makers and other interested parties.

This document is a type C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers;
- health and safety bodies (regulators, accident prevention organisations, market surveillance etc.).

Others can be affected by the level of machinery safety archived with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organisations for people with special needs);
- service providers (e.g. for maintenance of machinery intended for use by customers).

The abovementioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations or hazardous events are covered are indicated in the scope of this document.

When requirements of this type-C standard are different from those which are stated in a type-A or type-B standard, the requirements of this type-C standard take precedence over the requirements of other standards for machinery that have been designed and built according to the provisions of this type-C standard.

1 Scope

This document specifies general safety requirements for the design, testing and production of manually operated elevators. The requirements are applicable for on- and off-shore applications of such elevators in the petroleum and petrochemical industries.

This document deals with significant hazards, hazardous situations and events, as listed in Annex A, relevant to elevators when used as intended and under the conditions of misuse foreseeable by the manufacturer.

This document does not cover any other type of elevator. It is not applicable to the following types of products:

- lifting nubbins;
- lifting plugs;
- lifting subs;
- internal gripping devices;
- equipment for lifting tubular from and onto a vessel;
- elevator links or bails.

This document is not applicable to manually operated elevators manufactured before the date of this publication.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 614-1:2006+A1:2009, Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles

EN 614-2:2000+A1:2008, Safety of machinery — Ergonomic design principles — Part 2: Interactions between the design of machinery and work tasks

EN ISO 14120:2015, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards (ISO 14120:2015)

EN ISO 80079-36:2016, Explosive atmospheres — Part 36: Non-electrical equipment for explosive atmospheres — Basic method and requirements (ISO 80079-36:2016)

EN ISO 80079-37:2016, Explosive atmospheres — Part 37: Non-electrical equipment for explosive atmospheres — Non-electrical type of protection constructional safety "c", control of ignition sources "b", liquid immersion "k" (ISO 80079-37:2016)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)

EN ISO 13534:2000, Petroleum and natural gas industries — Drilling and production equipment — Inspection, maintenance, repair and remanufacture of hoisting equipment (ISO 13534:2000)

EN ISO 13535:2000, Petroleum and natural gas industries — Drilling and production equipment — Hoisting equipment (ISO 13535:2000)

EN ISO 13854:2019, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)

ISO 3864-1:2011, Graphical symbols — Safety colours and safety signs — Part 1: Design principles for safety signs and safety markings

ISO 3864-2:2016, Graphical symbols — Safety colours and safety signs — Part 2: Design principles for product safety labels

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp/ui

3.1

danger zone

any space within and/or around machinery in which a person can be exposed to a hazard

[SOURCE: EN ISO 12100:2010, 3.11]

3.2

design verification

process of examining the result of a given design or development activity to determine conformity with specified requirements

[SOURCE: CEN ISO/TS 29001:2011, 3.1.8]

3.3

DROPS

common term used to indicate 'dropped objects'

Note 1 to entry: DROPS is an industry-wide initiative focused on preventing dropped objects, with the ultimate goal of delivering a second nature dropped objects prevention strategy across our industry.

3.4

elevator

lifting accessory to be used for lifting and handling of tubular in the on- and offshore drilling industry on or in the vicinity of the drill floor

3.5

fatigue life

number of stress cycles of a specific character that an elevator sustains before failure of a specified nature occurs