# RAUDTEEALASED RAKENDUSED. RATTAPAARID JA VEERMIKUD. RATTAD. RATASTE VEEREPIND

Railway applications - Wheelsets and bogies - Wheels - Tread profile



## EESTI STANDARDI EESSÕNA

#### NATIONAL FOREWORD

		This Estonian standard EVS-EN 13715:2020 consists of the English text of the European standard EN 13715:2020.
Standard on jõustunud avaldamisega EVS Teatajas	sellekohase teate	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 29.07.2020.		Date of Availability of the European standard is 29.07.2020.
Standard on kät Standardikeskusest.	tesaadav Eesti	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

### ICS 45.040

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Koduleht <a href="mailto:www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE

**EN 13715** 

**EUROPÄISCHE NORM** 

July 2020

ICS 45.040

Supersedes EN 13715:2006+A1:2010

#### **English Version**

# Railway applications - Wheelsets and bogies - Wheels - Tread profile

Applications ferroviaires - Essieux montés et bogies -Roues - Profil de roulement Bahnanwendungen - Radsätze und Drehgestelle -Räder - Radprofile

This European Standard was approved by CEN on 29 June 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Con	itents	Page
Euro	pean foreword	4
	oduction	
1	Scope	
2	Normative references	
	Terms and definitions	
3	General	
4		
5	Definition of the tread profile	
6	Symbols and abbreviations	
7	Construction method	
7.1	Definition of the axes	
7.2	Base profile	
7.3	Profile construction	
8	Geometric characteristics	14
8.1	R20,5 connecting radius	14
8.2	RE and RI 12 mm connecting radii	
8.3	Rfa connecting radius	14
8.4	R13 connecting radius	14
8.5	Wheel tread	14
8.6	Reverse slope - Chamfer	
9	Profile designation	
10	Verification of the wheel profile	15
Anne	ex A (normative) Flange	16
A.1	Definition of the flange	
A.2	Flange geometry	17
	ex B (normative) 1/40 <sup>th</sup> profile	10
B.1	Complete reference profile: construction with a 32,5 mm thick flange and 15 % reverse slope	18
<b>B.2</b>	Profile construction: specific zones	18
Anne	ex C (normative) S1002 profile	20
<b>C.1</b>	Complete reference profile: construction with 32,5 mm thick flange and 6,7 % reverse slope	
<b>C.2</b>	Profile construction: specific zones	
	ex D (normative) EPS profile	
Ann. D.1	Complete reference profile: construction with 32,5 mm thick flange and 10 %	23
<i>υ</i> .1	reverse slope	25
<b>D.2</b>	-	
<b>v.</b> 4	Profile construction: specific zones	43

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2016/797/EU aimed to be covered	28
Bibliography	31

## **European foreword**

This document (EN 13715:2020) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2021, and conflicting national standards shall be withdrawn at the latest by January 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13715:2006+A1:2010.

This new revision includes minor amendments, mainly editorial, to help to fulfil TSI requirements.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2016/797/EU.

For relationship with EU Directive 2016/797/EU, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, German, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### Introduction

This document states requirements that are in accordance with the principles adopted by the International Union of Railways.

It describes the rules, parameters and construction methods of the wheel tread profile.

It defines the geometry of the flange and reverse slope. The thicknesses and height of the flange are determined by the railway undertaking or its representative in compliance with the normative documents in force.

It defines the coordinates and geometry of the following three reference tread profiles of the wheels and their reverse slope:

- 1/40<sup>th</sup> (reverse slope 15 %);
- S1002 (reverse slope 6,7 %, other value used 15 %) in conformity with UIC Leaflet 510-2;
- EPS (reverse slope 10 %) equivalent to profile P8 of the United Kingdom with a flange 30 mm thick.

These three reference profiles are defined in Annexes B, C and D and represent original profiles from the time of their design, the flanges having been harmonized to a 32,5 mm flange thickness.

It defines the tolerances needed to achieve calibration control.

ait en in m. All the dimensions in this document are given in millimetres.

#### 1 Scope

This document defines the tread profiles of wheels with a diameter equal or greater than 330 mm used on rolling stock submitted to the Directive 2016/797/EU. These profiles apply to new wheels, whether free-standing or assembled as wheelsets, as well as to wheels that require reprofiling during maintenance.

#### Normative references

There are no normative references in this document.

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <a href="https://www.iso.org/obp/ui">https://www.iso.org/obp/ui</a>
- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>

#### 3.1

#### technical specification

document describing the requirements pertaining to specific parameters in addition to the requirements of this document

#### General

Given that this document describes three reference profiles used in Europe, any other profile that does not conform to this document shall be defined in a technical specification.

NOTE The profile is defined in the technical specification, usually agreed on between the railway undertaking and the infrastructure manager.

#### **Definition of the tread profile** 5

The tread profile is shown in Figure 1.