
**Simplified design of connections
of concrete claddings to concrete
structures**



This document is a preview generated by EKO



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Generalities	1
4.1 Cladding panel orientations	1
4.2 Design criteria to connect frame and panels	3
4.2.1 Isostatic approach	3
4.2.2 Integrated approach	3
4.2.3 Dissipative approach	3
4.3 Strategies to implement isostatic and dissipative design criteria	4
4.3.1 Sliding-frame (SF)	4
4.3.2 Double-hinged pendulum (DHP)	4
4.3.3 Rocking panel (RP)	4
4.4 Parameters	5
4.5 Classification	5
5 Isostatic systems	5
5.1 General	5
5.2 Analysis of the building	5
5.2.1 General	5
5.2.2 Suggestions for the structural model	5
5.2.3 Rocking systems	6
5.3 Analysis of conventional systems	8
5.3.1 General aspects	8
5.3.2 General design methodology	8
5.3.3 Application procedure	9
5.4 Design of isostatic system connections	12
5.4.1 General	12
5.4.2 Structural arrangements	12
5.4.3 Sliding devices	15
5.4.4 Hinge connections	16
5.4.5 Supports with steel brackets	17
6 Design of conventional connections	18
6.1 General	18
6.2 Structural arrangements	18
6.2.1 Vertical structural arrangements	18
6.2.2 Horizontal structural arrangements	19
6.3 Conventional fastening systems	20
6.3.1 General	20
6.3.2 Hammerhead strap connection	20
6.3.3 Cantilever box connection	27
6.3.4 Steel angle connections	31
6.4 Conventional strengthening and fastening systems	34
6.4.1 Second line back up devices	34
6.4.2 Strengthening folded steel plates	36
6.4.3 Strengthening with steel cushions	37
7 Integrated systems	38
7.1 General	38
7.2 Analysis of the buildings	38
7.2.1 General	38
7.2.2 Behaviour factor	39

7.2.3	Design aspects.....	39
7.2.4	Structural modelling.....	39
7.2.5	Cladding panels detailing.....	44
7.3	Design of integrated systems connections.....	45
7.3.1	General.....	45
7.3.2	Structural arrangements.....	45
7.3.3	Base supports.....	47
7.3.4	Connections with protruding bars.....	47
7.3.5	Connections with wall shoes.....	50
7.3.6	Connections with bolted plates.....	54
7.3.7	Shear keys.....	58
8	Dissipative systems.....	59
8.1	General.....	59
8.2	Analysis of the building.....	60
8.2.1	General.....	60
8.2.2	Structures with friction devices.....	62
8.2.3	Structures with steel cushions.....	63
8.3	Design of dissipative systems connections.....	64
8.3.1	General.....	64
8.3.2	Structural arrangements.....	65
8.3.3	Friction devices.....	66
8.3.4	Multi-slit devices.....	70
8.3.5	Steel cushions.....	73
8.3.6	Folded steel plates.....	80
Annex A (informative)	Design flowchart.....	83

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and prestressed concrete*, Subcommittee SC 5, *Simplified design standard for concrete structures*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The current design practice of reinforced concrete buildings, most commonly precast, is based on a frame model, where the peripheral cladding panels enter only as masses without any stiffness. The panels are then connected to the structure with fastenings dimensioned with a local calculation based on their mass for anchorage forces orthogonal to the plane of the panels.

Furthermore, the seismic force reduction in the type of reinforced concrete structures of concern relies on energy dissipation in plastic hinges formed in the columns. Very large drifts of the columns are needed to activate this energy dissipation foreseen in design. However, typically, the capacity of the connections between cladding and structure is exhausted well before such large drifts can develop. Therefore, the design of these connections cannot rely on the seismic reduction factor typically used for design of the bare structure.

This document contains a set of practical provisions for the design of mechanical connections of concrete claddings to concrete structures under seismic actions as well as suggestions for structural analysis for the specified systems.

Simplified design of connections of concrete claddings to concrete structures

1 Scope

The present document refers to the panel-to-structure and panel-to panel connections used for the cladding systems of reinforced concrete frame structures of single-storey buildings, typically precast. They can be used also for multi-storey buildings with proper modifications.

The fastening devices considered in the present document consist mainly of steel elements or sliding connectors. Dissipative devices with friction or plastic behaviour are also considered. Other types of common supports and bond connections are treated where needed.

The use of any other existing fastening types or the connections with different characteristics than those described in the following clauses is not allowed unless comparable experimental and analytical studies do provide the necessary data and verify the design methodology for the particular type.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 20987, *Simplified design for mechanical connections between precast concrete structural elements in buildings*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

behaviour factor q

q factor by which the elastic design spectrum in linear analysis is reduced

Note 1 to entry: Directly or indirectly linked to the ductility and deformation demands on members and connections.

4 Generalities

4.1 Cladding panel orientations

[Figure 1 a\)](#) shows a vertical panel orientation referred to a system of orthogonal axes, where x is oriented horizontally in the panel plane, y is oriented orthogonally to that plane and z is oriented vertically parallel to the gravity loads. The origin is placed in a corner at the base side of the panel.

Four connections are foreseen at the corners of the panel, indicated respectively by A, B, C and D. Any one of these connections is intended to give only translational restraints without any rotational restraint. E