
**Faecal sludge treatment units —
Energy independent, prefabricated,
community-scale, resource recovery
units — Safety and performance
requirements**

*Unités de traitement des boues de vidange — Unités préfabriquées et
autonomes en énergie de récupération de ressources à l'échelle locale
— Exigences de sécurité et de performance*



This document is a preview generated by EKO



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	vii
Introduction.....	viii
1 Scope.....	1
2 Normative references.....	2
3 Terms and definitions.....	4
3.1 General.....	4
3.2 Input, energy balance, and resource recovery.....	5
3.3 Performance.....	7
3.4 Operability.....	9
3.5 Outputs.....	9
3.6 Abbreviated terms.....	10
4 General requirements.....	11
4.1 Industrial design and manufacture.....	11
4.2 Hazard and operability study and risk assessment.....	11
4.3 Ambient operation conditions.....	11
4.4 Expected technical lifetime.....	11
4.5 Treatment unit input.....	12
4.5.1 Input types.....	12
4.5.2 Specification of input parameters and ranges.....	12
4.6 Requirements for handling of faecal sludge as a fuel.....	12
4.6.1 Reception of faecal sludge.....	12
4.6.2 Storage of faecal sludge.....	12
4.6.3 Feeding system.....	13
4.6.4 Drying facilities.....	13
5 Energy balance and resource recovery.....	13
5.1 General.....	13
5.2 Energy balance.....	13
5.2.1 Energy independence.....	13
5.2.2 Energy positive.....	14
5.3 Resource recovery.....	14
6 Performance requirements.....	14
6.1 Technical process availability.....	14
6.1.1 Mean time between failure (MTBF).....	14
6.1.2 Mean time to repair (MTTR).....	14
6.1.3 Preventive maintenance time (T_{pm}).....	14
6.2 Process reliability.....	15
6.2.1 Process stability.....	15
6.2.2 Start reliability and start time.....	15
6.2.3 Shut-off reliability and shut-off time.....	15
7 Safety and functional requirements.....	15
7.1 Applicability.....	15
7.2 Process control.....	15
7.2.1 General.....	15
7.2.2 Degree of automation.....	15
7.2.3 Intentional starting of operation.....	15
7.2.4 Intentional stopping of operation.....	16
7.2.5 Emergency stop.....	16
7.2.6 Continuous monitoring.....	16
7.2.7 Feedback of process failures.....	16
7.2.8 Safety-related functions of the control system.....	16
7.2.9 Input overload protection monitoring.....	17
7.2.10 Overpressure protection.....	17

7.2.11	Fire and overheating prevention	17
7.2.12	Explosion prevention	17
7.3	Process redundancy	18
7.4	Material fire resistance	18
7.5	Security of electrical energy supply	18
7.5.1	Safety and security	18
7.5.2	Security of external electrical energy supply	18
7.5.3	Security of internal electrical energy supply	18
7.6	Safety requirements for electrical energy supply	18
7.6.1	Separation and isolation	18
7.6.2	Electrical energy discharge	19
7.6.3	Overvoltage protection	19
7.7	Structures and supporting elements	19
7.7.1	Structural integrity	19
7.7.2	Integrity against external impacts	19
7.8	Sanitary requirements	20
7.8.1	Hygienic design	20
7.8.2	Materials	20
7.8.3	System tightness	20
7.8.4	Leakage protection	20
7.9	Mechanical requirements	20
7.9.1	Pressurized equipment	20
7.9.2	Pipes, hoses and fittings	20
7.9.3	Tanks and vessels	21
7.9.4	Moving and rotating parts	21
7.9.5	Vibration	21
7.10	Radiation	21
7.10.1	High temperatures of parts and surfaces	21
7.10.2	Low temperatures of parts and surfaces	21
7.10.3	Electromagnetic compatibility	21
7.10.4	Other radiation emissions	21
7.11	Electronic and electrical components	22
8	Operability	22
8.1	Safe loading	22
8.2	Anthropometric design	22
8.2.1	General	22
8.2.2	Forces to be applied	22
8.2.3	Accesses and stairs	22
8.2.4	Aisles and platforms	22
8.3	Lighting	23
8.4	Operator system ergonomic design	23
8.5	Operator personal protection	23
9	Maintainability	23
9.1	Adjustability and maintainability	23
9.1.1	Identification of adjustment and maintenance needs	23
9.1.2	Ease of maintenance of devices, components and subassemblies	23
9.2	Access to adjustment, and maintenance points	23
9.3	Requirements for adjustment and maintenance activities	24
9.3.1	Discharge and cleaning, testability, adjustment, and maintenance on the running unit	24
9.3.2	Safe handling of electrical equipment	24
9.4	Spare parts	24
9.5	Tools and devices	24
10	Outputs	24
10.1	General	24
10.2	Solid	24
10.2.1	Pathogens and indicator organisms	24

10.2.2	Requirements for trace elements in solid outputs	25
10.2.3	Alternative requirements for solids for disposal	25
10.3	Effluent	26
10.3.1	Pathogens and indicator organisms	26
10.3.2	Environmental parameters	26
10.3.3	Requirements for trace elements in effluent outputs	27
10.4	Air emissions	27
10.5	Odour	28
10.6	Noise	28
11	Testing	29
11.1	General	29
11.2	Type tests	29
11.3	Performance testing	31
11.3.1	Test conditions	31
11.3.2	Test duration	32
11.4	Input characterisation and sampling	32
11.5	Solid and effluent	33
11.5.1	Pathogens and indicator organisms in solid outputs and effluent	33
11.5.2	Trace elements in solid outputs	33
11.5.3	Environmental parameters for effluent	33
11.5.4	Trace elements in effluent outputs	34
11.5.5	Sample planning	34
11.5.6	Measurement principles	35
11.5.7	Sampling location	35
11.5.8	Output sampling type and frequency	35
11.5.9	Sample size	36
11.5.10	Sampling method	38
11.5.11	Sample storage	38
11.6	Air emissions	38
11.6.1	Measurement planning	39
11.6.2	Measurement principles	39
11.6.3	Equipment specification	40
11.6.4	Equipment calibration	40
11.6.5	Sampling location	40
11.6.6	Normalizing of measured pollutants	40
11.6.7	Reference conditions	41
11.7	Odour	41
11.7.1	Test methods for odour output	41
11.7.2	Measurement planning	42
11.7.3	Measurement principles	42
11.7.4	Sampling location requirements	42
11.7.5	Measurement process	43
11.7.6	Additional equipment considerations	43
11.7.7	Sample collection	43
11.7.8	Minimum requirements for reporting	44
11.7.9	Determination of the odour concentration in the laboratory	45
11.7.10	Dispersion modelling	46
11.7.11	Real measured values, treatment unit data and design data as input	47
11.8	Noise	47
11.8.1	Test methods	47
11.8.2	Measurement planning	48
11.8.3	Requirements for the sampling location	48
11.8.4	Measurement methods and parameters	50
11.8.5	Measurement equipment	50
11.8.6	Calibration	50
11.8.7	Operation of treatment unit during test	50
11.8.8	Sound level meter setting	50
11.8.9	Microphone orientation	50

11.8.10	Correction for background noise and reflecting surfaces in test environment...	51
12	Product literature	51
12.1	General.....	51
12.2	Input.....	51
12.3	Performance claims.....	52
12.4	Unit boundaries.....	52
12.5	Energy independence assessment.....	52
12.6	Environmental sustainability.....	53
12.6.1	Consumables.....	53
12.6.2	Greenhouse gas (GHG) emissions.....	54
12.6.3	Characteristics of resource recovered products.....	54
12.7	Maintenance and operator documentation.....	54
12.7.1	Language requirements.....	54
12.7.2	Provision of manual.....	54
12.7.3	Information to be provided.....	54
12.7.4	Recurring operation and maintenance.....	56
12.7.5	Complexity of configuration, adjustment, and maintenance activities.....	56
12.7.6	Labelling and marking.....	57
Annex A (informative)	Input specification templates	58
Annex B (informative)	Sustainability	61
Bibliography	65

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.


This document was prepared by Project Committee ISO/PC 318, *Community scale resource-oriented sanitation treatment systems*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Hygienic sanitation systems are crucial for public health, yet 61 % of the global population do not have access to safely managed sanitation services; that is, excreta safely treated in situ or treated off-site.

Safe and sustainably managed sanitation improves health and welfare and is fundamental to human development. Integrated business models and technologies throughout the sanitation value chain (see [Figure 1](#)) can ensure the economic viability of processes that turn waste into valuable resources, such as renewable energy by-products (e.g. electricity, biofuels, or briquettes) or agriculture products. Safely managed sanitation systems can also prevent contamination of water sources, thus leading to livelihood improvements.



NOTE Treatment is the focus of this document (depicted in the dashed box).

Figure 1 — Sanitation value chain

As shown in [Figure 1](#), this document focuses on non-sewered faecal sludge treatment units with the purpose to specify performance and safety requirements of community-scale resource recovery faecal sludge treatment units serving approximately, but not limited to, 1 000 to 100 000 people. It aims to specify technical requirements and recommendations for such treatment units in terms of performance, safety, operability and maintainability.

This document is intended to ensure the performance, safety, and sustainability of community-scale resource recovery faecal sludge treatment units as well as technical robustness and safety in terms of human health and the environment.

It further aims to promote trust among the different stakeholders involved in faecal sludge management, such as investors, technology developers, government officials, regulatory bodies, local service providers, and users, increasing their willingness to implement innovative new technologies. Manufacturers and technology developers can use this document to gain consumer confidence in the reliability and safety of treatment units. Stakeholders can use this document as a benchmark to compare performance capabilities of different treatment unit options and identify which option is most suitable for their needs.

Faecal sludge treatment units — Energy independent, prefabricated, community-scale, resource recovery units — Safety and performance requirements


1 Scope

This document specifies requirements and test methods to ensure performance, safety, operability and maintainability of community-scale resource recovery faecal sludge treatment units (herein addressed as treatment units) that serve approximately, but not limited to, 1 000 to 100 000 people. This document applies to treatment units that:

- primarily treat faecal sludge,
- are able to operate in non-sewered and off-grid environments,
- are prefabricated,
- exhibit resource recovery capability (e.g. recovering energy, reusable water, soil amendment products), and are capable of being energy neutral or energy net positive.

This document does not apply to treatment units requiring major sewer infrastructure.

Figure 2 illustrates the scope of this document with respect to treatment unit inputs and outputs.



Key

--- boundary of the scope of this document

Figure 2 — Scope of this document

Inputs are primarily faecal sludge derived from human excreta and can include additional substances at the discretion of the manufacturer. This document does not specify the characteristics of the faecal

sludge (e.g. COD, BOD, moisture content, etc.) and which forms of the additional inputs (e.g. food waste) are treated within the unit. These inputs are defined by the manufacturer as well as the input characteristics which meet the requirements specified in this document.

This document addresses:

- the performance, safety, operability, and maintainability of the treatment unit,
- the protection of human health and the environment,
- safety aspects of the treatment unit's solid, liquid, and gaseous outputs,
- noise and odour outputs of the treatment unit.

This document specifies minimum requirements of all types of outputs from the treatment unit. It does not specify or mandate the quality of resources recovered as these are highly dependent on the local (e.g. economic, social) context.

Any resources produced and consumed internally to the process itself are outside the scope of this document. Similarly, with the exception of pathogen requirements, the quality and value of any resource recovery and reuse products derived from the treatment unit are outside the scope of this document. Apart from the requirement for energy independence under manufacturer specified input conditions during steady-state operation, this document does not set performance targets with respect to the amount or type of energy or resources to recover and/or use locally.

This document does not address transportation and any intermediary processes required to supply the treatment unit with the defined inputs. Provisions of this document apply to the treatment unit according to its unit boundaries, i.e. within the process chain beginning with its specified inputs and ending with its outputs. Some of the considerations on sustainability of the treatment unit are highlighted in [Annex B](#).

2 Normative references

The following documents are referred to in the text in such a way that some or all of the content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4126 (all parts), *Safety devices for protection against excessive pressure*

ISO 5667-1, *Water quality — Sampling — Part 1: Guidance on the design of sampling programmes and sampling techniques*

ISO 5667-3, *Water quality — Sampling — Part 3: Preservation and handling of water samples*

ISO 5667-13, *Water quality — Sampling — Part 13: Guidance on sampling of sludges*

ISO 7250 (all parts), *Basic human body measurements for technological design*

ISO 12100, *Safety of machinery — General principles for design — Risk assessment and risk reduction*

ISO 14159, *Safety of machinery — Hygiene requirements for the design of machinery*

ISO/IEC 17065:2012, *Conformity assessment — Requirements for bodies certifying products, processes and services*

ISO 19458, *Water quality — Sampling for microbiological analysis*

ISO 20816-1, *Mechanical vibration — Measurement and evaluation of machine vibration — Part 1: General guidelines*

ISO 55000, *Asset management — Overview, principles and terminology*

ISO 80000 (all parts) and IEC 80000 (all parts), — *Quantities and units*

IEC 31010, *Risk management — Risk assessment techniques*

IEC 60050-192, *International Electrotechnical Vocabulary (IEV) — Part 192: Dependability*

IEC 60204 (all parts), *Safety of machinery*

IEC 60309-1, *Plugs, socket-outlets and couplers for industrial purposes — Part 1: General requirements*

IEC 60364 (all parts), *Low voltage electrical installations*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems — Part 1: Principles, requirements and tests*

IEC 60942, *Electroacoustics — Sound calibrators*

IEC 60947 (all parts), *Low voltage switchgear and control gear*

IEC 61000-6, *Electromagnetic compatibility — Part 6: Generic standards*

IEC 61069, *Industrial process measurement, control and evaluation — Evaluation of system properties for the purpose of system assessment*

IEC 61140, *Protection against electric shock — Common aspects for installation and equipment*

IEC 61260-1, *Octave-band and fractional-octave-band filters — Part 1: Specifications*

IEC 61511 (all parts), *Functional safety — Safety instrumented systems for the process industry sector*

IEC 61558 (all parts), *Safety of transformers, reactors, power supply units and combinations thereof*

IEC 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications*

IEC 61882, *Hazard and operability studies (HAZOP studies)*

IEC 61984, *Connectors — Safety requirements and tests*

IEC 62305 (all parts), *Protection against lightning*

IEC/IEEE 82079-1, *Preparation of information for use (instructions for use) of products — Part 1: Principles and general requirements*

EN 547 (all parts), *Safety of machinery — Human body measurements*

EN 1127-1, *Explosive atmospheres — Explosion prevention and protection — Part 1: Basic concepts and methodology*

EN 1837, *Safety of machinery — Integral lighting of machines*

EN 1839, *Determination of the explosion limits and the limiting oxygen concentration (LOC) for flammable gases and vapours*

EN 10216 (all parts), *Seamless steel tubes for pressure purposes — Technical delivery conditions*

EN 10217 (all parts), *Welded steel tubes for pressure purposes — Technical delivery conditions*

EN 13480 (all parts), *Metallic industrial piping*

EN 13725:2003, *Air quality — Determination of odour concentration by dynamic olfactometry*

EN 15259, *Air quality — Measurement of stationary source emissions — Requirements for measurement sections and sites and for the measurement objective, plan and report*

ASTM E681, *Standard Test Method for Concentration Limits of Flammability of Chemicals (Vapors and Gases)*

API 520, *Sizing, selection, and installation of pressure-relieving devices*

API 521, *Pressure-relieving and depressuring systems*

API 650, *Welded steel tanks for oil*

ASME B31.1, *Power piping*

ASME BPVC *Boiler and pressure vessel code*

SW-846 Test Method 1311, *Toxicity Characteristic Leaching Procedure*

Confidence Grading System, *International Infrastructure Management Manual (IIMM)*, 2015

NFPA 30, *Flammable and Combustible Liquids Code*

UL 58, *Standard for steel underground tanks for flammable and combustible liquids*

UL 142, *Standard for steel aboveground tanks for flammable and combustible liquids*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 General

3.1.1

human excreta

waste products of human metabolism, in solid or liquid form, generally urine and/or faeces

[SOURCE: ISO 24521:2016, 3.3]

3.1.2

faecal sludge

sludge generated from the storage of *human excreta* (3.1.1) in pit latrines, septic tanks or other onsite sanitation systems that may be mixed with flush water, domestic waste, anal cleansing material and other liquids

3.1.3

input

substances fed to the treatment unit; primarily *faecal sludge* (3.1.2), which may include other substances such as liquid and solid *domestic waste* (3.2.1) and may include different forms of *biomass* (3.2.2)

3.1.4

prefabricated

factory produced either as a fully assembled unit or as a set of components that assemble to form the unit

3.1.5

design requirement

requirement that specifies or constrains the design of a system or system component; *cf.* functional requirement, implementation requirement, interface requirement, performance requirement, and physical requirement

[SOURCE: ISO/IEC/IEEE 24765:2017, 3.1146]