

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Application integration at electric utilities – System interfaces for distribution management –
Part 5: Distributed energy optimization**

**Intégration d'applications pour les services électriques – Interfaces système pour la gestion de distribution –
Partie 5: Optimisation de l'énergie distribuée**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Application integration at electric utilities – System interfaces for distribution management –
Part 5: Distributed energy optimization**

**Intégration d'applications pour les services électriques – Interfaces système pour la gestion de distribution –
Partie 5: Optimisation de l'énergie distribuée**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-8705-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references	10
3 Terms, definitions and abbreviated terms	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	11
4 Conventions	12
4.1 UML diagrams.....	12
4.2 Units of measure in DER enterprise integration profiles	12
5 DER enterprise integration use cases	12
5.1 General.....	12
5.2 DER Group creation.....	15
5.2.1 General	15
5.2.2 Grouping requirements	15
5.2.3 Challenges posed by dynamic distribution system configurations.....	15
5.2.4 Challenges posed by enterprise information models	17
5.2.5 Using arbitrarily-defined groups for DER aggregation	19
5.3 Maintenance of DERGroups.....	21
5.3.1 General	21
5.3.2 DER Group maintenance example	22
5.4 DER Group queries.....	24
5.5 DER Group status monitoring.....	25
5.6 DER Group forecast.....	27
5.7 DER Group dispatch	30
5.8 DER Group Connect/Disconnect	32
5.9 DER group capability discovery.....	32
5.10 DER group voltage regulation function	33
Annex A (normative) Data requirements for DERMS profiles	34
A.1 General.....	34
A.2 DERGroups profile (constrained version)	34
A.3 DERGroups profile (unconstrained version)	35
A.4 DERGroupDispatches profile (constrained version).....	35
A.5 DERGroupDispatches profile (unconstrained version)	36
A.6 DERGroupForecasts (constrained).....	36
A.7 DERGroupForecasts (unconstrained).....	37
A.8 DERGroupStatuses profile	37
A.9 EndDeviceControls	37
A.10 DERGroupQueries	37
A.11 DERGroupStatusQueries	38
A.12 DERGroupForecastqueries	38
Annex B (normative) Super classes	39
B.1 General.....	39
B.2 CurveStyle class	39
B.3 DERCurveData class	39
B.4 DERFunction class	39

B.5	DERMonitorableParameter class.....	40
B.6	DERNamePlate class.....	40
B.7	DispatchSchedule class	42
B.8	EndDevice class	42
B.9	EndDeviceGroup class.....	43
B.10	EndDeviceGroup (constrained) for dispatches and forecasts.....	43
B.11	EndDeviceGroup (unconstrained) for dispatches and forecasts.....	43
B.12	Names	44
B.13	NameType	44
B.14	NameTypeAuthority	44
B.15	Status class	44
B.16	Version class	45
Annex C	(normative) Enumerated classes.....	46
C.1	General.....	46
C.2	abnormalOperatingPerformanceCategory enumeration class	46
C.3	DERParameterKind enumeration class	46
C.4	DERUnitSymbol	47
C.5	FlowDirectionKind enumeration class.....	48
C.6	normalOperatingPerformanceCategory enumeration class	48
C.7	TimeIntervalKind enumeration class.....	48
C.8	UnitMultiplier enumeration class	49
Figure 1	– Architectural options for DERMS deployments	13
Figure 2	– Reference architecture, IEC TR 62357-1:2016	14
Figure 3	– Example of simple radial feeder	16
Figure 4	– Example of feeder with alternate substation	16
Figure 5	– Example of an interconnected distribution network	17
Figure 6	– Common Information Model illustration	18
Figure 7	– Request/Reply message exchange pattern for the creation of a DERGroup.....	19
Figure 8	– Notification message exchange pattern for the creation of a DERGroup	20
Figure 9	– Message exchange patterns to support adding or modifying DERGroup membership or capabilities, or deleting a group member.....	21
Figure 10	– Message exchange pattern reflecting deleting an entire DER group (delete).....	22
Figure 11	– Message exchange pattern to support querying a DER group.....	25
Figure 12	– Message exchange pattern for DER Group status monitoring (PULL)	26
Figure 13	– Message exchange pattern for DER Group status monitoring (PUSH)	26
Figure 14	– Example of points to represent battery storage group forecast	27
Figure 15	– Battery DER Group availability example	28
Figure 16	– Message exchange pattern for DER Group forecasting (PULL).....	29
Figure 17	– Message exchange pattern for DER Group forecasting (PUSH).....	30
Figure 18	– Example Message exchange pattern for DER Group dispatch	31
Table 1	– IEC 61968-5 Profiles	9
Table 2	– IEC 61968-9 Profiles	10
Table 3	– Document overview for IEC 61968-5	10

Table 4 – DER Grouping functional requirements.....	15
Table 5 – Example DER Group A membership before update.....	22
Table 6 – Example DER Group A after adding a fourth member	23
Table 7 – Example DER Group A membership after delete	24
Table A.1 – IdentifiedObject.....	34
Table A.2 – DERGroups profile	35
Table A.3 – DERGroups (Unconstrained) Profile	35
Table A.4 – DERGroupDispatches (Unconstrained) Profile	36
Table A.5 – DERGroupDispatches (unconstrained) profile	36
Table A.6 – DERGroupForecast (constrained) profile	36
Table A.7 – DERGroupForecast (unconstrained) profile	37
Table A.8 – DERGroupStatuses profile	37
Table A.9 – DERGroupQueries	38
Table A.10 – DERGroupStatusQueries	38
Table A.11 – DERGroupForecastQueries	38
Table B.1 – CurveStyle class	39
Table B.2 – DERCurveData class	39
Table B.3 – DERFunction class.....	40
Table B.4 – DERMonitorableParameter class.....	40
Table B.5 – DERNamePlate	41
Table B.6 – DispatchSchedule	42
Table B.7 – EndDevice	43
Table B.8 – EndDeviceGroup class.....	43
Table B.9 – EndDeviceGroup (constrained) dispatches class.....	43
Table B.10 – EndDeviceGroup (unconstrained) for dispatches and forecasts	43
Table B.11 – Names	44
Table B.12 – NameType	44
Table B.13 – NameTypeAuthority.....	44
Table B.14 – Status class	44
Table B.15 – Version class	45
Table C.1 – abnormalOperatingPerformanceCategory	46
Table C.2 – DERParameterKind.....	46
Table C.3 – DERUnitSymbol	47
Table C.4 – FlowDirectionKind.....	48
Table C.5 – normalOperatingPerformanceCategory	48
Table C.6 – TimeIntervalKind.....	49
Table C.7 – UnitMultiplier.....	49

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**APPLICATION INTEGRATION AT ELECTRIC UTILITIES –
SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –****Part 5: Distributed energy optimization****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-5 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
57/2223/FDIS	57/2252/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61968 series, published under the general title *Application integration at electric utilities – System interfaces for distribution management*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Technology advancements in various types of distributed energy resources (DER), have driven increases in their evaluation and employment by utilities, consumers, and third parties. These DER are often connected to the grid at the distribution level where their presence in large scale or volume could be disruptive if not designed, integrated, and managed properly.

Inverters, the power converter circuits that integrate DER to the grid, are highly-capable devices with fast power controls and no inherent inertia such that they can respond quickly to commands and local conditions. Even small-scale inverters tend to have processing and memory resources and can support a variety of communication protocols and advanced functions. Over the last few years, industry efforts have defined a wide range of standard grid-supportive functions that inverters may provide and standard communication protocols that allow these functions to be remotely monitored and managed.

If these inverter capabilities can be properly exposed and integrated into traditional utility system operations, high penetration DER can be transformed from problematic uncertainties to beneficial tools for distribution management. To achieve these potential benefits, it needs to be possible not just to communicate to individual DER devices using standard protocols, but also for the systems that manage DER, referred to herein as DER Management System or "DERMS", to effectively inform other software applications regarding the resources available and to exchange information that allows the DER to be managed effectively. Additionally, due to scale of some devices, to optimize the management of DER they are managed in aggregate, referred hereafter as "DER group management".

Traditionally, distribution systems have been operated without extensive controls or centralized management. More advanced systems may have On-Load Tap Changing transformers (LTCs) at substations, line regulators, and/or capacitor banks that operate to help optimize distribution voltage and reactive power flow. In many cases, these devices may be fixed or configured to operate autonomously. In a growing number of cases, however, a more central Distribution Management System (DMS) has been used to coordinate their behaviour for a more optimized overall effect. DMS functionality may reside at the utility operations centre, where single, large-scale software manages many circuits, or it may reside in a more limited fashion at the substation or other level, where smaller-scale systems act to manage individual feeders or circuits.

Regardless of the scenario, the present generation of DMS systems is not designed to take advantage of the capabilities that DER may offer. In most cases, DER support within a DMS is limited to monitoring the output of "utility scale" DERs (> one megawatt). In addition, existing industry standards define advanced functions for DER only at the individual device level, and lack the more aggregated, feeder-level representations that are useful for enterprise integration.

This document develops appropriate enterprise-level functions for the integration of distributed energy resources. These functions are intended to work in conjunction with the common functions for smart inverters that have previously been defined.

The high-level use cases that are covered include management of DER group membership, DER group status monitoring, DER group forecasting, and dispatching of real and reactive power and other capabilities of managing DER as aggregated groups.

The IEC 61968 standard, taken as a whole, defines interfaces for the major elements of interface architecture for Distribution Management Systems (DMS). Part 1: *Interface Architecture and General Recommendations*, identifies and establishes requirements for standard interfaces based on an Interface Reference Model (IRM). Parts 3-9 of this standard define interfaces relevant to each of the major business functions described by the Interface Reference Model.

As used in IEC 61968, a DMS consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management.

This set of standards is limited to the definition of interfaces and is implementation independent. They provide for interoperability among different computer systems, platforms, and languages. Methods and technologies used to implement functionality conforming to these interfaces are considered outside of the scope of these standards; only the interface itself is specified in these standards.

APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

Part 5: Distributed energy optimization

1 Scope

The scope of this part of IEC 61968 is the description of a set of functions that are needed for enterprise integration of DERMS functions. These exchanges are most likely between a DERMS and a DMS. However, since this is an enterprise integration standard which may leverage IEC 61968-100:2013 for application integration (using web services or JMS) or other loosely-coupled implementations, there are no technical limitations for systems with which a DERMS might exchange information. Also, it should be noted that a DERMS might communicate with individual DER using a variety of standards and protocols such as IEC 61850, IEEE 2030.5, Distribution Network Protocol (DNP), Sunspec Modbus, or perhaps Open Field Message Bus (OpenFMB). One role of the DERMS is to manage this disparity and complexity of communications on the behalf of the system operator. However, the communication to individual DER is out of scope of this standard. Readers are invited to look to those standards to understand communication to individual DERs' smart inverter.

The scope will be limited to the following use case categories:

- DER group creation – a mechanism to manage DER in aggregate
- DER group maintenance – a mechanism to add, remove, or modify the members and/or aggregated capabilities of a given group of DER
- DER group deletion – removing an entire group
- DER group status monitoring – a mechanism for quantifying or ascertaining the current capabilities and/or status of a group of DER
- DER group forecast – a mechanism for predicting the capabilities and/or status of a group of DER for a given time period in the future
- DER group dispatch – a mechanism for requesting that specified capabilities of a group of DER be dispatched to the grid
- DER group voltage ramp rate control – a mechanism for requesting that a DER group following a ramp rate curve
- DER group connect/disconnect – a mechanism to request that DER either isolate themselves, or reconnect to the grid as needed

To support use cases in the preceding categories, this document specifies the following data requirements (profiles) as shown in Table 1:

Table 1 – IEC 61968-5 Profiles

DERGroups	DERGroupQueries
DERGroupStatuses	DERGroupStatusQueries
DERGroupForecasts	DERGroupForecastQueries
DERGroupDispatches	DERGroupQueries

The profiles in the left column of Table 1 are the "base" DER profiles and appear in the Payload section of IEC 61968-100 compliant messages. Those in the right column of Table 1 are the "query" profiles that appear in the Request section of IEC 61968-100 compliant messages and are used to specify the query parameters when using the "get" CIM verb.

Additionally, this specification uses existing IEC 61968-9:2013, *Application integration at electric utilities - System interfaces for distribution management - Part 9: Interfaces for meter reading and control profiles*, as shown in Table 2, which are used for passing event information and for the DER group connect/disconnect use cases. There are no extensions made to these profiles, only the data specific to these use cases is passed.

Table 2 – IEC 61968-9 Profiles

EndDeviceControls
EndDeviceEvents

In a departure from prior IEC 61968 standards, this document supports specification of both a "constrained" and an "unconstrained" version of each of the "base" profiles. The "constrained" versions have a greater number of non-optional data elements and are intended for use with the "create" and "created" CIM verbs. The "unconstrained" versions have all or almost all of the CIM elements defined as optional, which is required to support operations involving the "change", "changed", "delete", "deleted" and "get" CIM verbs.

This part of IEC 61968 contains the clauses listed in Table 3.

Table 3 – Document overview for IEC 61968-5

Clause	Title	Purpose
1	Scope	The scope and purpose of the document are described.
2	References (Normative and Informative)	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.
3	Terms, definitions, and abbreviations	Establish the common terms used in this specification.
4	Document Conventions	Message types related to the exchange of information for documents related to maintenance and construction.
5	DER Enterprise Integration Use Cases	The specific requirements for and details of the message exchanges based on the use cases. Description of general approach to the DER enterprise integration message type terms and the static information.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-300, *International Electrotechnical Vocabulary (IEV) - Part 300: Electrical and electronic measurements and measuring instruments - Part 311: General terms relating to measurements - Part 312: General terms relating to electrical measurements - Part 313: Types of electrical measuring instruments - Part 314: Specific terms according to the type of instrument*

IEC TS 61968-2, *Application integration at electric utilities - System interfaces for distribution management - Part 2: Glossary*

IEC 61968-9:2013, *Application integration at electric utilities - System interfaces for distribution management - Part 9: Interfaces for meter reading and control*

IEC 61968-11, *Application integration at electric utilities - System interfaces for distribution management - Part 11: Common information model (CIM) extensions for distribution*

IEC 61968-100:2013, *Application integration at electric utilities - System interfaces for distribution management - Part 100: Implementation profiles*

IEC TR 62051, *Electricity metering - Glossary of terms*

IEC 62055-31, *Electricity metering - Payment systems - Part 31: Particular requirements - Static payment meters for active energy (classes 1 and 2)*

IEC TR 62357-1:2016, *Power systems management and associated information exchange - Part 1: Reference architecture*

IEEE 1547-2018, *IEEE Standard for Interconnection and Interoperability of Distributed Energy Resources with Associated Electric Power Systems Interfaces*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 60050-300, IEC TS 61968-2, IEC TR 62051 and IEC 62055-31, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

Where there is a difference between the definitions in this document and those contained in other referenced IEC standards, then those defined in IEC TS 61968-2 shall take precedence over the others listed, and those defined in this document shall take precedence over those defined in IEC TS 61968-2.

3.1 Terms and definitions

3.1.1

Distributed Energy Resource Management System (DERMS)

The system which, on the behalf of other interested systems, manages the communications and control of individual Distributed Energy Resource (DER (and may do this with a variety of field message protocols), and aggregates this information and communicates with other utility systems, such as a DMS.

3.2 Abbreviated terms

CIM	Common Information Model
DER	Distributed Energy Resource(s)
DERMS	Distributed Energy Resources Management System
DMS	Distribution Management System
EMS	Energy Management System
IEC	International Electrotechnical Commission
UML	Unified modelling language
UUID	Universally unique identifier
XSD	XML Schema Definition
AMI	Advanced Metering Infrastructure