

OPC Unified Architecture - Part 4: Services

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN IEC 62541-4:2020 sisaldab Euroopa standardi EN IEC 62541-4:2020 ingliskeelset teksti.	This Estonian standard EVS-EN IEC 62541-4:2020 consists of the English text of the European standard EN IEC 62541-4:2020.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 18.09.2020.	Date of Availability of the European standard is 18.09.2020.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.040.40, 35.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

**OPC Unified Architecture - Part 4: Services
(IEC 62541-4:2020)**

Architecture Unifiée OPC - Partie 4: Services
(IEC 62541-4:2020)

OPC Unified Architecture - Teil 4: Dienste
(IEC 62541-4:2020)

This European Standard was approved by CENELEC on 2020-08-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 65E/716/FDIS, future edition 3 of IEC 62541-4, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62541-4:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-05-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-08-17

This document supersedes EN 62541-4:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

Endorsement notice

The text of the International Standard IEC 62541-4:2020 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TR 62541-1	-	OPC unified architecture - Part 1: Overview and concepts	CLC/TR 62541-1	-
IEC/TR 62541-2	-	OPC unified architecture - Part 2: Security model	CLC/TR 62541-2	-
IEC 62541-3	-	OPC Unified Architecture - Part 3: Address Space Model	EN IEC 62541-3	-
IEC 62541-5	-	OPC Unified Architecture - Part 5: Information Model	EN IEC 62541-5	-
IEC 62541-6	-	OPC Unified Architecture - Part 6: Mappings	EN IEC 62541-6	-
IEC 62541-7	-	OPC unified architecture - Part 7: Profiles	EN IEC 62541-7	-
IEC 62541-8	-	OPC Unified Architecture - Part 8: Data Access	EN IEC 62541-8	-
IEC 62541-11	-	OPC Unified Architecture - Part 11: Historical Access	EN IEC 62541-11	-
IEC 62541-12	-	OPC unified architecture - Part 12: Discovery and global services	EN IEC 62541-12	-
IEC 62541-13	-	OPC Unified Architecture - Part 13: Aggregates	EN IEC 62541-13	-

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 4: Services**

**Architecture unifiée OPC –
Partie 4: Services**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**OPC unified architecture –
Part 4: Services**

**Architecture unifiée OPC –
Partie 4: Services**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-8589-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	13
1 Scope	15
2 Normative references	15
3 Terms, definitions, abbreviated terms and conventions	16
3.1 Terms and definitions	16
3.2 Abbreviated terms	17
3.3 Conventions for Service definitions	17
4 Overview	19
4.1 Service Set model	19
4.2 Request/response Service procedures	22
5 Service Sets	22
5.1 General	22
5.2 Service request and response header	23
5.3 Service results	23
5.4 Discovery Service Set	24
5.4.1 Overview	24
5.4.2 FindServers	26
5.4.3 FindServersOnNetwork	27
5.4.4 GetEndpoints	29
5.4.5 RegisterServer	31
5.4.6 RegisterServer2	34
5.5 SecureChannel Service Set	35
5.5.1 Overview	35
5.5.2 OpenSecureChannel	36
5.5.3 CloseSecureChannel	40
5.6 Session Service Set	41
5.6.1 Overview	41
5.6.2 CreateSession	41
5.6.3 ActivateSession	46
5.6.4 CloseSession	49
5.6.5 Cancel	50
5.7 NodeManagement Service Set	50
5.7.1 Overview	50
5.7.2 AddNodes	50
5.7.3 AddReferences	52
5.7.4 DeleteNodes	54
5.7.5 DeleteReferences	56
5.8 View Service Set	57
5.8.1 Overview	57
5.8.2 Browse	57
5.8.3 BrowseNext	60
5.8.4 TranslateBrowsePathsToNodeIds	62
5.8.5 RegisterNodes	64
5.8.6 UnregisterNodes	65
5.9 Query Service Set	66
5.9.1 Overview	66

5.9.2	Querying Views	66
5.9.3	QueryFirst	67
5.9.4	QueryNext	70
5.10	Attribute Service Set	71
5.10.1	Overview	71
5.10.2	Read	72
5.10.3	HistoryRead	73
5.10.4	Write	76
5.10.5	HistoryUpdate	79
5.11	Method Service Set	81
5.11.1	Overview	81
5.11.2	Call	81
5.12	MonitoredItem Service Set	84
5.12.1	MonitoredItem model	84
5.12.2	CreateMonitoredItems	89
5.12.3	ModifyMonitoredItems	92
5.12.4	SetMonitoringMode	94
5.12.5	SetTriggering	95
5.12.6	DeleteMonitoredItems	97
5.13	Subscription Service Set	98
5.13.1	Subscription model	98
5.13.2	CreateSubscription	107
5.13.3	ModifySubscription	108
5.13.4	SetPublishingMode	110
5.13.5	Publish	111
5.13.6	Republish	113
5.13.7	TransferSubscriptions	114
5.13.8	DeleteSubscriptions	116
6	Service behaviours	117
6.1	Security	117
6.1.1	Overview	117
6.1.2	Obtaining and installing an Application Instance Certificate	117
6.1.3	Determining if a Certificate is trusted	118
6.1.4	Creating a SecureChannel	121
6.1.5	Creating a Session	123
6.1.6	Impersonating a User	124
6.2	Authorization Services	124
6.2.1	Overview	124
6.2.2	Indirect handshake with an Identity Provider	124
6.2.3	Direct handshake with an Identity Provider	125
6.3	Session-less Service invocation	126
6.3.1	Description	126
6.3.2	Parameters	127
6.3.3	Service results	128
6.4	Software Certificates	128
6.5	Auditing	128
6.5.1	Overview	128
6.5.2	General audit logs	128
6.5.3	General audit Events	129

6.5.4	Auditing for Discovery Service Set	129
6.5.5	Auditing for SecureChannel Service Set	129
6.5.6	Auditing for Session Service Set	129
6.5.7	Auditing for NodeManagement Service Set	130
6.5.8	Auditing for Attribute Service Set	130
6.5.9	Auditing for Method Service Set	131
6.5.10	Auditing for View, Query, MonitoredItem and Subscription Service Set	131
6.6	Redundancy	131
6.6.1	Redundancy overview	131
6.6.2	Server Redundancy	132
6.6.3	Client Redundancy	143
6.6.4	Network Redundancy	143
6.6.5	Manually forcing Failover	145
6.7	Re-establishing connections	145
6.8	Durable Subscriptions	147
7	Common parameter type definitions	148
7.1	ApplicationDescription	148
7.2	ApplicationInstanceCertificate	149
7.3	BrowseResult	150
7.4	ContentFilter	151
7.4.1	ContentFilter structure	151
7.4.2	ContentFilterResult	151
7.4.3	FilterOperator	152
7.4.4	FilterOperand parameters	159
7.5	Counter	161
7.6	ContinuationPoint	161
7.7	DataValue	162
7.7.1	General	162
7.7.2	PicoSeconds	162
7.7.3	SourceTimestamp	162
7.7.4	ServerTimestamp	163
7.7.5	StatusCode assigned to a value	163
7.8	DiagnosticInfo	164
7.9	DiscoveryConfiguration parameters	165
7.9.1	Overview	165
7.9.2	MdnsDiscoveryConfiguration	166
7.10	EndpointDescription	166
7.11	ExpandedNodeId	167
7.12	ExtensibleParameter	167
7.13	Index	167
7.14	IntegerId	167
7.15	MessageSecurityMode	168
7.16	MonitoringParameters	168
7.17	MonitoringFilter parameters	169
7.17.1	Overview	169
7.17.2	DataChangeFilter	170
7.17.3	EventFilter	171
7.17.4	AggregateFilter	173
7.18	MonitoringMode	174

7.19	NodeAttributes parameters	175
7.19.1	Overview	175
7.19.2	ObjectAttributes parameter	176
7.19.3	VariableAttributes parameter	176
7.19.4	MethodAttributes parameter	177
7.19.5	ObjectTypeAttributes parameter	177
7.19.6	VariableTypeAttributes parameter	178
7.19.7	ReferenceTypeAttributes parameter	178
7.19.8	DataTypeAttributes parameter	179
7.19.9	ViewAttributes parameter	179
7.19.10	GenericAttributes parameter	180
7.20	NotificationData parameters	180
7.20.1	Overview	180
7.20.2	DataChangeNotification parameter	181
7.20.3	EventNotificationList parameter	181
7.20.4	StatusChangeNotification parameter	182
7.21	NotificationMessage	182
7.22	NumericRange	182
7.23	QueryDataSet	183
7.24	ReadValueId	184
7.25	ReferenceDescription	185
7.26	RelativePath	186
7.27	RegisteredServer	187
7.28	RequestHeader	187
7.29	ResponseHeader	189
7.30	ServiceFault	189
7.31	SessionAuthenticationToken	190
7.32	SignatureData	191
7.33	SignedSoftwareCertificate	191
7.34	StatusCode	192
7.34.1	General	192
7.34.2	Common StatusCodes	194
7.35	TimestampsToReturn	198
7.36	UserIdentityToken parameters	198
7.36.1	Overview	198
7.36.2	Token Encryption and Proof of Possession	199
7.36.3	AnonymousIdentityToken	203
7.36.4	UserNameIdentityToken	203
7.36.5	X509IdentityTokens	205
7.36.6	IssuedIdentityToken	205
7.37	UserTokenPolicy	206
7.38	VersionTime	207
7.39	ViewDescription	207
Annex A	(informative) BNF definitions	208
A.1	Overview over BNF	208
A.2	BNF of RelativePath	208
A.3	BNF of NumericRange	209
Annex B	(informative) ContentFilter and Query examples	210
B.1	Simple ContentFilter examples	210

B.1.1	Overview	210
B.1.2	Example 1	210
B.1.3	Example 2	211
B.2	Complex examples of Query filters	212
B.2.1	Overview	212
B.2.2	Used type model	212
B.2.3	Example Notes	215
B.2.4	Example 1	216
B.2.5	Example 2	217
B.2.6	Example 3	218
B.2.7	Example 4	221
B.2.8	Example 5	222
B.2.9	Example 6	223
B.2.10	Example 7	225
B.2.11	Example 8	227
B.2.12	Example 9	228
Figure 1	– Discovery Service Set	19
Figure 2	– SecureChannel Service Set	19
Figure 3	– Session Service Set	20
Figure 4	– NodeManagement Service Set	20
Figure 5	– View Service Set	20
Figure 6	– Attribute Service Set	21
Figure 7	– Method Service Set	21
Figure 8	– MonitoredItem and Subscription Service Sets	22
Figure 9	– Discovery process	25
Figure 10	– Using a Gateway Server	30
Figure 11	– The registration process – Manually launched servers	32
Figure 12	– The registration process – Automatically launched servers	32
Figure 13	– SecureChannel and Session Services	36
Figure 14	– Multiplexing users on a Session	43
Figure 15	– MonitoredItem model	84
Figure 16	– Typical delay in change detection	86
Figure 17	– Queue overflow handling	87
Figure 18	– Triggering model	88
Figure 19	– Obtaining and installing an Application Instance Certificate	118
Figure 20	– Determining if an Application Instance Certificate is trusted	121
Figure 21	– Establishing a SecureChannel	122
Figure 22	– Establishing a Session	123
Figure 23	– Impersonating a User	124
Figure 24	– Indirect handshake with an Identity Provider	125
Figure 25	– Direct handshake with an Identity Provider	126
Figure 26	– Transparent Redundancy setup example	133
Figure 27	– Non-Transparent Redundancy setup	134
Figure 28	– Client Start-up steps	138

Figure 29 – Cold Failover.....	139
Figure 30 – Warm Failover.....	140
Figure 31 – Hot Failover	141
Figure 32 – HotAndMirrored Failover	142
Figure 33 – Server proxy for Redundancy	143
Figure 34 – Transparent network Redundancy	144
Figure 35 – Non-transparent network Redundancy.....	145
Figure 36 – Reconnect sequence.....	146
Figure 37 – Logical layers of a <i>Server</i>	190
Figure 38 – Obtaining a SessionAuthenticationToken	191
Figure 39 – EncryptedSecret layout	200
Figure B.1 – Filter logic tree example.....	210
Figure B.2 – Filter logic tree example.....	211
Figure B.3 – Example Type Nodes	214
Figure B.4 – Example Instance Nodes	215
Figure B.5 – Example 1 Filter.....	216
Figure B.6 – Example 2 Filter logic tree	218
Figure B.7 – Example 3 Filter logic tree	219
Figure B.8 – Example 4 Filter logic tree	221
Figure B.9 – Example 5 Filter logic tree	222
Figure B.10 – Example 6 Filter logic tree	224
Figure B.11 – Example 7 Filter logic tree	226
Figure B.12 – Example 8 Filter logic tree	227
Figure B.13 – Example 9 Filter logic tree	228
Table 1 – Service definition table	18
Table 2 – Parameter Types defined in IEC 62541-3	18
Table 3 – FindServers Service parameters	27
Table 4 – FindServersOnNetwork Service parameters	28
Table 5 – GetEndpoints Service parameters	31
Table 6 – RegisterServer Service parameters	33
Table 7 – RegisterServer Service result codes.....	33
Table 8 – RegisterServer2	34
Table 9 – RegisterServer2 Service result codes	35
Table 10 – RegisterServer2 Operation Level result codes	35
Table 11 – OpenSecureChannel Service parameters	38
Table 12 – OpenSecureChannel Service result codes	40
Table 13 – CloseSecureChannel Service parameters.....	41
Table 14 – CloseSecureChannel Service result codes	41
Table 15 – CreateSession Service parameters.....	44
Table 16 – CreateSession Service result codes	46
Table 17 – ActivateSession Service parameters.....	48
Table 18 – ActivateSession Service result codes	49

Table 19 – CloseSession Service parameters	49
Table 20 – CloseSession Service result codes	50
Table 21 – Cancel Service parameters	50
Table 22 – AddNodes Service parameters	51
Table 23 – AddNodes Service result codes	52
Table 24 – AddNodes Operation Level result codes	52
Table 25 – AddReferences Service parameters	53
Table 26 – AddReferences Service result codes	53
Table 27 – AddReferences Operation Level result codes	54
Table 28 – DeleteNodes Service parameters	55
Table 29 – DeleteNodes Service result codes	55
Table 30 – DeleteNodes Operation Level result codes	56
Table 31 – DeleteReferences Service parameters	56
Table 32 – DeleteReferences Service result codes	57
Table 33 – DeleteReferences Operation Level result codes	57
Table 34 – Browse Service parameters	58
Table 35 – Browse Service result codes	59
Table 36 – Browse Operation Level result codes	60
Table 37 – BrowseNext Service parameters	61
Table 38 – BrowseNext Service result codes	61
Table 39 – BrowseNext Operation Level result codes	62
Table 40 – TranslateBrowsePathsToNodeIds Service parameters	63
Table 41 – TranslateBrowsePathsToNodeIds Service result codes	63
Table 42 – TranslateBrowsePathsToNodeIds Operation Level result codes	64
Table 43 – RegisterNodes Service parameters	65
Table 44 – RegisterNodes Service result codes	65
Table 45 – UnregisterNodes Service parameters	66
Table 46 – UnregisterNodes Service result codes	66
Table 47 – QueryFirst Request parameters	68
Table 48 – QueryFirst Response parameters	69
Table 49 – QueryFirst Service result codes	70
Table 50 – QueryFirst Operation Level result codes	70
Table 51 – QueryNext Service parameters	71
Table 52 – QueryNext Service result codes	71
Table 53 – Read Service parameters	72
Table 54 – Read Service result codes	73
Table 55 – Read Operation Level result codes	73
Table 56 – HistoryRead Service parameters	74
Table 57 – HistoryRead Service result codes	76
Table 58 – HistoryRead Operation Level result codes	76
Table 59 – Write Service parameters	78
Table 60 – Write Service result codes	79
Table 61 – Write Operation Level result codes	79

Table 62 – HistoryUpdate Service parameters	80
Table 63 – HistoryUpdate Service result codes	80
Table 64 – HistoryUpdate Operation Level result codes	81
Table 65 – Call Service parameters	82
Table 66 – Call Service result codes	83
Table 67 – Call Operation Level result codes	83
Table 68 – Call Input Argument Result Codes	84
Table 69 – CreateMonitoredItems Service parameters	91
Table 70 – CreateMonitoredItems Service result codes	92
Table 71 – CreateMonitoredItems Operation Level result codes	92
Table 72 – ModifyMonitoredItems Service parameters	93
Table 73 – ModifyMonitoredItems Service result codes	94
Table 74 – ModifyMonitoredItems Operation Level result codes	94
Table 75 – SetMonitoringMode service parameters	95
Table 76 – SetMonitoringMode Service result codes	95
Table 77 – SetMonitoringMode Operation Level result codes	95
Table 78 – SetTriggering Service parameters	96
Table 79 – SetTriggering Service result codes	96
Table 80 – SetTriggering Operation Level result codes	97
Table 81 – DeleteMonitoredItems Service parameters	97
Table 82 – DeleteMonitoredItems Service result codes	98
Table 83 – DeleteMonitoredItems Operation Level result codes	98
Table 84 – Subscription states	101
Table 85 – Subscription state table	102
Table 86 – State variables and parameters	105
Table 87 – Functions	106
Table 88 – CreateSubscription Service parameters	107
Table 89 – CreateSubscription Service result codes	108
Table 90 – ModifySubscription Service parameters	109
Table 91 – ModifySubscription Service result codes	110
Table 92 – SetPublishingMode Service parameters	110
Table 93 – SetPublishingMode Service result codes	110
Table 94 – SetPublishingMode Operation Level result codes	111
Table 95 – Publish Service parameters	112
Table 96 – Publish Service result codes	112
Table 97 – Publish Operation Level Result Codes	113
Table 98 – Republish Service parameters	113
Table 99 – Republish Service result codes	113
Table 100 – TransferSubscriptions Service parameters	115
Table 101 – TransferSubscriptions Service result codes	115
Table 102 – TransferSubscriptions Operation Level result codes	116
Table 103 – DeleteSubscriptions Service parameters	116
Table 104 – DeleteSubscriptions Service result codes	117

Table 105 – DeleteSubscriptions Operation Level result codes	117
Table 106 – Certificate validation steps	119
Table 107 – SessionlessInvoke Service parameters.....	127
Table 108 – SessionlessInvoke Service result codes	128
Table 109 – ServiceLevel ranges	136
Table 110 – Server Failover modes.....	137
Table 111 – Redundancy Failover actions.....	138
Table 112 – ApplicationDescription	149
Table 113 – ApplicationInstanceCertificate	150
Table 114 – BrowseResult	150
Table 115 – ContentFilter structure.....	151
Table 116 – ContentFilterResult structure	151
Table 117 – ContentFilterResult result codes.....	152
Table 118 – ContentFilterResult Operand result codes	152
Table 119 – Basic FilterOperator definition	152
Table 120 – Complex FilterOperator definition	155
Table 121 – Wildcard characters.....	156
Table 122 – Conversion rules	157
Table 123 – Data Precedence rules	158
Table 124 – Logical AND Truth table	159
Table 125 – Logical OR Truth table.....	159
Table 126 – FilterOperand parameter Typelds	159
Table 127 – ElementOperand	160
Table 128 – LiteralOperand	160
Table 129 – AttributeOperand	160
Table 130 – SimpleAttributeOperand	161
Table 131 – DataValue	162
Table 132 – DiagnosticInfo	165
Table 133 – DiscoveryConfiguration parameterTypelds	165
Table 134 – MdnsDiscoveryConfiguration	166
Table 135 – EndpointDescription	166
Table 136 – ExpandedNodeId	167
Table 137 – ExtensibleParameter base type	167
Table 138 – MessageSecurityMode values	168
Table 139 – MonitoringParameters	168
Table 140 – MonitoringFilter parameterTypelds	169
Table 141 – DataChangeFilter	170
Table 142 – EventFilter structure	172
Table 143 – EventFilterResult structure	172
Table 144 – EventFilterResult result codes	173
Table 145 – AggregateFilter structure	174
Table 146 – AggregateFilterResult structure	174
Table 147 – MonitoringMode values.....	175

Table 148 – NodeAttributes parameterTypelds	175
Table 149 – Bit mask for specified Attributes	176
Table 150 – ObjectAttributes	176
Table 151 – VariableAttributes	177
Table 152 – MethodAttributes	177
Table 153 – ObjectTypeAttributes	178
Table 154 – VariableTypeAttributes	178
Table 155 – ReferenceTypeAttributes	179
Table 156 – DataTypeAttributes	179
Table 157 – ViewAttributes	180
Table 158 – GenericAttributes	180
Table 159 – NotificationData parameterTypelds	181
Table 160 – DataChangeNotification	181
Table 161 – EventNotificationList	182
Table 162 – StatusChangeNotification	182
Table 163 – NotificationMessage	182
Table 164 – NumericRange	183
Table 165 – QueryDataSet	184
Table 166 – ReadValueId	185
Table 167 – ReferenceDescription	186
Table 168 – RelativePath	186
Table 169 – RegisteredServer	187
Table 170 – RequestHeader	188
Table 171 – ResponseHeader	189
Table 172 – ServiceFault	190
Table 173 – SignatureData	191
Table 174 – SignedSoftwareCertificate	192
Table 175 – StatusCode bit assignments	193
Table 176 – DataValue InfoBits	194
Table 177 – Common Service result codes	195
Table 178 – Common Operation Level result codes	197
Table 179 – TimestampsToReturn values	198
Table 180 – UserIdentityToken parameterTypelds	199
Table 181 – Legacy UserIdentityToken Encrypted Token Secret Format	200
Table 182 – EncryptedSecret layout	202
Table 183 – EncryptedSecret DataTypes	202
Table 184 – RsaEncryptedSecret structure	203
Table 185 – AnonymousIdentityToken	203
Table 186 – UserNameIdentityToken	204
Table 187 – EncryptionAlgorithm selection	204
Table 188 – X.509 v3 Identity Token	205
Table 189 – IssuedIdentityToken	206
Table 190 – UserTokenPolicy	206

Table 191 – ViewDescription.....	207
Table A.1 – RelativePath	208
Table A.2 – <i>RelativePath</i> Examples	209
Table B.1 – ContentFilter example	211
Table B.2 – ContentFilter example	211
Table B.3 – Example 1 NodeTypeDescription	216
Table B.4 – Example 1 ContentFilter.....	216
Table B.5 – Example 1 QueryDataSets	217
Table B.6 – Example 2 NodeTypeDescription	217
Table B.7 – Example 2 ContentFilter.....	218
Table B.8 – Example 2 QueryDataSets	218
Table B.9 – Example 3 NodeTypeDescription	219
Table B.10 – Example 3 ContentFilter.....	220
Table B.11 – Example 3 QueryDataSets	221
Table B.12 – Example 4 NodeTypeDescription.....	221
Table B.13 – Example 4 ContentFilter.....	222
Table B.14 – Example 4 QueryDataSets	222
Table B.15 – Example 5 NodeTypeDescription.....	222
Table B.16 – Example 5 ContentFilter.....	223
Table B.17 – Example 5 QueryDataSets	223
Table B.18 – Example 6 NodeTypeDescription.....	223
Table B.19 – Example 6 ContentFilter.....	224
Table B.20 – Example 6 QueryDataSets	224
Table B.21 – Example 6 QueryDataSets without additional information.....	225
Table B.22 – Example 7 NodeTypeDescription.....	225
Table B.23 – Example 7 ContentFilter.....	226
Table B.24 – Example 7 QueryDataSets	226
Table B.25 – Example 8 NodeTypeDescription.....	227
Table B.26 – Example 8 ContentFilter.....	227
Table B.27 – Example 8 QueryDataSets	228
Table B.28 – Example 9 NodeTypeDescription.....	228
Table B.29 – Example 9 ContentFilter.....	229
Table B.30 – Example 9 QueryDataSets	229

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –**Part 4: Services****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62541-4 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added ability to resend all data of monitored items in a Subscription using the ResendData Method.
- b) Added support for durable Subscriptions (lifetime of hours or days).
- c) Added Register2 and FindServersOnNetwork Services to support network-wide discovery using capability filters.
- d) Removed definition of software certificates. Will be defined in a future edition.

- e) Extended and partially revised the redundancy definition. Added sub-range definitions for ServiceLevel and added more terms for redundancy.
- f) Added a section on how to use Authorization Services to request user access tokens.
- g) Added JSON Web Tokens (JWTs) as a new user token.
- h) Added the concept of session-less service invocation.
- i) Added a generic structure that allows passing any number of attributes to the AddNodes Service.
- j) Added requirement to protect against user identity token attacks.
- k) Added new EncryptedSecret format for user identity tokens.

The text of this standard is based on the following documents:

FDIS	Report on voting
65E/716/FDIS	65E/732/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in Clause 3 in one of the parts of the series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are also, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.