



Edition 7.0 2020-09

# INTERNATIONAL STANDARD

NN.



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission



#### THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

**IEC Central Office** 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

#### Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.





Edition 7.0 2020-09

# **INTERNATIONAL STANDARD**



INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

ire. Reference de la companya de la comp Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus -Part 1: Emission

**INTERNATIONAL** ELECTROTECHNICAL COMMISSION

ICS 33,100,10

ISBN 978-2-8322-8744-6

Warning! Make sure that you obtained this publication from an authorized distributor.

# CONTENTS

FC		RD	
1	· · ·	e	
2	Norm	ative references	11
3	Term	s, definitions and abbreviated terms	12
	3.1	General	
	3.2	General terms and definitions	13
	3.3	Terms and definitions related to click analysis	14
	3.4	Terms and definitions related to types of ports	15
	3.5	Terms and definitions related to parts and devices connected to the EUT	
	3.6	Terms and definitions related to operating conditions	17
	3.7	Terms and definitions related to toys	
	3.8	Terms and definitions related to IPT	
	3.9	Other terms and definitions	20
	3.10	Abbreviated terms	21
4	Limit	s of disturbances	
	4.1	General	
	4.2	Application of limits	
	4.3	Continuous disturbances	
	4.3.1	General	
	4.3.2		
	4.3.3		
	4.3.4		
	4.3.5		
	4.4	Discontinuous disturbances	
	4.4.1	General	
	4.4.2	Limits	
5	Test	equipment and methods of measurement	
	5.1	Test equipment	
	5.1.1	General	
	5.1.2	Measuring receivers	
	5.1.3		
	5.1.4		
	5.1.5		
	5.1.6		
	5.1.7	Click analyser for discontinuous disturbance	
	5.1.8	Absorbing clamp	
	5.1.9	Radiated emission test sites	
	5.2	Conducted disturbances set-up and measurements	
	5.2.1	Arrangement of the EUT	
	5.2.2	Arrangement of the leads at the ports of the EUT	
	5.2.3		
	5.3	Radiated disturbances set-up and measurements	
	5.3.1	General	
	5.3.2	Magnetic field strength – 9 kHz to 30 MHz	
	5.3.3	Disturbance power – 30 MHz to 300 MHz	
	5.3.4	Radiated emission – 30 MHz to 1 000 MHz and 1 GHz to 6 GHz	

5.4	Measurement procedures and interpretation of results	40
5.4.1	Continuous disturbance	40
5.4.2	Discontinuous disturbance	41
5.4.3	Exceptions	43
6 Opera	ating conditions	45
6.1	General	45
6.2	Mains operation	46
6.2.1	Voltage at the AC mains port	46
6.2.2	Frequency at the AC mains port	46
6.3	DC operation	
6.3.1	Battery operation	46
6.3.2	Operation from a DC supply other than a battery	46
6.4	Speed controls	
6.5	Multifunction equipment	47
6.6	Equipment with built-in luminaires	47
6.7	Equipment incorporating IPT functions	48
7 Comp	pliance with this document	48
	urement uncertainty	
	report	
	normative) Standard operating conditions and normal loads for specific	
	t	68
A.1	Motor operated equipment for household and similar purposes	68
A.1.1		
A.1.2	Floor polishers	69
A.1.3		
A.1.4		
A.1.5	Personal care appliances with a motor	69
A.1.6		
A.1.7	Extractors and range hoods	70
A.1.8		
A.1.9	-	
A.1.1		
A.1.1		71
A.1.1		71
A.1.1		
A.1.1	7 Projectors	72
A.1.1		
A.1.1	9 Lawn mowers	72
A.1.2		
A.2	Electric tools	
A.2.1	General	
A.2.2		
A.2.3		
A.2.4		
A.2.5	Glue guns	75

A.2.6	Heat guns	75
A.2.7	Power staplers	75
A.2.8	Spray guns	75
A.2.9	Internal vibrators	75
A.3 Mo	tor-operated electro-medical apparatus	75
A.3.1	General	75
A.3.2	Dental drills	75
A.3.3	Saws and knives	75
A.3.4	Electrocardiograms and similar recorders	75
A.3.5	Pumps	76
A.4 Ele	ctrical heating equipment	76
A.4.1	General	76
A.4.2	Hobs and hotplates	76
A.4.3	Cooking pans, table-type roasters, deep-fat fryers	76
A.4.4	Feed boilers, water boilers, kettles and similar boilers	76
A.4.5	Instantaneous water heaters	76
A.4.6	Storage heaters	76
A.4.7	Warming plates, boiling tables, heating drawers, heating cabinets	77
A.4.8	Cooking ovens, grills, waffle irons, waffle grills	77
A.4.9	Toasters	77
A.4.10	Ironing machines	77
A.4.11	Clothes irons	78
A.4.12	Vacuum packagers	
A.4.13	Flexible electrical heating equipment	
A.4.14	Air convection room heaters	
A.4.15	Rice cookers	79
A.5 The	ermostats	79
A.5.1	General	79
A.5.2	Thermostatically controlled three-phase switches	
A.5.3	Thermostats – Alternative procedure to that specified in A.5.1	
A.6 Aut	omatic goods-dispensing machines, entertainment machines and similar	
	lipment	81
A.6.1	General	81
A.6.2	Automatic dispensing machines	81
A.6.3	Juke boxes	81
A.6.4	Automatic entertainment machines incorporating a winnings-payout	
	mechanism	
A.6.5	Automatic entertainment machines with no winnings-payout mechanism	
	ctric and electronic toys	
A.7.1	General	
A.7.2	Operating conditions	- A.
	cellaneous equipment	
A.8.1	Time switches not incorporated in equipment	
A.8.2	Electric fence energizers	
A.8.3	Electronic gas igniters	
A.8.4	Insect killers	
A.8.5	Personal care appliances without a motor	
A.8.6	Air cleaners	
A.8.7	Steam generators and humidifiers	85

A.8.8	Battery chargers other than IPT chargers	.86
A.8.9	External Power Supplies (EPS)	.86
A.8.1	0 Lifting devices (electric hoists)	.86
A.8.1	1 Robotic equipment	. 87
A.8.1	2 Other robotic equipment	.89
A.8.1	3 Clocks	. 89
A.9	Induction cooking appliances	.89
A.9.1	General	. 89
A.9.2	Operating conditions for EUT with fixed cooking zone(s)	.89
A.9.3	Operating conditions for EUT with many small coils	.90
A.10	Equipment making use of IPT other than induction cooking appliances	.90
A.10.	1 General	. 90
A.10.	2 IPTS	. 90
A.10.		
A.10.		
	Operating conditions for particular equipment and integrated parts	92
A.11.		
	normative) Click rate of special equipment	
		101
	informative) Background information on the measurement of discontinuous	102
C.1	General	
C.2	Additional recommendations for the use of an oscilloscope	
C.3	Additional recommendations for the application of exceptions	
C.4	Example for the use of the upper quartile method	
C.5	Background information about the minimum observation time	
	informative) Statistical evaluation	
D.1	General	
D.2	Method based on a general margin to the limit	
D.3	Test based on the non-central <i>t</i> -distribution	
D.4	Test based on the binomial distribution	
D.5	Larger sample size	
Bibliograp	hy۲	112
Figure 1 -	- IPT terms	.21
Figure 2 -	- Examples of test configuration	22
	- Examples of discontinuous disturbances whose duration and separation	
meet the	definition of clicks (see 3.3.3)	. 50
	- Examples of discontinuous disturbance whose duration or separation do not definition of click	. 51
	- Flow chart for emission measurements of mains operated equipment in the range from 30 MHz to 1 000 MHz	. 52
	- Flow chart for emission testing of battery operated equipment in the range from 30 MHz to 1 000 MHz	.53
	- Flow chart for emission measurements in the frequency range from 1 GHz	-
		. 54

Figure 8 – Flow diagram for the evaluation of discontinuous disturbance, based on measuring the clicks	5
Figure 9 – Flow diagram for the evaluation of discontinuous disturbance, based on counting the switching operations	6
Figure 10 – Artificial hand – RC element	7
Figure 11 - Application of the artificial hand – Portable electric drill	7
Figure 12 – Application of the artificial hand – Portable electric saw	3
Figure 13 – Cable bundling	3
Figure 14 – Voltage probe measurement for mains powered EUT	9
Figure 15 – Radiated emission – Location of the EUT on the turntable and measuring distance	D
Figure 16 – Radiated emission – Example of test set-up for table-top EUT60	C
Figure 17 – Radiated emission – Example of test set-up for table-top EUT61	1
Figure 18 – Radiated emission – Example of test set-up for table-top EUT (top view)	1
Figure 19 – Radiated emission – Example of test set-up for floor standing EUT	2
Figure 20 – Radiated emission – Example of the test set-up for an EUT made of multiple table-top parts	3
Figure 21 – Radiated emission – Example of the test set-up for an EUT in SAC or OATS, made of a combination of table-top and floor standing parts	4
Figure 22 – Radiated emission – Height of the EUT in the FAR65	5
Figure 23 – Example of test setup for disturbance voltage measurements on table-top EUT (horizontal RGP)	ô
Figure 24 – Example of alternative test setup (vertical RGP) for measurements on table- top EUT (disturbance voltage on mains port and disturbance current on auxiliary port)60	3
Figure 25 – Example of disturbance voltage measurement arrangement for floor standing EUT(s)	7
Figure A.1 – Arrangement for measurement of the disturbance voltage produced at the fence port of electric fence energizers (see A.8.2)	5
Figure A.2 – Measuring arrangement for toys running on tracks	3
Figure A.3 – Radiated emission – Test set-up for floor operated vacuum cleaner9	7
Figure A.4 – Example of an idle roller for the measurement of radiated emissions of robotic cleaners	7
Figure A.5 – Measurement arrangement for two-terminal external power controller	3
Figure A.6 – Applicable cases for testing equipment making use of IPT	9
Figure A.7 – Setup for operation of the mobile part on a test surface other than horizontal	D
Figure C.1 – Discontinuous disturbance at i.f. reference level and QP output, as shown in CISPR 16-1-1:2015, Table 17, test pulse 1	2
Figure D.1 – Unit to unit variation of sub-range maximum	
Table 1 – Application of limits23	3
Table 2 – Disturbance voltage limits for the AC mains port of equipment with active IPT functions	
Table 3 – Magnetic field strength limits 24	
Table 4 – Limits for the magnetic field induced current	
Table 5 – General limits	
Table 6 – Limits for the mains port of motor operated tools	7

Table 7 – Disturbance power limits – 30 MHz to 300 MHz	28
Table 8 – Reduction applicable to Table 7 limits	28
Table 9 – Radiated disturbance limits and testing methods – 30 MHz to 1 000 MHz	29
Table 10 – Required highest frequency for radiated electric field strength       measurements	29
Table 11 – Radiated electric field disturbance limits and test methods – 1 GHz to 6 GHz	30
Table A.1 – Types of EUT, operating modes and test setup	90
Table B.1 – Application of factor $f$ for the determination of the click rate of special	
equipment	
Table C.1 – Discontinuous disturbances recorded during the first run at 500 kHz	104
Table C.2 – Discontinuous disturbances recorded during the second run at 500 kHz	105
Table C.3 – Discontinuous disturbances recorded during the first run at 1,4 MHz	105
Table C.4 – Discontinuous disturbances recorded during the second run at 1,4 MHz	
Table C.5 – Examples of minimum observation time	
Table D.1 – Values of the coefficient $K_{E}$ as a function the sample size	. 108
Table D.2 – General margin to the limit for statistical evaluation	109
Table D.3 – Factor k for the application of the non-central t-distribution	
Table D.4 – Application of the binomial distribution	111
Table D.4 – Application of the binomial distribution	Ś

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

INTERNATIONAL SPECIAL COMMITTEE ON RADIO INTERFERENCE

# ELECTROMAGNETIC COMPATIBILITY – REQUIREMENTS FOR HOUSEHOLD APPLIANCES, ELECTRIC TOOLS AND SIMILAR APPARATUS –

### Part 1: Emission

# FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The International Standard CISPR 14-1 has been prepared by subcommittee CISPR/F: Interference related to household appliances tools, lighting equipment and similar apparatus, of IEC technical committee CISPR.

This seventh edition cancels and replaces the sixth edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

- extension of the frequency range for radiated measurements above 1 GHz;
- revision of general test conditions and addition of new specific test conditions (e.g. for robotic equipment);
- introduction of additional requirements for equipment making use of inductive power transfer technology;

- remove from the normative text any compliance requirement based on statistical evaluation;
- revision of clicks analysis, with particular relevance to the determination of the observation time and the application of the upper quartile method for different types of click analysers.

The text of this document is based on the following documents:

FDIS	Report on voting
CIS/F/796/FDIS	CIS/F/799/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the CISPR 14 series can be found on the IEC website under the general title *Electromagnetic compatibility* – *Requirements for household appliances, electric tools and similar apparatus.* 

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

# ELECTROMAGNETIC COMPATIBILITY – REQUIREMENTS FOR HOUSEHOLD APPLIANCES, ELECTRIC TOOLS AND SIMILAR APPARATUS –

# Part 1: Emission

### 1 Scope

This part of CISPR 14 specifies the requirements that apply to the emission of radio-frequency disturbances in the frequency range 9 kHz to 400 GHz from appliances, electric tools and similar apparatus as defined below, whether powered by AC or DC (including a battery).

This document is applicable to the following equipment:

household appliances or similar equipment;

NOTE 1 Examples are equipment used:

- for typical housekeeping functions in the household environment, which includes the dwelling and its associated buildings, the garden, etc.;
- for typical housekeeping functions in shops, offices, commercial and other similar working environments;
- on farms;
- by clients in hotels and other residential type environments;
- for induction cooking or air-conditioning, either in residential or commercial environments.
- electric tools;

NOTE 2 Examples of electric tools include electric motor-operated or electromagnetically driven hand-held tools, transportable tools, lawn and garden machinery.

- similar apparatus.
- NOTE 3 Examples are:
  - external power controllers using semiconductor devices;
  - motor-driven electro-medical equipment;
  - electric/electronic toys;
  - personal care and beauty care appliances;
  - automatic goods-dispensing machines;
  - entertainment machines;
  - cine or slide projectors;
  - battery chargers and external power supplies for use with products under the scope of this document;
  - electric fence energisers.

Also included in the scope of this document are separate parts of the above mentioned equipment such as motors and switching devices (e.g. power or protective relays). However, no emission requirements apply to such separate parts, unless otherwise stated in this document.

Products which incorporate radio transmit/receive functions are included in the scope of this document.

Equipment under the scope of this document making use of IPT is also in the scope.

Excluded from the scope of this document are:

 equipment for which all emission requirements in the radio-frequency range are explicitly formulated in other CISPR standards;

- 11 -

NOTE 4 Examples are:

- luminaires, including portable luminaires for children, discharge lamps and other lighting devices under the scope of CISPR 15;
- information technology equipment, e.g. home computers, personal computers, electronic copying machines under the scope of CISPR 32;
- audio/video equipment and electronic music instruments other than toys under the scope of CISPR 32;
- mains communication devices, as well as baby surveillance systems;
- equipment which is under the scope of CISPR 11 (e.g. microwave ovens) but be aware of 6.5 on multifunction equipment (e.g. for another function requiring click measurements)
- radio controls, walkie-talkies and other types of radio-transmitters;
- arc welding equipment.
- equipment intended to be used only on a vehicle, ship or aircraft;
- equipment used only in industrial environment
- the effects of electromagnetic phenomena relating to the safety of the equipment.

Multifunction equipment may be required to comply with clauses in this and other standards. The details are given in 6.5.

The emission requirements in this document are not intended to be applicable to the intentional transmissions from a radio transmitter as defined by the ITU including their spurious emissions.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CISPR 16-1-1:2015<sup>1</sup>, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus

CISPR 16-1-2:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements CISPR 16-1-2:2014/AMD1:2017

CISPR 16-1-3:2004, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-3: Radio disturbance and immunity measuring apparatus – Ancillary equipment – Disturbance power CISPR 16-1-3:2004/AMD1:2016 CISPR 16-1-3:2004/AMD2:2020

CISPR 16-1-4:2019, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-4: Radio disturbance and immunity measuring apparatus – Antennas and test sites for radiated disturbance measurements

<sup>1 4&</sup>lt;sup>th</sup> edition (2015). This 4<sup>th</sup> edition has been replaced in 2019 by a 5<sup>th</sup> Edition CISPR 16-1-1:2019, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus.

CISPR 16-2-1:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements CISPR 16-2-1:2014/AMD1:2017

CISPR 16-2-2:2010, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-2: Methods of measurement of disturbances and immunity – Measurement of disturbance power

CISPR 16-2-3:2016, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements CISPR 16-2-3:2016/AMD1:2019

CISPR 16-4-2:2011, Specification for radio disturbance and immunity measuring apparatus and methods – Part 4-2: Uncertainties, statistics and limit modelling – Measurement instrumentation uncertainty CISPR 16-4-2:2011/AMD1:2014 CISPR 16-4-2:2011/AMD2:2018

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission requirements* 

IEC 60050-161:1990, International Electrotechnical Vocabulary (IEV) 161: Part Electromagnetic compatibility IEC 60050-161:1990/AMD1:1997 IEC 60050-161:1990/AMD2:1998 IEC 60050-161:1990/AMD3:2014 IEC 60050-161:1990/AMD4:2014 IEC 60050-161:1990/AMD5:2015 IEC 60050-161:1990/AMD6:2016 IEC 60050-161:1990/AMD7:2017 IEC 60050-161:1990/AMD8:2018 IEC 60050-161:1990/AMD9:2019

IEC 61000-4-20:2010, Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides

IEC 61000-4-22:2010, Electromagnetic compatibility (EMC) – Part 4-22: Testing and measurement techniques – Radiated emission and immunity measurements in fully anechoic rooms (FARs)

#### 3 Terms, definitions and abbreviated terms

#### 3.1 General

For the purposes of this document, the terms and definitions given in IEC 60050-161, as well as the following apply.

NOTE Within this document wherever the term "equipment" is used it includes the more specific terms "appliance", "household or similar appliances", "electric tool", "toys" and "apparatus".

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp