

ISO/IEC TR 15067-3-8

Edition 1.0 2020-09

TECHNICAL REPORT



Information technology – Home electronic system (HES) application model – Part 3-8: GridWise transactive energy framework





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@jec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of C p. ollecte. CISPR. IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and



ISO/IEC TR 15067-3-8

Edition 1.0 2020-09

TECHNICAL REPORT



Information technology – Home electronic system (HES) application model – Part 3-8: GridWise transactive energy framework

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 35,200 ISBN 978-2-8322-8851-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| F | OREWO | RD | 5 |
|----|----------------|---|----|
| IN | TRODU | CTION | 7 |
| 1 | Scop | e | 10 |
| 2 | Norm | ative references | 10 |
| 3 | Term | s and definitions | 10 |
| 4 | Abbre | eviated terms | 14 |
| 5 | | ext setting | |
| | 5.1 | Context for transactive issues | |
| | 5.2 | Report contents and organization | |
| | 5.3 | The problem | |
| | 5.4 | Time scales | |
| | 5.5 | Economic/market context | 19 |
| | 5.6 | Grid control systems context | 20 |
| 6 | Trans | active energy | 22 |
| | 6.1 | Transition from central power generation | 22 |
| | 6.2 | Transactive energy definition | 23 |
| | 6.3 | Transactive energy attributes | 23 |
| | 6.4 | Transactive energy principles | 24 |
| | 6.5 | Evolution of the grid and its effects on transactive energy | 25 |
| | 6.6 | Strata of transactive energy | |
| 7 | Fram | ework | |
| | 7.1 | The elements of transactive energy | |
| | 7.2 | Policy and market design | 28 |
| | 7.3 | Business models and value realization | |
| | 7.3.1 | Overview | |
| | 7.3.2 | | |
| | 7.3.3 | 9 | |
| | 7.3.4 | , | |
| | 7.3.5 | | |
| | 7.3.6 7.3.7 | | 42 |
| | 7.3.8 | | 42 |
| | 7.3.0 | Conceptual architecture guidelines | 44 |
| | 7.4.1 | Creating a conceptual architecture | 44 |
| | 7.4.2 | | |
| | 7.4.3 | | |
| | 7.4.4 | | |
| | 7.5 | Cyber-physical infrastructure | |
| | 7.5.1 | Two cyber-physical networks | |
| | 7.5.2 | Understanding the electricity grid | 50 |
| | 7.5.3 | | |
| | 7.5.4 | Node characteristics and responsibilities | 54 |
| | 7.5.5 | Transaction train | 55 |
| Αı | nnex A (| informative) Case studies | 58 |
| | A.1 | Use of case study template | 58 |

| A.2 (| Case study template | 58 |
|-------------|---|------|
| A.2.1 | Title of the case study | 58 |
| A.2.2 | Case study characteristics and objectives | 58 |
| A.2.3 | Transactive energy attributes | 58 |
| A.2.4 | Participating agencies and organizations | 60 |
| A.2.5 | References for case study | 60 |
| Annex B (ir | formative) Pacific Northwest Smart Grid Demonstration | 61 |
| B.1 F | Project characteristics and objectives | 61 |
| B.2 | ransactive energy attributes | 61 |
| B.2.1 | Architecture | 61 |
| B.2.2 | Extent | 62 |
| B.2.3 | Transacting parties | 62 |
| B.2.4 | Transaction | 62 |
| B.2.5 | Transacted commodities | 62 |
| B.2.6 | Temporal variability | 63 |
| B.2.7 | Interoperability | 63 |
| B.2.8 | Value discovery mechanisms | |
| B.2.9 | Value assignment | 63 |
| B.2.10 | 3 | |
| B.2.11 | Stability assurance | 64 |
| B.3 F | Participating agencies and organizations | 64 |
| | References for case study | |
| Annex C (ir | nformative) American Electric Power gridSMART $^{	exttt{R}}$ smart grid demonstration | 65 |
| | Project characteristics and objectives | |
| C.2 | ransactive energy attributes | |
| C.2.1 | Architecture | |
| C.2.2 | Extent | |
| C.2.3 | Transacting parties | |
| C.2.4 | Transactions | |
| C.2.5 | Transacted commodities | |
| C.2.6 | Temporal variability | |
| C.2.7 | Interoperability | 66 |
| C.2.8 | Value discovery mechanisms | |
| C.2.9 | Value assignment | |
| C.2.10 | · · | |
| C.2.11 | | |
| | Participating agencies and organizations | |
| | References for case study | |
| Bibliograph | y | 69 |
| Figure 1 – | Overview of GWAC transactive energy reference documents | 9 |
| | A framework provides high-level perspective | |
| | Electric power system timelines | |
| | Growing complexity of electric power system control | |
| | Stages of adoption of DER | |
| | GWAC Stack with strata of transactive energy | |
| | Transactive energy stakeholders | 20 |
| | LIGUAGUNYE EHELUV AIGNEHUNUELA | יור, |

| Figure 8 – Services available from DERs | 33 |
|---|----|
| Figure 9 – Architecture layers and iteration levels | 45 |
| Figure 10 – The GridWise Architecture Council's interoperability framework | 47 |
| Figure 11 – NIST Smart Grid Conceptual Model | 48 |
| Figure 12 – Grid Vision 2050 transactive energy abstraction model | 49 |
| Figure 13 – Integrated Control Abstraction Stack/GWAC Stack model | |
| Figure 14 – Transaction train model | 56 |
| | |
| Table 1 – Characteristics of transactive energy | |
| Table 2 – Challenges faced from interoperability and transactive perspectives | |
| Table 3 – Summary of node characteristics and responsibilities | 55 |
| Table 3 – Summary of node characteristics and responsibilities | |
| | 5 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3-8: GridWise transactive energy framework

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

The main task of IEC and ISO technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

ISO/IEC TR 15067-3-8, which is a Technical Report, has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The text of this Technical Report is based on the following documents:

| Enquiry draft | Report on voting |
|--------------------|----------------------|
| JTC1-SC25/2944/DTR | JTC1-SC25/2965/RVDTR |

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 15067 series, published under the general title *Information technology – Home electronic system (HES) application model*, can be found on the IEC and ISO websites.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates Jun conte that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Over the past two decades, the use of demand response and other flexible distributed resources for electricity market efficiency and grid reliability has grown dramatically. Customers' loads, generation, and storage will impact the management of an increasingly unpredictable power system. Because of this growth in flexible distributed energy resources deployment, attention is being devoted to addressing not only the economics of the electricity grid, but also the control system implications for grid reliability. This has led to a focus on an area of activity called "transactive energy". Transactive energy (TE) refers to the use of a combination of economic and control techniques to improve grid reliability and efficiency. These techniques can also be used to optimize operations within a customer's facility.

The motivations for employing TE systems come from the increasing diversity of resources and components in the electric power system and the inability of existing practices to accommodate these changes. Expanded deployment of variable generation on the bulk power side, distributed energy resources throughout the system, and new intelligent load devices and appliances on the consumption side necessitate new approaches to how electric power is managed and delivered, and the associated economic and business models. Conventional wisdom is that once variable generation resources reach 30 %, the current control systems for the grid will be simply inadequate [1]1.

Transactive energy systems provide a way to maintain the reliability and security of the power system while increasing efficiency by coordinating the activity of the growing number of distributed energy resources. These multiple goals pose a multi-objective control and optimization challenge. This is one reason why TE embraces both the economics and the engineering of the power system. The same considerations outlined for the electricity grid apply to building energy systems and other local energy systems such as microgrids [2].

In the past, these systems could be considered simply end nodes on the physical power grid that act as simple "dumb" loads. But they are becoming increasingly more interactive with the grid, providing intelligent load, storage, and generation sources. They now need to be considered integral and active components of the grid as a whole. Building energy systems account for a majority of the electric power consumed in the United States. For example, the U.S. Energy Information Administration (EIA) estimated that buildings (residential and commercial) would account for around 70 % of electricity consumption in the United States in 2014 [3]. Recent EIA data shows that this projection was correct and electricity use in buildings is currently just over 70 % each year [4]. From the grid perspective, buildings are examples of loads that will be integral, active components of the end-to-end electric power system. Within buildings, the same need exists to achieve similar economic and reliably optimized solutions to manage energy and potentially to realize new revenue streams through participation in markets related to electric power systems. The growing adoption of electric vehicles presents a new class of controllable loads, and possibly even generating loads, that can interact with the grid.

Asset owners, system operators, and other economic entities involved in the generation, transmission, and use of electric power all have a stake in a reliably efficient power system envisioned with the use of TE. There is a clear need to align value streams for all of these parties by using incentives for participation in an actively managed system. This document describes the considerations and basic elements for all stakeholders. This provides an opportunity for discussing how various approaches can enable alignment of value streams and the creation of sustainable business models.

¹ Numbers in square brackets refer to the Bibliography.

Regulatory, policy, and business issues frame the discussion about the functional characteristics of TE systems. From these characteristics, this document also presents a conceptual or reference architecture illustrating the principal functional entities and relationships. The intent of this material is not to define a specific solution, but to describe the TE environment and to enable comparisons among various approaches.

This document further examines the practical dimensions of implementing TE systems by considering the cyber-physical system aspects. Here, too, this document avoids prescribing specific solutions, but rather identifies gaps and technology challenges that need to be addressed.

There have also been several new TE pilots proposed and implemented, and panels on TE can be found at most conferences, including technology-focused conferences such as Institute of Electrical and Electronics Engineers (IEEE) Innovative Smart Grid Technologies and industry conferences such as DistribuTECH, showing considerable interest in this topic. TE is also a frequent topic in technical journals, magazines, and blogs. These varied platforms for discussing TE indicate a broad acceptance of the possibilities offered and interest in ways to apply TE by service providers, utilities, and regulators.

The intent of the TE framework is to promote discussion at the conceptual level of common features or elements of specific models, designs, or implementations of TE systems. At this conceptual level, the framework is intended to be broad and overarching.

In promoting broader discussion, multiple diverse stakeholders need to be considered. Consequently, TE involves contributions from multiple disciplines spanning both economics and engineering. The implications of the potential new approaches for managing and controlling electric power systems call for a broad involvement of economists, regulators, policy makers, vendors, integrators, utilities, researchers, end-consumers such as building owner-operators, and other stakeholders. The diversity of thought provided by multiple viewpoints is important to achieving a framework that addresses the variety of perspectives and needs these stakeholders bring to the table.

A framework is a method and a set of supporting tools that can be used for developing an architecture. The TE framework is a tool that can be used for developing a broad range of different architectures for implementing transactive techniques. This document discusses approaches for designing a transactive system in terms of a set of building blocks, and for showing how the building blocks fit together.

The United States Department of Energy has supported the GridWise®² Architecture Council (GWAC) in specifying a conceptual framework for developing architectures and designing solutions related to TE. The goal of this effort is to encourage and facilitate collaboration among the many stakeholders involved in the transformation of the power system and thereby advance the practical implementation of TE. The GWAC developed this document to provide definitions of terms, architectural principles and guidelines, and other descriptive elements that present a common ground for all interested parties to discuss and advance TE.

In creating the TE framework (this document), the authors presume an audience with a good understanding of interoperability, familiarity with ISO/IEC TR 15067-3-2 [5], and knowledge of energy markets and associated business models. People with this level of background should be reasonably able to understand the proposed ideas, critically review them, and participate in reworking or refining the framework so that it becomes a shared creation with tools that propagate and that serve the diverse smart grid community. This document covers the topic of TE at an abstract, conceptual level without prescribing specific implementations. The audience for this document includes policy makers, regulators, vendors, utilities, researchers, practitioners, and end-use asset owners.

² GridWise is a registered trademark of Gridwise, Inc. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC or ISO.

In addition to this document, the GWAC produced a TE Decision Maker's Checklist [6] and a TE Roadmap (ISO/IEC 15067-3-7) [7]. Each document is designed for a different audience and each provides a different perspective on what transactive systems are, how they will evolve, and necessary policy considerations (see Figure 1). In addition, the Smart Grid Interoperability Panel (now Smart Electric Power Alliance) produced a TE Landscape Scenarios white paper presenting six high-level operational scenarios [8]. Collectively, these explore TE interactions and provide examples where TE systems produce value.




Figure 1 - Overview of GWAC transactive energy reference documents

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3-8: GridWise transactive energy framework

1 Scope

This part of ISO/IEC 15067, which is a Technical Report, provides a conceptual framework for developing architectures and designing solutions related to transactive energy (TE). Transactive energy allows electricity generated locally by consumers using wind, solar, storage, etc., at homes or buildings to be sold into a competitive market. This document provides guidance for enhancing interoperability among distributed energy resources involved in energy management systems at homes and buildings. It addresses gaps identified as problematic for the industry by providing definitions of terms, architectural principles and guidelines, and other descriptive elements that present a common ground for all interested parties to discuss and advance TE.

This document builds upon ISO/IEC 15067-3 [9], with technology to accommodate a market for buying and selling electricity generated centrally or locally by consumers. The energy management agent (EMA) specified in ISO/IEC 15067-3 can represent the customer as a participant in TE. Transactive energy is important for achieving electric grid stability as power from renewable sources such as wind and solar fluctuates with time and weather.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

ancillary services

services necessary to support the transmission of capacity and energy from resources to loads while maintaining reliable operation of the transmission service provider's transmission system in accordance with good utility practice

Note 1 to entry: Ancillary services can include synchronized reserves, regulation and operating reserve, energy imbalance (using market-based pricing), and the cost-based services of scheduling, system control and dispatch, voltage control, and black start.

3.2

architecture

fundamental concepts or properties of a system in its environment embodied in its elements, relationships, and in the principles of its design and evolution

Note 1 to entry: ISO/IEC/IEEE 42010:2011 describes architecture viewpoints, architecture frameworks and architecture description languages for codifying conventions and common practices of architecture description.