

TECHNICAL REPORT



**Communication networks and systems for power utility automation –
Part 90-9: Use of IEC 61850 for Electrical Energy Storage Systems**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

TECHNICAL REPORT



Communication networks and systems for power utility automation – Part 90-9: Use of IEC 61850 for Electrical Energy Storage Systems

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-8865-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
1.1 Scope of this document.....	10
1.2 Namespace.....	10
1.3 Data model Namespace Code Component distribution.....	10
2 Normative references	11
3 Terms, definitions and abbreviated terms	12
3.1 Terms and definitions.....	12
3.2 Abbreviated terms.....	14
3.3 Acronyms and abbreviated terms proposed specifically for the data model part of this document	14
3.4 Common abbreviated terms used for the data model part of this document.....	15
4 Overview of EESS	34
4.1 EESS system description	34
4.2 Functional requirements of EESS.....	35
4.3 EESS participating in grid operations as a DER system	35
4.3.1 General	35
4.3.2 Constraints, assumptions, and design considerations	36
4.4 Hierarchical class model of DER resources.....	36
4.5 DER resource class and composition model for EESS	37
4.5.1 General	37
4.5.2 DER class model principles for a single storage unit.....	37
4.5.3 Expressing the composition of storage elements	39
4.5.4 Expressing equivalent capabilities	41
4.5.5 Complete DER model resulting from equivalent and composed principles.....	43
4.5.6 LN mapping example in case of a complex storage installation	45
4.6 State machine of the EESS.....	47
4.7 Definitions of the capacity and the state of charge of an EESS	49
5 Use cases	50
5.1 General.....	50
5.2 Use case overview.....	50
5.2.1 Diagram.....	50
5.2.2 Actors.....	51
5.2.3 List of use cases.....	51
5.2.4 Information flow (basic flow)	52
5.2.5 Summary of exchanged information in use cases.....	57
6 IEC 61850 based information modelling.....	62
6.1 Logical Nodes from 61850-90-9 namespace.....	62
6.1.1 General	62
6.1.2 Abstract LNs related to the 61850-90-9 namespace (AbstractLN_90_9).....	66
6.1.3 Logical Nodes from Group D (LNGroupD_90_9)	71
6.1.4 Logical Nodes from Group S (LNGroupS_90_9).....	78
6.2 Enumerations.....	81
6.2.1 General	81
6.2.2 Battery Test Results (BatteryTestResultKind)	82

6.2.3	Type of Battery (BatteryTypeKind)	82
6.2.4	Storage charging/discharging permissions (ChargeSourceKind)	83
Annex A (informative)	Concrete case 1&2: YSCP (Yokohama Smart City Project) DER MS (Battery SCADA) system use cases	84
A.1	System use cases #1: Online power system control with aggregated battery based EESS (virtual energy storage)	84
A.1.1	Descriptions of function	84
A.1.2	Step by step analysis of function	88
A.1.3	Auxiliary issues – Revision history	97
A.2	System use case #2 Active power schedule updating by using aggregated battery-based EESS	97
A.2.1	Descriptions of function	97
A.2.2	Step by step analysis of function	106
A.2.3	Auxiliary issues – Revision history	113
Annex B (informative)	DER functions to meet EESS energy application requirements	114
Annex C (informative)	Energy service by electrical energy storage system use case #1 (Energy supply and demand adjustment using customer's battery system)	118
C.1	Use case description	118
C.1.1	Use case name	118
C.1.2	Use case scope and objectives	118
C.1.3	Use case detailed description	119
C.2	Use case diagrams	120
C.3	Technical details – Actors	123
C.4	Information exchanged	124
Bibliography	125
Figure 1	– Classification of electrical energy storage systems according to energy form. IEC-WP [IEC White Paper Electrical Energy Storage:2011])	34
Figure 2	– Different uses of electrical energy storage in grids, depending on the frequency and duration of use	35
Figure 3	– Simple storage resource model of a battery storage unit (instance & class)	37
Figure 4	– Hierarchical class model of DER resources – (blue outlined area showing EESS)	38
Figure 5	– Exposing the generic interface of a DER unit (Case of a storage unit as an example)	39
Figure 6	– DER composition model principles	40
Figure 7	– LN mapping related to a storage system composed of two storage units	41
Figure 8	– Needed association to express DER generic capabilities	42
Figure 9	– Exposing the generic interfaces of a storage DER (battery storage as example)	43
Figure 10	– Principles of the hierarchical class model of DER resources with examples of specific DER types at the lowest level (blue outlined area showing EESS)	44
Figure 11	– LN mapping of an EESS composed of 2 storage units with equivalent capabilities defined at all levels	45
Figure 12	– A simple electrical energy storage system	46
Figure 13	– A more complex electrical mixed system, including storage – example of possible LN mapping	46
Figure 14	– DER common state diagram	48
Figure 15	– Logic definitions associated to the DER common state diagram	49

Figure 16 – EESS state of charge: effective and usable capacities and states of charge reflected using the IEC 61850 model naming conventions	50
Figure 17 – Use case diagram	51
Figure 18 – The entire sequence of EESS use cases	52
Figure 19 – Sequence of UC1: retrieving current capabilities/status of EESS information to Storage Management System	53
Figure 20 – Sequence of UC2: set Charging power to EESS	55
Figure 21 – Sequence of UC3: Set discharging power to EESS	55
Figure 22 – Sequence of UC4: set operational function/schedule to EESS	56
Figure 23 – Sequence of UC5: Alarm/Asset Monitoring of EESS	57
Figure 24 – Class diagram LogicalNodes_90_9::StorageLNs_Global arrangement.....	62
Figure 25 – Class diagram LogicalNodes_90_9::StorageLNs_Details.....	63
Figure 26 – Class diagram LogicalNodes_90_9::StorageLNs_90_9_1	64
Figure 27 – Class diagram LogicalNodes_90_9::StorageLNs_90_9_2	65
Figure 28 – Class diagram DOEnums_90_9::DOEnums_90_9	82
Figure A.1 – Load Frequency control by battery aggregation.....	85
Figure A.2 – Actors	86
Figure A.3 – Calculation of the total surplus potential for the default plan	104
Figure A.4 – Calculation of the schedule of batteries for the default plan	104
Figure A.5 – Calculation of the schedule of batteries for the default plan	105
Figure A.6 – Calculation of the schedule of batteries for the plan	105
Table 1 – Tracking information of (Tr)IEC 61850-90-9:2018A namespace building-up	7
Table 2 – Attributes of (Tr)IEC 61850-90-9:2018A namespace	10
Table 3 – Generic acronyms and abbreviated terms	14
Table 4 – Normative abbreviations for data object names	15
Table 5 – Normative abbreviations for data object names	16
Table 6 – List of actors	51
Table 7 – List of use cases	52
Table 8 – Information exchange in UC1: Sequence of retrieving current capabilities/status of EESS information to Storage Management System	53
Table 9 – Information exchange Step1-2 in UC1 current capability /status information	54
Table 10 – Information exchange in UC2: Set Charging power to EESS	55
Table 11 – Information exchange in UC3: Set discharging power to EESS	56
Table 12 – Information exchange in UC4: set operational function to EESS	56
Table 13 – Information exchange in UC4: set schedule to EESS	57
Table 14 – Information exchange in UC5: Alarm/Asset Monitoring of EESS	57
Table 15 – Summary of exchanged Information in use cases with corresponding DOs/LNs	58
Table 16 – Data objects of Storage_Control_LN	66
Table 17 – Data objects of StorageOperationalSettingsLN	66
Table 18 – Data objects of StorageNameplateRatingsLN	68
Table 19 – Data objects of DER_StorageLN	70
Table 20 – Data objects of DBAT	71

Table 21 – Data objects of DSTO	74
Table 22 – Data objects of SBAT	78
Table 23 – Literals of BatteryTestResultKind	82
Table 24 – Literals of BatteryTypeKind	83
Table 25 – Literals of ChargeSourceKind	83

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 90-9: Use of IEC 61850 for Electrical Energy Storage Systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61850-90-9, which is a technical report, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
57/2128/DTR	57/2184/RVDTR

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61850 series, published under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website. This IEC standard includes Code Components i.e. components that are intended to be directly processed by a computer.

Such content is any text found between the markers <CODE BEGINS> and <CODE ENDS>, or otherwise is clearly labelled in this standard as a Code Component.

The purchase of this IEC standard carries a copyright license for the purchaser to sell software containing Code Components from this standard to end users either directly or via distributors, subject to IEC software licensing conditions, which can be found at: <http://www.iec.ch/CCv1>.

Table 1 shows all tracking information of (Tr)IEC 61850-90-9:2018A namespace building-up

Table 1 – Tracking information of (Tr)IEC 61850-90-9:2018A namespace building-up

Attribute	Content
Namespace IEC specific information	
Version of the UML model used for generating the document (informative)	WG17build6
Date of the UML model used for generating the document (informative)	2020-05-19
Autogeneration software name and version(informative)	j61850DocBuilder 01v03 based on jCleanCim 02v02-NS beta6

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61850 consists of the following parts, under the general title *Communication networks and systems for power utility automation* (all parts may have not been published yet).

- Part 1: Introduction and overview
- Part 2: Glossary
- Part 3: General requirements
- Part 4: System and project management
- Part 5: Communication requirements for functions and device models
- Part 6: Configuration description language for communication in electrical substations related to IEDs
- Part 7-1: Basic communication structure – Principles and models
- Part 7-2: Basic communication structure – Abstract communication service interface (ACSI)
- Part 7-3: Basic communication structure – Common data classes
- Part 7-4: Basic communication structure – Compatible logical node classes and data classes
- Part 7-410: Hydroelectric power plants – Communication for monitoring and control
- Part 7-420: Basic communication structure – Distributed energy resources logical nodes
- Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3
- Part 80-1: Guideline to exchange information from a CDC based data model using IEC 60870-5-101/104
- Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3
- Part 90-1: Use of IEC 61850 for the communication between substations
- Part 90-2: Using IEC 61850 for the communication between substations and control centres
- Part 90-3: Using IEC 61850 for condition monitoring
- Part 90-4: Network Engineering Guidelines – Technical report
- Part 90-5: Using IEC 61850 to transmit synchrophasor information according to IEEE C37.118
- Part 90-7: Object models for power converters in distributed energy resources (DER) systems
- Part 90-8: Object model for E-mobility
- Part 90-10: Object model for scheduling
- Part 10: Conformance testing

In addition to the above, the IEC 61850 basic communication structure for Wind Turbines has been published as IEC 61400-25, *Wind turbines – Communications for monitoring and control of wind power plants*.

This technical report is primarily based on the recommendation 5.7.4. “interface, control and standard data elements”, of the IEC white paper “Electrical Energy Storage” published in December 2011 by the MSB. The recommendation proposes the necessity of a standardization of interfaces between storage and other grid elements, protocols for data exchange and control rules, and data elements for input, output and control information supplied by or to storage systems. In Chapter 5 of the white paper “Large Capacity EESS”, EESS systems are expected to play an important role in integrating renewable energy by providing flexibility for the grid.

This document also describes the basic functions of Electric Energy Storage System (EESS) and the information model of the interface to integrate EESS in intelligent grids and establish the necessary communication with standardised data objects.

This document is connected with IEC 61850-7-420 Edition 2¹, as well as IEC 61850-7-4:2010 and IEC 61850-7-4/AMD1:2015, explaining how the control system and other functions in a battery based electric energy storage unit utilizes logical nodes and information exchange services within the IEC 61850 framework to specify the information exchanged between functions as well as information that individual functions need and generate. IEC 61850-7-420:2009 provides an information model for batteries which was derived from the proposed data objects of part 7-4. Those data objects (as well as the models proposed within IEC TR 61850-90-3) follow the requirements of batteries that are supposed to be used in substations as an auxiliary power system and as backup power supplies. For this purpose, it was enough to only model the discharge function. Therefore, it is necessary to prepare new logical nodes to be applicable for grid connected electrical energy storage systems, i.e. the scope of this technical report.

This document provides necessary information within the IEC 61850 based object model in order to model functions of a battery based electrical energy storage system as a DER unit. For intelligently operated and/or automated grids, storing energy for optimising the grid operation is a core function. Therefore, shorter periods of storing energy with charging and discharging capability are also an indispensable function. Charging and discharging operations need to be modelled thoroughly and are in the focus of this technical report.

Once agreed, the content of this report is intended to be merged within a new edition of IEC 61850-7-420. In order to facilitate such merge, this document already mentions by anticipation some elements extracted from a forthcoming second edition of IEC 61850-7-420, and which appear to be key to guarantee the consistency between the future DER model proposed in the forthcoming second edition of IEC 61850-7-420 and the detailed electrical energy storage system model, presented in this document.

These elements are specifically tagged as “referring to the forthcoming second edition of IEC 61850-7-420” and should be updated as soon as this new edition is officially published.

This document has also been worked upon in order to be as close as possible to the forthcoming IEC 62933 series².

¹ Under preparation. Stage at the time of publication: IEC/PRVC 61850-7-420:2020.

² Under consideration.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 90-9: Use of IEC 61850 for Electrical Energy Storage Systems

1 Scope

1.1 Scope of this document

This technical report, which is part of the IEC 61850 series, describes the IEC 61850 information model for electrical energy storage systems (EESS). Therefore, this document only focuses on storage functionality in the purpose of grid integration of such systems at the DER unit level. Higher level Interactions are already covered in IEC 61850-7-420.

1.2 Namespace

This new subclause is mandatory for any IEC 61850 namespace (as defined by IEC 61850-7-1/AMD1).

Table 2 shows all attributes of (Tr)IEC 61850-90-9:2018A namespace.

Table 2 – Attributes of (Tr)IEC 61850-90-9:2018A namespace

Attribute	Content
Namespace nameplate	
Namespace Identifier	(Tr)IEC 61850-90-9
Version	2018
Revision	A
Release	3
Full Namespace Name	(Tr)IEC 61850-90-9:2018A
Namespace Type	transitional
Namespace dependencies	
Extends	IEC 61850-7-420:2019A version :2019 revision :A
Namespace transitional status	
Future handling of namespace content	The name space (Tr)IEC 61850-90-9:2018A is considered as "transitional" since the models are expected to be included in further editions IEC 61850-7-4xx. Potential extensions/modifications may happen if/when the models are moved to the International Standard status

1.3 Data model Namespace Code Component distribution

The Code Components are in light and full version:

- The full version is named: *IEC_TR_61850-90-9.NSD.2018A.Full*. It contains definition of the whole data model defined in this standard with the documentation associated and access is restricted to purchaser of this part.
- The light version is named: *IEC_TR_61850-90-9.NSD.2018A.Light*. It does not contain any documentations but contains the whole data model as per full version, and this light version is freely accessible on the IEC website for download at: <http://www.iec.ch/tc57/supportdocuments>, but the usage remains under the licensing conditions.

The Code Components for IEC 61850 data models are formatted in compliance with the NSD format defined by the standard IEC 61850-7-7. Each Code Component is a ZIP package containing:

- the electronic representation of the Code Component itself (possibly multiple files),
- the grammar files (XSD) enabling to check the consistency of the associated files against the defined version of NSD, but as well against the IEC 61850 flexibility rules in case of private extensions,
- a file describing the content of the package (IECManifest.xml).

The IECManifest contains different sections giving information on:

- The copyright notice
- The identification of the code component
- The publication related to the code component
- The list of the electronic files which compose the code component
- An optional list of history files to track changes during the evolution process of the code component.

The life cycle of a code component is not restricted to the life cycle of the related publication. The publication life cycle goes through two stages, Version (corresponding to an edition) and Revision (corresponding to an amendment). A third publication stage (Release) allows publication of Code Component in case of urgent fixes of InterOp Tissues, thus without need to publish an amendment.

Consequently new release(s) of the Code Component may be released, which supersede(s) the previous release, and will be distributed through the IEC TC57 web site at: <http://www.iec.ch/tc57/supportdocuments>.

The latest version/release of the document will be found by selecting the file named *IEC_TR_61850-90-9.NSD.{VersionStateInfo}.Light* with the filed VersionStateInfo of the highest value.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 61850-2, *Communication networks and systems for power utility automation - Part 2: Glossary*

IEC 61850-7-2:2010, *Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)*
IEC 61850-7-2:2010/AMD1:2020

IEC 61850-7-3:2010, *Communication networks and systems for power utility automation - Part 7-3: Basic communication structure - Common data classes*
IEC 61850-7-3:2010/AMD1:2020

IEC 61850-7-4:2010, *Communication networks and systems for power utility automation - Part 7-4: Basic communication structure - Compatible logical node classes and data object classes*

IEC 61850-7-4:2010/AMD1:2020

IEC 61850-7-420, *Communication networks and systems for power utility automation – Part 7-420: Basic communication structure – Distributed energy resources logical nodes*³

IEC TS 62933-3-1, *Electrical energy storage (EES) systems - Part 3-1: Planning and performance assessment of electrical energy storage systems - General specification*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TS 62933-3-1, IEC TS 61850-2, IEC 61850-7-2 and IEC 61850-7-420, as well as the following, apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

Actual Power Capability (includes Emergency mode)

value of power at a given time considering as a result of temperature or other factors

3.1.2

Actual State of Charge of an EESS

relation between the available energy from an EESS and the actual energy capacity, expressed as a percentage of the actual energy capacity

3.1.3

available energy

maximum electrical energy that can be extracted from the EESS system from the current state of charge of the EESS system

Note 1 to entry: Joule (J) is the base unit, other units may be chosen for convenience as well (kWh, MWh).

Note 2 to entry: Depending on the technology used, the available energy can differ by ambient temperature, self-discharge, power conversion losses, c-rate (for batteries) and other factors.

[SOURCE: IEC 62933-1:2018]

3.1.4

controllable load

load whose energy consumption may be increased or decreased through control actions by other entities

Note 1 to entry: “Controllable load” and “load” are considered equivalent in this document.

3.1.5

distributed energy resource

DER

generation, storage, and controllable load connected at the low or medium voltage distribution level

Note 1 to entry: DER may include associated protection, control, and monitoring capabilities, and may consist of aggregated DER units.

³ Under preparation. Stage at the time of publication: IEC/PRVC 61850-7-420:2020.